AUTHOR INDEX

VOLUME 70, 1993

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
ESA = European Society of Anaesthesiologists (Founding Congress) Abstracts
C = Correspondence
E = Editorial
R = Book review

ABELS, R. *see* FARIS, P. P., (*ESA*) A.101
ADERJAN, R. *see* MOTSCH, J., (*ESA*) A.155
AHMAD, R., SAMI, K. A. and RABEEAH, A. A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair 696–698
AITKENHEAD, A. R. *see* HENNESSY, N., (*ARS*) 475P; LAMB, J. M., (*ARS*) 478–479P; MAHAJAN, R. P., (*ESA*) A.68; (*ARS*) 482–483P; MICHEL, M. Z., (*R*) 709
ÅKESON, J., BJÖRKMAN, S. and MESSETER, K. Midazolam prevents ketamine-induced stimulation of cerebral metabolism, (*ESA*) A.111
ALBANESE, J., VIVIAND, X., DURBEC, O., ALLIEZ, B. and MARTIN, C. Sufentanil increases intracranial pressure in patients with head trauma, (*ESA*) A.107
ALCOCK, R., PEACHEY, T., LYNCH, M. and MCEWAN, T. Comparison of alfentanil with suxamethonium in facilitating nasotracheal intubation in day-case anaesthesia 34–37
ALDERSON, P. J., BURROWS, F. A., STEMP, L. I. and HOLTBY, H. M. Use of ultrasound to evaluate internal jugular vein anatomy and to facilitate central venous cannulation in paediatric patients 145–148
ALFONSI, P., HONGNAT, J.-M., LEBRAULT, C. and CHAUVIN, M. Fentanyl, as pethidine, inhibits post anaesthesia shivering, (*ESA*) A.74
AL-HASANI, A. Ketorolac postoperative analgesia, (*C*) 112–113
ALI, H. H. *see* SHORTEN, G. D. 160–162
ALI-MELKKILÄ, T., VIRKKILÄ, M., SOINI, H. and KANTO, J. Pharmacokinetics and effects of i.m. alfentanil as premedication for outpatient cataract surgery, (*ESA*) A.145
ALLAGAIN, J. *see* HEATH, M. L., (*C*) 596
ALLEN, J. G. *see* CARROLL, P. H., (*C*) 600
ALLEN, P. *see* QUINEY, N. F., (*C*) 380
ALLEN, P. R. *see* GILLIGAN, S., (*C*) 491
ALLIEZ, B. *see* ALBANESE, J., (*ESA*) A.107
ALLSOP, E. *see* INNES, P., (*ESA*) A.167
ALLT-GRAHAM, J. *see* MENON, G. 587–590
ALON, E., LENZLINGER, P. M. and PASCH, T. Ondansetron 4 mg *vs* droperidol 1.25 mg in the prophylaxis of postoperative nausea and vomiting after alfentanil-supplemented inhalation anaesthesia, (*ESA*) A.12
ALON, E. *see* BIRO, P., (*ESA*) A.156
ALVAREZ, J., CAMARA, M. L., CORTIÑAS, J., CORTES, J. and ARIS, A. Pulmonary and systemic vascular effects of isoproterenol, nitroglycerin and prostaglandin E1 early after cardiac operations in patients with pulmonary hypertension, (*ESA*) A.27
AMAHA, K. *see* SAITOH, Y. 402–404
AMANTEA, B. *see* SANTANGELO, E., (*ESA*) A.206
AMERY, A. *see* WIEBALCK, A., (*ESA*) A.90; (*ESA*) A.154
AMILON, A. *see* RAWAL, N. 280–285
ANDERSON, J. *see* CARLI, F., (*ESA*) A.86
ANDEKSON, K. *see* CRAWFORD, M. 419–422
ANDRADE, J. *see* MUNGLANI, R., (*ARS*) 483–484P
ANGSTER, R. *see* DOENICKE, A., (*C*) 491
ANNAT, G. and CLERGUE, F., (editors) *Collection d'Anesthésiologie et de Réanimation, Volume 30: Monitorage Non-Invasif en Réanimation*, (*R*) 117
ANSERMINO, J. M. *see* BLOGG, C. E., (*C*) 596–597
APPADU, B. Perioperative blood loss, (*C*) 492–493
APPADU, B., ROWBOTHAM, D. J., GRIFFITHS, R., GRAHAM, S. and NORMAN, R. I. Membrane action of volatile anaesthetics: effect of halothane on microviscosity, (*ARS*) 477P
ARIEFF, A. I., (editor) *Hypoxia, Metabolic Acidosis and the Circulation*, (*R*) 118
ARIÈS, J. *see* ARNÉ, J., (*ESA*) A.1
ARIS, A. *see* ALVAREZ, J., (*ESA*) A.27
ARMELLIN, G., SORBARA, C., PITTARELLO, D., PENZO, D. and GIRON, G. P. Acute preoperative plasmapheresis during cardiac surgery, (*ESA*) A.104
ARNÉ, J., DESCOINS, P., BRESARD, D., ARIÈS, J. and FUSCIARDI, J. A new clinical score to predict difficult intubation, (*ESA*) A.1
ARNOLD, B. D. C. Sedation with propofol during regional anaesthesia, (*C*) 112
ARNOLD, C., BAIN, J., BROWN, R. A., HARDEN, R. M., LAIDLAW, J. M., MCALEER, S. and WOOD, R. A. *Moving to Audit, An Educational Package for Hospital Doctors and General Practitioners* 118
AROCK, M. *see* RIOU, B., (*ESA*) A.103
ARONSON, J. K. *see* GRAHAM-SMITH, D. G., (*R*) 601
ARONSTAM, R. S. *see* MARTIN, D. C. 365–367
ARROYO, J. L. *see* CATALÁ, J. C., (*ESA*) A.89; MONEDERO, P., (*ESA*) A.98; DE LOS RÍOS, J., (*ESA*) A.75
ARTHAUD, M. *see* BODIN, L., (*ESA*) A.191
ARTHUR, D. S. *see* RUNCIE, C. J. 192–195
ARTIGAS, A., LEMAIRE, F., SUTER, P. M. and ZAPOL, W. M., (editors) *Adult Respiratory Distress Syndrome*, (*R*) 117
ATCHESON, R., ROWBOTHAM, D. J. and LAMBERT, D. G. Effect of fentanyl on [^{3}H]noradrenaline uptake in isolated neuronal cell preparations, (*ARS*) 485P
ATTEBO, L., BENGSTSSON, M. and JOHNSON, A. Comparison of portable emergency ventilators using a lung model 372–377
AUBERT, M. *see* KOZAK RIBBENS, G., (*ESA*) A.92
AUBRUN, F., NARCHI, P. and BENHAMOU, D. Evaluation of pain and analgesia in a postanesthesia care unit, (*ESA*) A.198
AUFFRAY, J.-P. *see* MARTIN, C., (*ESA*) A.190
AUN, C. S. T., SUNG, R. Y. T., O'MEARA, M. E., SHORT, T. G. and OH, T. E. Cardiovascular effects of i.v. induction in children: comparison between propofol and thiopentone 647–653
AUROY, Y., GILLON, M.-C., BISMUTH, H. and ECOFFEY, C. Measurement of sigmoid intramural pH during orthotopic liver transplantation, (*ESA*) A.76
AUROY, Y. *see* DESCRAQUES, C., (*ESA*) A.127
AYA, G. *see* LEFRANT, J. Y., (*ESA*) A.18

BABIK, B. *see* VERECZKEY, Z., (*ESA*) A.64
BACH, A. *see* MOTSCH, J., (*ESA*) A.155
BACKMAN, C. *see* HOHNER, P., (*ESA*) A.41
BACONNIER, P. *see* PY, C., (*ESA*) A.57
BADDELEY, A. *see* MUNGLANI, R., (*ARS*) 483–484P
BAER, G. A. *see* RORARIUS, M. G. F. 293–297
BAILEY, C. R., RUGGIER, R. and FINDLEY, I. L. Diamorphine/bupivacaine mixture *vs* plain bupivacaine: a comparison of epidural infusions in labour, (*ESA*) A.169
BAILEY, P. M. *see* WILLIAMS, P. J. 30–33
BAIN, J. *see* ARNOLD, C. 118
BAKER, A. B., MCGINN, A. and JOYCE, C. Effect on lung volumes of oxygen concentration when breathing is restricted 259–266
BALATONI, E. *see* ZAOUK, G., (*ESA*) A.11
BÅLFORS, E. and FRANKLIN, K. Cerebral perfusion during obstructive sleep apnea (OSA), (*ESA*) A.62
BÅLFORS, E. *see* SVANSTRÖM, M., (*ESA*) A.177
BALL, S. P., DORKINS, H. R., ELLIS, F. R., HALL, J. L., HALSALL, P. J., HOPKINS, P. M., MUELLER, R. F. and STEWART, A. D. Genetic linkage analysis of chromosome 19 markers in malignant hyperthermia 70–75
BALLER, S. *see* MOTSCH, J., (*ESA*) A.155
BALTÁS, B. *see* VERECZKEY, Z., (*ESA*) A.64
BANNISTER, J. *see* MCLEOD, G. A., (*C*) 593
BANSSILLON, V. *see* PY, C., (*ESA*) A.57

BARANOWSKI, A. P. and BUIST, R. J. Peripheral nerve damage and regional anaesthesia, (*C*) 593–594

BARDOCZKY, G., ENGELMAN, E. and D'HOLLANDER, A. Continuous spirometry: an aid in the intraoperative respiratory monitoring—case reports, (*ESA*) A.55

BARDOCZKY, G. *see* ENGELMAN, E., (*ESA*) A.56

BARDOCZKY, G. I., LEVARLET, M., ENGELMAN, E. and DEFRANCQUEN, P. Continuous spirometry for detection of double-lumen endobronchial tube displacement 499–502

BARKER, P. *see* LANGTON, J. A. 126–130; MURPHY, P. J. 131–134

BARON, J.-F. *see* DELAYANCE, S., (*ESA*) A.45; FELLAHI, J. L., (*ESA*) A.44

BARRÉ, J. *see* PLAUD, B., (*ESA*) A.141

BARRIE, J. R., BEATTY, P. C. W., CAMPBELL, I. T., MEAKIN, G. and HEALY, T. E. J. Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously breathing adults 468–470

BARSOUM, L. Z. *see* FIELD, L. M. 154–159

BASKETT, P. J. F. Death certification, (*C*) 112; Use of lignocaine in ventricular defibrillation? (*C*) 380

BAUCH, U. *see* MOLTER, G. 428–433

BAUDOT, J., VERTOMMEN, J. D. and VAN AKEN, H. Patient controlled epidural analgesia *vs* intermittent injections during labor using 0.125% bupivacaine and sufentanil, (*ESA*) A.170

BAURAIN, M. J., DERNOVOI, B. S., D'HOLLANDER, A. A. and BOLLEN, P. C. Reversal of vecuronium induced neuromuscular blockade: no effects of atropine administration timing, (*ESA*) A.134

BAURAIN, M. J., DERNOVOI, B. S., D'HOLLANDER, A. A. and SCHMARTZ, D. M. Can repetition of high frequencies stimuli alter the value of 50 and 100 Hz tetanic fade during vecuronium induced neuromuscular blockade? (*ESA*) A.135; Comparison between double-burst stimulation and 50, 100 Hz tetanic fade during spontaneous recovery of vecuronium induced neuromuscular blockade, (*ESA*) A.133

BAURAIN, M. J. *see* DERNOVOI, B. S., (*ESA*) A.137

BAXTER, J. N. *see* MCMAHON, A. J., (*C*) 493–494

BAYHAN, N., GÜZELDEMIR, M. E. and TÜRKAN, H. The effects of bupivacaine, mepivacaine and prilocaine on platelet aggregation, (*ESA*) A.123

BAYLY, P. *see* PHILLIPS, S. 687–688

BAZIN, J. E., GILLART, T., COMTE, A., DUBRAY, C. and SCHOEFFLER, P. Does nicardipine potentiate the neuromuscular block of atracurium? (*ESA*) A.136

BEARDS, S. C. *see* GRIFFITHS, A. G. 223–225

BEATTY, P. C. W., MEAKIN, G. and HEALY, T. E. J. Fractional utilization of fresh gas by breathing systems without carbon dioxide absorption, (*C*) 707

BEATTY, P. C. W. *see* BARRIE, J. R. 468–470

BEAUSSIER, M., CORIAT, P., GOSGNACH, M., PORTILLA, M., KALFON, P. and VIARS, P. Determinants of systolic pressure variation in patients ventilated after vascular surgery, (*ESA*) A.37

BEAUSSIER, M. *see* GOSGNACH, M., (*ESA*) A.21

BECK, G. N., MASTERSON, G. R., RICHARDS, J. and BUNTING, P. Propofol and alfentanil or thiopentone and suxamethonium for tracheal intubation, (*ARS*) 483P

BEDROSSIAN, J. *see* JACOB, L., (*ESA*) A.85

BEEMER, G. H., BJORKSTEN, A. R. and CRANKSHAW, D. P. Pharmacokinetic/pharmacodynamic modelling of atracurium, (*C*) 111

BEGON, C. *see* JAMALI, S., (*ESA*) A.160

BEN AMEUR, M. *see* REIGNIER, J., (*ESA*) A.162

BENGSTSSON, M. *see* ATTEBO, L. 372–377

BENHAMOU, D., MALINOWSKY, J.-M., QUINQUIS, V., BOURGET, P. and COUARRAZE, G. Slow-release effect of pH-adjusted bupivacaine: pharmacokinetic demonstration, (*ESA*) A.120

BENHAMOU, D. *see* AUBRUN, F., (*ESA*) A.198; HAMZA, J., (*ESA*) A.171; JOLY, L.-M., (*ESA*) A.58

BENNET, J., RAMACHANDRA, V. and CARLI, F. An investigation into the effect of passive and active cutaneous warming devices on intraoperative body temperature in elderly patients, (*ESA*) A.73

BENNETT, S., NELSON, V. and GREEN, T. Propofol (2,6 diisopropylphenol) as an antioxidant *in-vitro*: a dose response study, (*ESA*) A.152

BERMEJO, N., GUÉANT, J. L., MATA, E., GÉRARD, P., MONERET-VAUTRIN, D. A. and LAXENAIRE, M. C. Platelet serotonin is a mediator potentially involved in anaphylactic reaction to neuromuscular blocking drugs 322–325

BERNAUS, M. *see* FERNANDEZ, D., (*ESA*) A.131

BERNIÈRE, J. *see* MURAT, I., (*ESA*) A.165

BERRIDGE, J. C. Statistical assessment of two methods of clinical measurement, (*C*) 595

BERRISFORD, R. G., SABANATHAN, S., MEARNS, A. J., CLARKE, B. J. and HAMDI, A. Plasma concentrations of bupivacaine and its enantiomers during continuous extrapleural intercostal nerve block 201–204

BERRY, A. *see* BRIMACOMBE, J., (*C*) 381; (*C*) 596; (*C*) 705

BERTHOUD, M. C., MCLAUGHLAN, G. A., BROOME, I. J., HENDERSON, P. D., PEACOCK, J. E. and REILLY, C. S. Comparison of infusion rates of three i.v. anaesthetic agents for induction in elderly patients 423–427

BERTRAND, M. *see* GOSGNACH, M., (*ESA*) A.5; (*ESA*) A.6

BERTRIX, L. *see* FREYSZ, M., (*ESA*) A.46

BEYDON, L., RAUSS, A., LOFASO, F., HARF, A. and BONNET, F. A survey of sleep problems in surgical patients, (*ESA*) A.4

BEYDON, L. *see* CATOIRE, P., (*ESA*) A.192; LIU, N., (*ESA*) A.128; MIMOZ, O., (*ESA*) A.180

BHATT, S. B. *see* OH, T. E., (*C*) 237–238; TAN, I. K. S. 267–272

BIBER, B. *see* RANER, C., (*ESA*) A.49; SUNDEMAN, H., (*ESA*) A.50

BINNING, A. *see* FORBES, D., (*ESA*) A.125

BIRKHAHN, A. *see* WEISS, M. 317–321

BIRO, P., ALON, E., WEIDMANN, G. and PIETZSCH, S. Dose dependent effects of oral medication with midazolam, (*ESA*) A.156

BISMUTH, H. *see* AUROY, Y., (*ESA*) A.76

BITKER, M. *see* MOUQUET, C., (*ESA*) A.83

BITKER, M.-O. *see* MOUQUET, C., (*ESA*) A.82; (*ESA*) A.84

BJÖRKMAN, S. *see* ÅKESON, J., (*ESA*) A.111

BJORKSTEN, A. R. *see* BEEMER, G. H., (*C*) 111

BLIN, O. *see* PAUT, O., (*ESA*) A.10

BLOCKMANS, D., VAN HEMELRIJCK, J. and VAN AKEN, H. Ketamine does not prevent hypotension caused by induction of anaesthesia with propofol in elderly patients, (*ESA*) A.40

BLOGG, C. E. and ANSERMINO, J. M. Cricoid pressure and the laryngeal mask airway, (*C*) 596–597

BOCK, K. H. *see* FELLEITER, P., (*ESA*) A.196

BODIN, L., LAURENT, P., DO-KHAC, T., ZOUAOUI, Z., LAMAS, G., CAMBAU, E., ROUBY, J. J. and VIARS, P. Incidence of bacterial maxillary sinusitis in critically ill patients with radiologic maxillary sinusitis, (*ESA*) A.179

BODIN, L., MAGHREBI, H., KADDOUR, C., ARTHAUD, M., ROUBY, J. J. and VIARS, P. Non invasive monitoring of CO_2 in patients with septic shock, (*ESA*) A.191

BODIN, L. *see* ROUBY, J. J., (*ESA*) A.181

BOER, F., ENGBERS, F., BURM, T., BOVILL, J. and HAK, A. Sufentanil first-pass pulmonary uptake at three different steady state concentrations of the drug, (*ESA*) A.147

BOERGER, N. *see* STRIEBEL, W. H., (*ESA*) A.210

BÖHRER, H. *see* GEIGER, C., (*ESA*) A.14

BOLDT, J., KNOTHE, C., SCHINDLER, E., HAMMERMANN, H., DAPPER, F. and HEMPELMANN, G. Volume replacement with hydroxyethyl starch solution in children 661–665

BOLLEN, P. C. *see* BAURAIN, M. J., (*ESA*) A.134; DERNOVOI, B. S., (*ESA*) A.137

BONARA, Z. *see* FOPPOLI, R., (*ESA*) A.132

BONNEAU, M. *see* SAMAMA, C. M., (*ESA*) A.100

BONNET, F. *see* BEYDON, L., (*ESA*) A.4; CATOIRE, P., (*ESA*) A.192; FULGENCIO, J. P., (*ESA*) A.42; LIU, N., (*ESA*) A.25; (*ESA*) A.128; 515–518; MIMOZ, O., (*ESA*) A.180

BONNIN, P. *see* SAMAMA, C. M., (*ESA*) A.100

BOOGAERTS, J., LAFONT, N. and LEGROS, F. J. Epidural administration of liposomal bupivacaine for the management of postsurgical pain, (*ESA*) A.200

BOOGAERTS, J. *see* LEGROS, F. J., (*ESA*) A.122

BOOKER, P. *see* INNES, P., (*ESA*) A.167

BOOSAERT, L. *see* HEYTENS, L., (*ESA*) A.178

BORDENAVE, L. *see* JANVIER, G. 186–191

BORGEAT, A., WILDER-SMITH, O. H. G., DESPLAND, P. A. and RAVUSSIN, P. Spontaneous excitatory movements during recovery from propofol anaesthesia in an infant: EEG evaluation 459–461

BORISSOV, B. *see* SMILOV, I., (*ESA*) A.176

BORSARELLI, J. *see* KOZAK RIBBENS, G., (*ESA*) A.92

BÖTTIGER, B. *see* RAUCH, H., (*ESA*) A.30

BOUGNIÈRES, P. *see* MENIGAUX, C., (*ESA*) A.175

BOUILLON, R. *see* WIEBALCK, A., (*ESA*) A.90; (*ESA*) A.154

BOULES, Z. *see* MIRAKHUR, R. K., (*C*) 235

BOURGAIN, J. L. *see* LEQUEAU, F., (*ESA*) A.97

BOURGAIN, J.-L. *see* SPENCER, A., (*ESA*) A.207

BOURGET, P. *see* BENHAMOU, D., (*ESA*) A.120

BOVILL, J. *see* BOER, F., (*ESA*) A.147

BOWMAN, W. C. *see* BRAGA, M. F. M. 405–410

BOYD, J. T. *see* LAMOND, C. T., (*ESA*) A.204

BOYS, R. J. *see* ROBSON, S. C. 634–638

BRADY, O. H. *see* JOSHI, G. P. 87–88

BRAGA, M. F. M., ROWAN, E. G., HARVEY, A. L. and BOWMAN, W. C. Prejunctional action of neostigmine on mouse neuromuscular preparations 405–410

BRANDOM, B. W. *see* MERETOJA, O. A., (*ESA*) A.140
BREDENKÖTTER, U. *see* SCHREGEL, W., (*ESA*) A.105
BREED, N. *see* RITTOO, D. B., (*ARS*) 486P
BRESARD, D. *see* ARNÉ, J., (*ESA*) A.1
BRESCHINSKI, W. *see* FELLEITER, P., (*ESA*) A.196
BRIGHT, J. *see* KULKARNI, P. 216–218
BRIMACOMBE, J. and BERRY, A. Cricoid pressure and the laryngeal mask airway, (*C*) 596; Hypertonic solutions in acute massive haemorrhage, (*C*) 705; Regurgitation and the laryngeal mask airway, (*C*) 381
BRODSKY, J. B. *see* SHENKMAN, Z. 349–359
BROMAGE, P. R. Spinal extradural abscess: pursuit of vigilance 471–473
BROMBERG, N., DECOENE, C., CHAMMAS, E., POL, A. and KRIVOSIC-HORBER, R. Echocardiographic study of the induction with a low-dose of sufentanil for coronary artery surgery, (*ESA*) A.28
BROOME, I. J. *see* BERTHOUD, M. C. 423–427
BROWN, A. G. *see* JONES, R. D. M. 286–292
BROWN, R. A. *see* ARNOLD, C. 118
BROWNE, D. *see* MYTHEN, M., (*ESA*) A.29
BRUBAKK, A. O. *see* FLOOK, V., (*ARS*) 474–475P
BRUELLE, P. *see* DE LA COUSSAYE, J. E., (*ESA*) A.121
DE BRUIJN, N. P. *see* CLEMENTS, F. M., (*R*) 708
BRUMMER, G. *see* STRIEBEL, W. H., (*ESA*) A.209
BRUNE, K. *see* GEISSLINGER, G. 666–671
BRUNEVAL, P. *see* SAMAMA, C. M., (*ESA*) A.100
BRUTSAERT, D. L. *see* DE HERT, S. G., (*ESA*) A.47
BUCKMASTER, H. A., KERR, K. A. and KUDYNSKA, J. Spin resonance spectroscopy to detect malignant hyperthermia susceptibility, (*C*) 598–599
BUIST, R. J. *see* BARANOWSKI, A. P., (*C*) 593–594
BUNTING, P. *see* BECK, G. N., (*ARS*) 483P
BURKE, J. F. *see* LEE, R. C., (*R*) 601
BURM, T. *see* BOER, F., (*ESA*) A.147
BURROWS, F. A. *see* ALDERSON, P. J. 145–148
BUTSCHER, K., MAZOIT, J. X. and SAMII, K. Postoperative analgesia: a two dosage regimens trial for i.m. morphine after early i.v. titration, (*ESA*) A.201

CAEN, J. P. *see* SAMAMA, C. M., (*ESA*) A.100
CALAPPI, E. *see* MULAZZI, D., (*ESA*) A.54
CALMATTE, S. *see* ORLIAGUET, G., (*ESA*) A.163
CALOW, P. *see* MYLES, A. P., (*ARS*) 476–477P
CALVEY, T. N. Synergy and isoboles, (*E*) 246–247
CAMARA, M. L. *see* ALVAREZ, J., (*ESA*) A.27
CAMARERO, A. *see* MARTÍNEZ URIONABARRENETXEA, K., (*ESA*) A.187; PÉREZ ARANCÓN, J. L., (*ESA*) A.188
CAMBAU, E. *see* BODIN, L., (*ESA*) A.179
CAMBOULIVES, J. *see* PAUT, O., (*ESA*) A.10
CAMPBELL, I. T. and GREEN, C. J. Metabolic effects of dobutamine, (*C*) 236
CAMPBELL, I. T. *see* BARRIE, J. R. 468–470; MCKAVNEY, M., (*ARS*) 475P; WATT, T., (*ARS*) 477P
CAMPKIN, N. *see* HOOD, J. R., (*ARS*) 480P; LAW MIN, J.-C., (*ARS*) 480–481P
CAMPKIN, N. T. A., HOOD, J. R. and FELDMAN, S. A. Tetanic fade during recovery from vecuronium block: comparison of systemic and isolated forearm administration 581–582
CAMPLING, E. A. *see* LUNN, J. N., (*C*) 382
CAMUS, Y., DELVA, E. and LIENHART, A. Preoperative skin-surface warming reduces intraoperative hypothermia, (*ESA*) A.72
CARAYON, A. *see* MOUQUET, C., (*ESA*) A.83; (*ESA*) A.84
CARLI, F., ANDERSON, J., READ, M. and HALLIDAY, D. Effect of recombinant human growth hormone (HGH) on protein metabolism in surgical patients, (*ESA*) A.86
CARLI, F. *see* BENNET, J., (*ESA*) A.73; JAKEWAYS, M. S. R., (*C*) 597; KULKARNI, P., (*ESA*) A.70; 216–218; MCHALE, S., (*C*) 701
CARRASCOSA, F. *see* HIDALGO, F., (*ESA*) A.99; MONEDERO, P., (*ESA*) A.98
CARRERA, J., MONEDERO, P., IRIBARREN, M. J., DE LOS RÍOS, J. and PANADERO, A. Changes in blood lactate, total body oxygen delivery and consumption during liver transplantation, (*ESA*) A.77
CARRERA, J. *see* MONEDERO, P., (*ESA*) A.98
CARRERA, J. A. *see* CATALÁ, J. C., (*ESA*) A.89
CARRIE, L. E. S. *see* UNCLES, D. R., (*C*) 116
CARROLL, P. H. and ALLEN, J. G. Pain relief after anterior cruciate ligament repair, (*C*) 600
CARSON, D. *see* MCLEOD, G. A., (*C*) 593
CASEY, K. R. *see* REEDER, M. K. 119; 119
CASHMAN, J. N. *see* LAMOND, C. T., (*ESA*) A.204
CASTAIGNE, D. *see* LEQUEAU, F., (*ESA*) A.97
CASTELLS, C. *see* FERNANDEZ, D., (*ESA*) A.131
CATALÁ, J. *see* MONEDERO, P., (*ESA*) A.98
CATALÁ, J. C., CARRERA, J. A., IRIBARREN, M. J., GARCÍA PEDRAJAS, F. and ARROYO, J. L. Effects of diazepam additives on the mononuclear phagocytic system, (*ESA*) A.89
CATALÁ, J. C. *see* HIDALGO, F., (*ESA*) A.99
CATOIRE, P., DELAUNAY, L., BEYDON, L., GUERRINI, P. and BONNET, F. Evaluation of systematic TEE in patients suspected of blunt chest trauma, (*ESA*) A.192
CATOIRE, P. *see* FULGENCIO, J. P., (*ESA*) A.42; LIU, N., (*ESA*) A.25
CATTANEO, I., KAYSER, V. and GUILBAUD, G. Differential effects of specific delta and kappa opioid antagonists on the bidirectionnal effect of naloxone in arthritic rats, (*ESA*) A.114
CAVALLIER, S. *see* RIOU, B., (*ESA*) A.102
CENSIER, K. *see* URWYLER, A. 76–79
CHABANNE, J. P. *see* DESCRAQUES, C., (*ESA*) A.127
CHAKRABARTI, M. K. *see* WANG, C. 63–69
CHAMBERS, W. A. Explaining risk to patients, (*C*) 381–382
CHAMMAS, E. *see* BROMBERG, N., (*ESA*) A.28
CHAN, K. *see* JONES, R. D. M. 286–292
CHANG, C.-L. *see* TSAI, Y.-C. 394–396
CHANG, C. S. *see* JAWAN, B. 639–641
CHATAIGNEAU, T. *see* LE PELLEY, E., (*ESA*) A.48
CHATTERJEE, S. *see* RAVISHANKAR, M., (*C*) 706–707
CHAUVIN, M., GUIRIMAND, F., GAUNEAU, P. and LEBRAULT, C. Effect of morphine on a nociceptive flexion reflex in patients with postoperative pain, (*ESA*) A.115
CHAUVIN, M. *see* ALFONSI, P., (*ESA*) A.74
CHAZALET, J. J. *see* JACOB, L., (*ESA*) A.85
CHEEMA, S. P. S. *see* ENTRESS, A. H., (*ESA*) A.158
CHENNELS, P. *see* MURPHY, P. G. 583–586
CHONG, Z. K. *see* JAWAN, B. 639–641
CLACQUIN, C. *see* SAMAHA, T., (*ESA*) A.118
CLAIROUX, M. *see* KATZ, J., (*C*) 378
CLARKE, B. J. *see* BERRISFORD, R. G. 201–204
CLARKE, F. L. *see* WILLIAMS, O. A., (*ARS*) 479P
CLARKE, R. S. J. *see* MIRAKHUR, R. K., (*C*) 235
CLEMENTS, F. M. and DE BRUIJN, N. P., (editors) *Transesophageal Echocardiography*, (*R*) 708
CLERGUE, F. *see* ANNAT, G., (*R*) 117; MOUQUET, C., (*ESA*) A.83; NYSTRÖM, E., (*ESA*) A.65
COBLEY, M., KIDD, J. F., WILLIS, B. A. and VAUGHAN, R. S. Endobronchial cuff pressures 576–578
COBLEY, M. *see* VAUGHAN, R. S., (*C*) 600
CODY, M. and JOHNSTON, J. Antepartum assessment for anaesthesia, (*C*) 116
COGHLAN, S. F. E., MCDONALD, P. F. and CSEPREGI, G. Use of alfentanil with propofol for nasotracheal intubation without neuromuscular block 89–91
COHENDY, R. *see* RIPART, J., (*C*) 704
COLARDYN, F. *see* DE DEYNE, C., (*ESA*) A.16; (*ESA*) A.106
COLLEE, G. G. and HANSON, G. C. The management of acute poisoning 562–573
COLLIER, C. B. Subdural catheterization and cord damage, (*C*) 384
COLLIER, C. B., GATT, S. P. and LOCKLEY, S. M. A continuous subdural block 462–465
COLLIS, R. *see* GAN, T. J., (*ESA*) A.13
COMTE, A. *see* BAZIN, J. E., (*ESA*) A.136
CONSEILLER, C. T. *see* VASSILIEFF, N., (*ESA*) A.71
CONSTANT, I. *see* MURAT, I., (*ESA*) A.165
CONTRERAS, M., (editor) *ABC of Transfusion*, 2nd Edn, (*R*) 495
COOK, T. M. Postoperative pain thresholds, (*C*) 110
COONEY, C. *see* DOYLE, M., (*ARS*) 486–487P
COOPER, D. W. and TURNER, G. Patient-controlled extradural analgesia to compare bupivacaine, fentanyl and bupivacaine with fentanyl in the treatment of postoperative pain 503–507
COOPER, R., MADDINENI, V. R., MIRAKHUR, R. K. and WIERDA, J. M. K. H. Pharmacokinetics of rocuronium (Org 9426) in patients with and without impaired renal function, (*ARS*) 482P
COOPER, R. *see* MADDINENI, V. R. 694–695
COOPER, R. A. *see* MIRAKHUR, R. K., (*C*) 235
COPPO, F. *see* PY, C., (*ESA*) A.57
CORIAT, P., GOMEZ, C., DAAS, G., PEREL, A. and VIARS, P. The systolic pressure variation predicts response to volume loading in patients ventilated after aortic surgery, (*ESA*) A.38
CORIAT, P. *see* BEAUSSIER, M., (*ESA*) A.37; GOSGNACH, M., (*ESA*) A.5; (*ESA*) A.6; PUYBASSET, L., (*ESA*) A.39
CORNET, A. *see* THIRION, A.-V., (*ESA*) A.172
CORSON, R. J. *see* MCKAVNEY, M., (*ARS*) 475P
CORTES, J. *see* ALVAREZ, J., (*ESA*) A.27
CORTIÑAS, J. *see* ALVAREZ, J., (*ESA*) A.27
COSSON, C. *see* MOULAY, N., (*ESA*) A.108
COUARRAZE, G. *see* BENHAMOU, D., (*ESA*) A.120

Cox, D. J. A. *see* Mallett, S. V., (*C*) 699–700
Cozian, A. *see* Lepage, J. Y., (*ESA*) A.35; Malinovsky, J.-M. 617–620
Cozzone, P. J. *see* Kozak Ribbens, G., (*ESA*) A.92
Craft, T. M. and Upton, P. M., (editors) *Key Topics in Anaesthesia*, (*R*) 117
Crankshaw, D. P. *see* Beemer, G. H., (*C*) 111
Cravalho, E. G. *see* Lee, R. C., (*R*) 601
Crawford, M., Pollock, J., Anderson, K., Glavin, R. J., MacIntyre, D. and Vernon, D. Comparison of midazolam with propofol for sedation in outpatient bronchoscopy 419–422
Crawford, M. E., Molke Jensen, F., Toftdahl, D. B. and Madsen, J. B. Direct spinal effect of intrathecal and extradural midazolam on visceral noxious stimulation in rabbits 642–646
Crea, M. A., Sollazzi, L., Perilli, V., Marana, E. and Ranieri, R. Respiratory effects of laparoscopic cholecystectomy (preliminary data), (*ESA*) A.63
Critchley, J. A. J. H. *see* Critchley, L. A. H. 681–683
Critchley, L. A. H., Critchley, J. A. J. H. and Gin, T. Haemodynamic changes in patients undergoing laparoscopic cholecystectomy: measurement by transthoracic electrical bioimpedance 681–683
Croci, M. *see* Mulazzi, D., (*ESA*) A.54
Cros, A. M. *see* Janvier, G. 186–191
Crozier, T. A., Flamm, C., Speer, C. P., Rath, W., Wuttke, W., Kuhn, W. and Kettler, D. Effects of etomidate on the adrenocortical and metabolic adaptation of the neonate 47–53
Csepregi, G. *see* Coghlan, S. F. E. 89–91
Cunningham, A. *see* McCoy, D., (*ESA*) A.43
Cunningham, A. J., Turner, J., Rosenbaum, S. and Rafferty, T. Transoesophageal echocardiographic assessment of haemodynamic function during laparoscopic cholecystectomy 621–625
Cunningham, A. J. *see* Ryan, T. 101–103

Daas, G. *see* Coriat, P., (*ESA*) A.38
Dahl, J. B. and Kehlet, H. The value of pre-emptive analgesia in the treatment of postoperative pain 434–439
Dahl, J. B., Kehlet, H., Hansen, B. L., Hjortsø, N.-C., Erichsen, C. J. and Møiniche, S. Pre-emptive analgesia, (*C*) 379
Dahlgren, C. *see* Jensen, A. G. 99–100
Dale, O., Frink, E. J., Thommesen, L. and Gandolfi, A. J. Hepatic elimination of diazepam: interactions with albumin, desflurane and sevoflurane 454–455
Dandoy, M. *see* Lampl, E., (*ESA*) A.139
Dapper, F. *see* Boldt, J. 661–665
Davey, A., Moyle, J. T. B. and Ward, C. S. *Ward's Anaesthetic Equipment*, 3rd Edn, (*R*) 240
Davidson, J. A. H. and Gillespie, J. A. Tracheal intubation after induction of anaesthesia with propofol, alfentanil and i.v. lignocaine 163–166
Davidson, T. *see* Phillips, S. 6–9; (*C*) 702–703
Davies, M. J. *see* Murphy, W. G. 205–213
Davies, S. *see* Hanna, M. H. 511–514
Davis, N. R. and Mapleson, W. W. A physiological model for the distribution of injected agents, with special reference to pethidine 248–258; A physiological model for the distribution of injected agents, with special reference to pethidine 711
D'Costa, F. *see* Hanna, M. H. 511–514
Debaene, B., Meistelman, C., Donati, F. and Lienhart, A. Monitoring the onset of neuromuscular blockade at the orbicularis oculi can predict good intubating conditions when using $2 \times ED_{95}$ of atracurium, (*ESA*) A.142
Debaene, B. *see* Plaud, B., (*ESA*) A.141
De Blasio, E. *see* Iannuzzi, E., (*ESA*) A.195
Debord, J. *see* Nathan, N., (*ESA*) A.151
Decoene, C. *see* Bromberg, N., (*ESA*) A.28
Decruyenaere, J. *see* De Deyne, C., (*ESA*) A.16; (*ESA*) A.106
De Deyne, C., Poelaert, J., Decruyenaere, J. and Colardyn, F. Technical aspects of jugular bulb oximetry, (*ESA*) A.16
De Deyne, C., Vandekerckhove, T., Decruyenaere, J., Poelaert, J. and Colardyn, F. Jugular bulb metabolic monitoring during hyperventilation in severe head trauma patients, (*ESA*) A.106
Defrancquen, P. *see* Bardoczky, G. I. 499–502
Degasperi, D., Vinelli, M., Festa, C. and Fiandri, M. T. Hypoxic events after general anaesthesia in the recovery room, (*ESA*) A.59
De Hert, S. G., Gillebert, T. C. and Brutsaert, D. L. Endocardial endothelium modulates *in vivo* left ventricular performance, (*ESA*) A.47
Delaunay, L. *see* Catoire, P., (*ESA*) A.192; Liu, N. 515–518
Delayance, S., Mion, G., Mouren, S., Baron, J.-F., Diaby, M. and Viars, P. Effects of hypertonic saline on coronary blood flow and myocardial performance of a blood-perfused, isolated rabbit heart, (*ESA*) A.45
Delorme, M. *see* Murat, I., (*ESA*) A.166
Delva, E. *see* Camus, Y., (*ESA*) A.72; Lienhart, A., (*ESA*) A.93
Deriaz, H. *see* Duranteau, R., (*ESA*) A.148; Lienhart, A., (*ESA*) A.93
Dernovoi, B. S., Baurain, M. J., d'Hollander, A. A. and Bollen, P. C. Neostigmine antagonism of neuromuscular blockade induced by mivacurium, vecuronium and atracurium, (*ESA*) A.137
Dernovoi, B. S. *see* Baurain, M. J., (*ESA*) A.133; (*ESA*) A.134; (*ESA*) A.135
Desborough, J. P., Jones, P. M., Persaud, S. J. and Howell, S. L. Effects of midazolam on insulin secretion from isolated rat pancreatic islets of Langerhans 221–222; Isoflurane inhibits Ca^{2+}-induced insulin secretion from electrically permeabilised islets of Langerhans, (*ESA*) A.91
Descoins, P. *see* Arné, J., (*ESA*) A.1
Descorps-Déclère, A. *see* Moulay, N., (*ESA*) A.108
Descraques, C., Mion, G., Auroy, Y., Lenoir, B., Pats, B., Rouvier, B. and Chabanne, J. P. Incidence of post dural puncture headache in young adults by the use of the Sprôtte needle: 300 patients, (*ESA*) A.127
De Sio, A. *see* Iannuzzi, E., (*ESA*) A.195
Desnault, H. *see* Lienhart, A., (*ESA*) A.93
Despland, P. A. *see* Borgeat, A. 459–461
Devlin, H. B. *see* Lunn, J. N., (*C*) 382
Devlin, J. C. *see* Head-Rapson, A. G., (*ARS*) 487P
De Zen, F. *see* Piccinni, P., (*ESA*) A.78
D'Honneur, G. *see* Liu, N. 515–518
Diaby, M. *see* Delayance, S., (*ESA*) A.45; Fellahi, J. L., (*ESA*) A.44
Diamond, G. *see* Hohner, P., (*ESA*) A.41
Dittmann, M., Schäfer, H.-G., Renkl, F. and Greve, I. Nine years of clinical experience with 29 gauge spinal needles, (*ESA*) A.126
Doenicke, A., Nebauer, A. E., Hoernecke, R., Angster, R. and Mayer, M. Does etomidate cause haemolysis? (*C*) 491
Do-Khac, T. *see* Bodin, L., (*ESA*) A.179
Donati, F. *see* Debaene, B., (*ESA*) A.142
Donnay, M. *see* Legros, F. J., (*ESA*) A.122
Dorkins, H. R. *see* Ball, S. P. 70–75
Dorrance, D. E. *see* Field, L. M. 154–159
Dow, A. C. and Goodman, N. W. Comparison of spontaneous sighs and manual inflations in anaesthetized patients breathing air and oxygen, (*ARS*) 474P; Effect of hyperoxia on the breathing of patients anaesthetized with infusions of propofol 532–535
Dow, A. C. *see* Goodman, N. W. 536–541
Doyle, E., McFadzean, W. and Morton, N. S. I.v. anaesthesia with propofol using a target-controlled infusion system: comparison with inhalation anaesthesia for general surgical procedures in children 542–555
Doyle, M., Mannion, D., McCoy, D., O'Regan, M., Cooney, C. and Fitzpatrick, G. Cardiovascular effects of a pancuronium–vecuronium mixture, (*ARS*) 486–487P
Drewe, J. *see* Urwyler, A. 76–79
Drouet, L. O. *see* Samama, C. M., (*ESA*) A.100
Drummond, G. B. Upper airway reflexes, (*E*) 121–123
Dryden, C. M., McMenemin, I. and Duthie, D. J. R. Efficacy of continuous intercostal bupivacaine for pain relief after thoracotomy 508–510
Dryden, C. M. *see* Smith, D. C., (*C*) 236–237
Dubois, A. *see* Zaouk, G., (*ESA*) A.11
Dubois, M. C. *see* Murat, I., (*ESA*) A.166
Dubousset, A.-M. *see* Jamali, S., (*ESA*) A.160
Dubray, C. *see* Bazin, J. E., (*ESA*) A.136
Dupont, H., Nyarwaya, J.-B. and Samii, K. A comparison of midazolam and midazolam plus fentanyl for colonoscopy, (*ESA*) A.9
Dupuis, J. L. *see* Nathan, N., (*ESA*) A.151
Durak, P., Özgök, A., Esen, H., Erdemli, Ö. and Ebil, S. The combined prophylactic administration of H1 and H2 receptor blockers in the prevention of protamine related haemodynamic effects and the relation between antihistaminics-leucocytes and pulmonary vascular resistance, (*ESA*) A.95
Durak, P., Özgök, A., Saydam, G., Türkmen, A., Erdemli, Ö. and Ebil, S. The relationship between cardiopulmonary bypass related immunologic effects and complement, thromboxane and leucocyte parameters, (*ESA*) A.96
Duranteau, R., Guesde, R., Riou, B., Deriaz, H. and

VIARS, P. Computer-controlled syringe pump improves safety of pharmacokinetic models, (*ESA*) A.148
DURANTEAU, R. *see* RIOU, B., (*ESA*) A.80
DURBEC, O. *see* ALBANESE, J., (*ESA*) A.107
DUTHIE, D. J. R. *see* DRYDEN, C. M. 508–510
DWYER, R. *see* MCCOY, D., (*ESA*) A.43
DZOLJIC, M., GELLER, E., RUPREHT, J., ERDMANN, W. and DZOLJIC, M. R. Nitrous oxide induced neuronal depression: modification through benzodiazepine receptors, (*ESA*) A.112
DZOLJIC, M. R. *see* DZOLJIC, M., (*ESA*) A.112

EBERHARD, A. *see* PY, C., (*ESA*) A.57
EBIL, S. *see* DURAK, P., (*ESA*) A.95; (*ESA*) A.96
ECOFFEY, C. *see* AUROY, Y., (*ESA*) A.76; JAMALI, S., (*ESA*) A.160; MAHÉ, V., (*ESA*) A.109; MEISTELMAN, C., (*ESA*) A.138; MOULAY, N., (*ESA*) A.108; NÈGRE, I., (*ESA*) A.203; ORLIAGUET, G., (*ESA*) A.163; REIGNIER, J., (*ESA*) A.162; SAMAHA, T., (*ESA*) A.118
EDDLESTON, J. M. Intermittent *vs* continuous extradural infusion of bupivacaine during labour, (*C*) 490
EDGREN, J. *see* PERE, P. 276–279
EDOUARD, A. *see* MIMOZ, O., (*ESA*) A.180
EDUARDO, A. *see* MURPHY, W. G. 205–213
EDWARDS, J. *see* WOLF, A. R. 654–660
EDWARDS, M. B. *see* GOODMAN, N., (*R*) 385
EDWARDS, W. T. *see* READY, L. B., (*R*) 495
EFTEDAL, O. *see* FLOOK, V., (*ARS*) 474–475P
EHRENSTRÖM REIZ, G. *see* NATH, S., (*ESA*) A.211
EINTREI, C. *see* JENSEN, A. G. 99–100
EJLERSEN, E., JENSEN, M. B. and ELIASEN, K. Outcome for patients in intensive care with acute renal failure requiring dialysis, (*ESA*) A.7
ELDAR, I. *see* PREISMAN, S., (*ESA*) A.124
ELEDJAM, J. J. *see* DE LA COUSSAYE, J. E., (*ESA*) A.121; LEFRANT, J. Y., (*ESA*) A.18
ELEDJAM, J.-J. *see* RIPART, J., (*C*) 704
ELEFTHERIADIS, S., KUPPE, H., KLOTZ, K.-F. and SCHMUCKER, P. Anesthesia for patients ⩾ 90 years of age in emergency hip surgery, (*ESA*) A.3
ELEFTHERIADIS, S. *see* KUPPE, H., (*ESA*) A.31
ELHADDOURY, M. *see* HAMZA, J., (*ESA*) A.171
ELIASEN, K. *see* EJLERSEN, E., (*ESA*) A.7
ELLIOTT, R. H. and STRUNIN, L. Hepatotoxicity of volatile anaesthetics 339–348
ELLIS, F. R., HALSALL, P. J. and HOPKINS, P. M. Combined caffeine–halothane test for malignant hyperthermia, (*C*) 598
ELLIS, F. R. *see* BALL, S. P. 70–75; HALSALL, P. J., (*C*) 599; HOPKINS, P. M. 397–401
ELLISON, W. *see* JANVIER, G. 186–191
ENGBERG, G. *see* ROTHEN, H. U., (*ESA*) A.53
ENGBERS, F. *see* BOER, F., (*ESA*) A.147
ENGELMAN, E., BARDOCZKY, G. and D'HOLLANDER, A. Influence of posture on the respiratory mechanics during anesthesia, (*ESA*) A.56
ENGELMAN, E. and LIPSZYC, M. Effects of oral preoperative guanfacine on anesthetics requirements, (*ESA*) A.144
ENGELMAN, E. *see* BARDOCZKY, G., (*ESA*) A.55; BARDOCZKY, G. I. 499–502
ENGLAND, R. E. *see* WATT, T., (*ARS*) 477P
ENGLESSON, S. *see* KARLSTEN, R. 411–413
ENTRESS, A. H. and CHEEMA, S. P. S. Use of thoracic epidural block for perioperative analgesia in children, (*ESA*) A.158
ERDEMLI, Ö. *see* DURAK, P., (*ESA*) A.95; (*ESA*) A.96
ERDMANN, W. *see* DZOLJIC, M., (*ESA*) A.112
ERICHSEN, C. J. *see* DAHL, J. B., (*C*) 379
ERNST, E. *see* MORRIS, R. W., (*ESA*) A.2
ERSKINE, R. J., MURPHY, P. J. and LANGTON, J. A. Effect of stopping smoking on upper airway reflexes, (*ARS*) 478P
ERSKINE, R. J., MURPHY, P. J., LANGTON, J. A. and SMITH, G. Effect of age on the sensitivity of upper airway reflexes 574–575
ESEN, H. *see* DURAK, P., (*ESA*) A.95
ESPADALER, J. M. *see* FERNANDEZ, S., (*ESA*) A.119
EURIN, B. *see* JACOB, L., (*ESA*) A.85
EVANS, R. *see* PALAZZO, M. 135–140
EYRES, R. L. *see* WOLF, A. R. 654–660

FALE, A. D. *see* FREEMAN, S. J. 226–227
FARAGHER, B. *see* WATT, T., (*ARS*) 477P
FARGNOLI, J. M. *see* PY, C., (*ESA*) A.57
FARHAT, F. *see* SPENCER, A., (*ESA*) A.207
FARIS, P. P., RITTER, M., ABELS, R. and GORDON, D. Effects of recombinant-human erythropoietin on postoperative transfusion requirements in subjects undergoing major orthopaedic surgery, (*ESA*) A.101
FAUCON, G. *see* FREYSZ, M., (*ESA*) A.46
FAWCETT, W. J. *see* OOI, R. 17–21; 494
FEISS, P. *see* NATHAN, N., (*ESA*) A.151
FELDMAN, S. A. *see* CAMPKIN, N. T. A. 581–582; HOOD, J. R., (*ARS*) 480P; LAW MIN, J.-C., (*ARS*) 480–481P
FELL, D. Postoperative analgesia in children, (*E*) 4–5
FELLAHI, J. L., OUARDALI, F., MOUREN, S., BARON, J.-F., DIABY, M. and VIARS, P. Functional recovery after 24 h preservation of rabbit hearts in University Wisconsin solution, (*ESA*) A.44
FELLEITER, P., BRESCHINSKI, W. and BOCK, K. H. Helicopter transportation of patients with symptomatic aortic aneurysms, (*ESA*) A.196
FERGUSON, C. *see* NATHANSON, M. H., (*ARS*) 481–482P
FERNANDEZ, D., CASTELLS, C., RUE, M., BERNAUS, M. and PUIG, M. M. Subarachnoid anaesthesia (SAA) and postoperative analgesia with bupivacaine (BV) plus fentanyl (FN) in geriatric patients, (*ESA*) A.131
FERNANDEZ, S., MONELLS, J., ESPADALER, J. M. and PUIG, M. M. Effects of intrathecal meperidine (MP), fentanyl (FN) and lidocaine (LD) on somatosensory (SSEP) and cortical motor (CMEP) evoked potentials in humans, (*ESA*) A.119
FERRARO, F. *see* IANNUZZI, E., (*ESA*) A.195
FESTA, C. *see* DEGASPERI, D., (*ESA*) A.59
FIANDRI, M. T. *see* DEGASPERI, D., (*ESA*) A.59
FIELD, L. M., DORRANCE, D. E., KRZEMINSKA, E. K. and BARSOUM, L. Z. Effect of nitrous oxide on cerebral blood flow in normal humans 154–159
FINDLEY, I. L. *see* BAILEY, C. R., (*ESA*) A.169
FISET, P. *see* MEISTELMAN, C., (*ESA*) A.138
FISHER, D. M. Pharmacokinetic/pharmacodynamic modelling of atracurium, (*C*) 110–111
FITZPATRICK, G. *see* DOYLE, M., (*ARS*) 486–487P
FLAMM, C. *see* CROZIER, T. A. 47–53
FLEISCHER, F. *see* RAUCH, H., (*ESA*) A.30
FLERON, M.-H. *see* GOSGNACH, M., (*ESA*) A.5
FLOOK, V. Asymmetry of uptake and washout of inert gases—lessons learnt in an anaesthetic department, (*ARS*) 487–488P
FLOOK, V., EFTEDAL, O. and BRUBAKK, A. O. Hyperbaric decompression bubble formation—building on the Mapleson model of gas dynamics, (*ARS*) 474–475P
FLYNN, P. J. *see* PALAYIWA, E., (*ARS*) 485P
FOËX, P. *see* REEDER, M. K. 119; 119
FOGAS, J. *see* VERECZKEY, Z., (*ESA*) A.64
FOPPOLI, R., LUNGHI, P., BONARA, Z., MORA, C. and STACCA, R. Fentanyl or buprenorphine side effects in spinal anaesthesia, (*ESA*) A.132
FORBES, D., BINNING, A. and SCOTT, N. B. The effect of parenteral diclofenac and morphine on efficacy duration and height of blockade during continuous epidural bupivacaine 0.5%, (*ESA*) A.125
FOX, D. Bacterial retention properties of heat and moisture exchange filters, (*C*) 382
FRANÇOIS, G. *see* VIVIAND, X., (*ESA*) A.150
FRANKENBERG, C. *see* KULKA, P. J., (*ESA*) A.143
FRANKLIN, K. *see* BÄLFORS, E., (*ESA*) A.62
FREEMAN, S. J. and FALE, A. D. Muscular paralysis and ventilatory failure caused by hyperkalaemia 226–227
FREYSZ, M., TIMOUR, Q., BERTRIX, L., LOUFOUA, J. and FAUCON, G. Pre- and intraoperative prevention by β-blockers, propranolol and esmolol, of ischaemia-induced ventricular fibrillation, (*ESA*) A.46
FRIEDMAN, A. *see* HOHNER, P., (*ESA*) A.41
FRINK, E. J. *see* DALE, O. 454–455
FROSSARD, J. *see* MEISTELMAN, C., (*ESA*) A.138
FRUHSTORFER, H. and WAGENER, G. Effects of intradermal lignocaine and mepivacaine on human cutaneous circulation in areas with histamine-induced neurogenic inflammation 167–172
FULGENCIO, J. P., RIMANIOL, J. M., SAADA, M., CATOIRE, P. and BONNET, F. Epidural clonidine and myocardial ischaemia after abdominal aortic surgery, (*ESA*) A.42
FUNG, C. *see* HANNA, M. H. 511–514
FUSCIARDI, J. *see* ARNÉ, J., (*ESA*) A.1; LACOSTE, L., (*ESA*) A.66; (*ESA*) A.67; LE PELLEY, E., (*ESA*) A.48
FYHRQUIST, F. *see* KUITUNEN, A. 173–180

GAJRAJ, N. M. *see* VAN ELSTRAETE, A. C. 691–693
GALLART, L. L. *see* SAMSÓ, E., (*ESA*) A.205
GAN, T. J., COLLIS, R. and HETREED, M. Double-blind comparison of ondansetron, droperidol and saline for prevention of nausea & vomiting after orthopaedic surgery, (*ESA*) A.13
GANDOLFI, A. J. *see* DALE, O. 454–455

GANNEDAHL, P. *see* ODEBERG, S., (*ESA*) A.34
GARCÍA PEDRAJAS, F. *see* CATALÁ, J. C., (*ESA*) A.89
GARCÍA-PEDRAJAS, F. *see* DE LOS RÍOS, J., (*ESA*) A.75
GARREC, F. *see* LEPAGE, J. Y., (*ESA*) A.35
GATT, S. P. *see* COLLIER, C. B. 462–465
GAUNEAU, P. *see* CHAUVIN, M., (*ESA*) A.115
GAUSS, A., TREIBER, H. S., HAEHNEL, J. and JOHANNSEN, H. S. Spontaneous reposition of a dislocated arytenoid cartilage 591–592
GEHRING, H. *see* KUPPE, H., (*ESA*) A.31
GEIGER, C., KICK, O., BÖHRER, H., MOTSCH, J. and MARTIN, E. Comparison of ondansetron, metoclopramide and droperidol for the prophylaxis of emetic symptoms after gynecological laparoscopic procedures, (*ESA*) A.14
GEIßLER, C. *see* SCHREGEL, W., (*ESA*) A.105
GEISSLINGER, G., HERING, W., THOMANN, P., KNOLL, R., KAMP, H.-D. and BRUNE, K. Pharmacokinetics and pharmacodynamics of ketamine enantiomers in surgical patients using a stereoselective analytical method 666–671
GELLER, E. *see* DZOLJIC, M., (*ESA*) A.112
GENTILI, M. E. and WARGNIER, J. P. Peripheral nerve damage and regional anaesthesia, (*C*) 594
GEORGIOU, L., VOURLIOTI, A., KREMASTINOU, F., STEFANOU, P. and TSIOTOU, A. Influence of anaesthesia on post-operative hypoxaemia, (*ESA*) A.60
GÉRARD, P. *see* BERMEJO, N. 322–325
GERLING, W. *see* KUPPE, H., (*ESA*) A.31; SCHÄFER, R., (*ESA*) A.184
GIBSON, J. S. *see* MURPHY, P. G. 583–586
GIEBLER, R. M. *see* SCHERER, R. U. 689–690
GIESECKE, A. H. *see* SHARKEY, A. 449–450
GILBART, E. *see* ZAOUK, G., (*ESA*) A.11
GILLART, T. *see* BAZIN, J. E., (*ESA*) A.136
GILLEBERT, T. C. *see* DE HERT, S. G., (*ESA*) A.47
GILLESPIE, J. A. *see* DAVIDSON, J. A. H. 163–166
GILLIGAN, S., SMITH, M. B. and ALLEN, P. R. Transthoracic endoscopic sympathectomy, (*C*) 491
GILLON, M.-C. *see* AUROY, Y., (*ESA*) A.76
GILLY, H. *see* WEINDLMAYR-GOETTEL, M. 579–580
GIN, T., O'MEARA, M. E., KAN, A. F., LEUNG, R. K. W., TAN, P. and YAU, G. Plasma catecholamines and neonatal condition after induction of anaesthesia with propofol or thiopentone at Caesarean section 311–316
GIN, T. *see* CRITCHLEY, L. A. H. 681–683
GINSBURG, R. *see* LIPPMANN, M., (*C*) 235
GIRON, G. P. *see* ARMELLIN, G., (*ESA*) A.104; MARCASSA, A., (*ESA*) A.168
GLAVIN, R. J. *see* CRAWFORD, M. 419–422
GOARIN, J. P., LE BRET, F., JACQUENS, Y., RIOU, B., SAADA, M. and VIARS, P. Diagnosis of aortic rupture by transesophageal echocardiography (TEE), (*ESA*) A.193
GOARIN, J.-P. *see* SAADA, M., (*ESA*) A.194; VIVIEN, B., (*ESA*) A.183
GODDARD, J. M. Nitrous oxide administration via oxygen therapy devices, (*C*) 238
GOLDHILL, D. R. *see* NOLAN, K. M. 440–442
GOLDMAN, M. D. *see* REEDER, M. K. 119; 119; 119
GOMEZ, C. *see* CORIAT, P., (*ESA*) A.38
GOODMAN, N. and EDWARDS, M. B., (editors) *Medical Writing: A Prescription for Clarity*, (*R*) 385
GOODMAN, N. W. Different rates of injection of propofol, (*C*) 383
GOODMAN, N. W. and DOW, A. C. Effects of active and passive sighs in normoxia and hyperoxia on the breathing of patients anaesthetized with infusions of propofol 536–541
GOODMAN, N. W. *see* DOW, A. C., (*ARS*) 474P; 532–535; MICHEL, M. Z., (*R*) 709
GOODNOUGH, L. T. The role of recombinant growth factors in transfusion medicine 80–86
GOODWIN, A. P. L. *see* WALKER, M. B., (*C*) 114
GORDON, D. *see* FARIS, P. P., (*ESA*) A.101
GOSGNACH, M., BERTRAND, M., PIRONKOV, A., CORIAT, P. and VIARS, P. Does routine preoperative coronary angiography modify outcome after aortic surgery? (*ESA*) A.6
GOSGNACH, M., CORIAT, P., FLERON, M.-H., BERTRAND, M. and VIARS, P. Indications for coronary revascularisation in vascular surgical patients, (*ESA*) A.5
GOSGNACH, M., LE BRET, F., SMAIL, N., BEAUSSIER, M. and VIARS, P. Tolerance of preoperative transesophageal echocardiography in patients scheduled for aortic surgery, (*ESA*) A.21
GOSGNACH, M. *see* BEAUSSIER, M., (*ESA*) A.37; PUYBASSET, L., (*ESA*) A.39
GOUDSOUZIAN, N. G. *see* SHORTEN, G. D. 160–162
GOUIN, F. *see* MARTIN, C., (*ESA*) A.20; (*ESA*) A.189; (*ESA*) A.190
GRAHAM, S. *see* APPADU, B., (*ARS*) 477P
GRAHAM-SMITH, D. G. and ARONSON, J. K. *The Oxford Textbook of Clinical Pharmacology and Drug Therapy*, 2nd Edn, (*R*) 601
GRANRY, J. C., MONRIGAL, C., JACOB, J. P. and MONRIGAL, J. P. Cerebral blood flow velocities (CBFV) during anaesthesia for gynaecological laparoscopic surgery, (*ESA*) A.32
GRAY, P. A. *see* POLSTER, M. R. 612–616
GREAVES, D. J. *see* MORRIS, R. W., (*ESA*) A.2
GREEN, C. J. *see* CAMPBELL, I. T., (*C*) 236
GREEN, D. W., O'CONNOR, L. and HANNA, M. Efficacy of postoperative pain treatment regimens using both buprenorphine and papaveretum sequentially after abdominal hysterectomy 626–630
GREEN, T. *see* BENNETT, S., (*ESA*) A.152
GREENSTEIN, D. *see* GUPTA, N. K., (*C*) 699
GREVE, I. *see* DITTMANN, M., (*ESA*) A.126
GRIFFIN, R. M. *see* STEVENS, J. J. W. M. 107–109
GRIFFITHS, A. G., BEARDS, S. C., JACKSON, A. and HORSMAN, E. L. Visualization of extradural blood patch for post lumbar puncture headache by magnetic resonance imaging 223–225
GRIFFITHS, R. *see* APPADU, B., (*ARS*) 477P
GRINT, E. *see* PALAYIWA, E., (*ARS*) 485P
GROND, S. *see* RADBRUCH, L., (*ESA*) A.212
GUÉANT, J. L. *see* BERMEJO, N. 322–325
GUÉNERON, J. P. *see* NÈGRE, I., (*ESA*) A.203
GUERRERO, M. *see* RIOU, B., (*ESA*) A.103
GUERRINI, P. *see* CATOIRE, P., (*ESA*) A.192
GUESDE, R., OURAHMA, S., RIOU, B. and VIARS, P. Effects of desmopressin (DDAVP) supplementation in brain dead organ donors (BDOD) on early recipient renal function, (*ESA*) A.79
GUESDE, R. *see* DURANTEAU, R., (*ESA*) A.148; RIOU, B., (*ESA*) A.80
GUIDON-ATTALI, C. *see* VIVIAND, X., (*ESA*) A.150
GUILBAUD, G. *see* CATTANEO, I., (*ESA*) A.114
GUIRIMAND, F., STRIMBU, M., WILLER, J. C. and LE BARS, D. Involvement of μ, δ, and κ receptors in the inhibition by intrathecal morphine of a C-fibre evoked reflex in the rat, (*ESA*) A.116
GUIRIMAND, F. *see* CHAUVIN, M., (*ESA*) A.115
GULDEN, R. H. *see* SHARKEY, A. 449–450
GÜNNICKER, F. M. *see* SCHERER, R. U. 689–690
GUPTA, N. K., MARTIN, P. G., GREENSTEIN, D. and WALKER, D. R. Haemostasis and thrombelastography: a cautious note, (*C*) 699
GUY, J. G. *see* JONES, N. O., (*C*) 235–236
GÜZELDEMIR, M. E. *see* BAYHAN, N., (*ESA*) A.123

HAEHNEL, J. *see* GAUSS, A. 591–592
HÄGGMARK, S. *see* HOHNER, P., (*ESA*) A.23; (*ESA*) A.26; (*ESA*) A.41; REIZ, S., (*ESA*) A.24; (*ESA*) A.52
HAK, A. *see* BOER, F., (*ESA*) A.147
HALL, J. L. *see* BALL, S. P. 70–75
HALLÉN, J. *see* RAWAL, N. 280–285
HALLIDAY, D. *see* CARLI, F., (*ESA*) A.86
HALSALL, P. J., ELLIS, F. R. and KNOWLES, P. F. Spin resonance spectroscopy to detect malignant hyperthermia susceptibility, (*C*) 599
HALSALL, P. J. *see* BALL, S. P. 70–75; ELLIS, F. R., (*C*) 598; HOPKINS, P. M. 397–401
HAMDI, A. *see* BERRISFORD, R. G. 201–204
HAMILTON-DAVIES, C. *see* MYTHEN, M., (*ESA*) A.29
HAMMERMANN, H. *see* BOLDT, J. 661–665
HAMUNEN, K. Ventilatory effects of morphine, pethidine and methadone in children 414–418
HAMZA, J., NARCHI, P., ELHADDOURY, M. and BENHAMOU, D. Adequate pain relief with epidural analgesia during labor: why are women still dissatisified? (*ESA*) A.171
HAMZA, J. *see* MENIGAUX, C., (*ESA*) A.175
HANBURY, A. *see* MCKAVNEY, M., (*ARS*) 475P
HANNA, M. *see* GREEN, D. W. 626–630
HANNA, M. H., D'COSTA, F., PEAT, S. J., FUNG, C., VENKAT, N., ZILKHA, T. R. and DAVIES, S. Morphine-6-glucuronide disposition in renal impairment 511–514
HANNEMANN, L. *see* MEIER-HELLMANN, A., (*ESA*) A.185; SPIES, C., (*ESA*) A.186
HANSEN, B. L. *see* DAHL, J. B., (*C*) 379
HANSON, G. C. *see* COLLEE, G. G. 562–573
HARDEN, R. M. *see* ARNOLD, C. 118
HARDY, P. A. J. Pre-emptive extradural analgesia, (*C*) 493
HARF, A. *see* BEYDON, L., (*ESA*) A.4
HARGREAVES, J. Metal particle generation caused by the combined spinal–extradural technique, (*C*) 706
HARRIS, R. W. *see* WILLIAMS, O. A., (*ARS*) 479P
HARRISON, D. A. *see* LANGHAM, B. T. 519–521
HARVEY, A. L. *see* BRAGA, M. F. M. 405–410
HASAN, M. A., THOMAS, T. A. and PRYS-ROBERTS, C.

Comparison of automatic oscillometric arterial pressure measurement with conventional auscultatory measurement in the labour ward 141–144
HATFIELD, A. and TRONSON, M. *The Complete Recovery Room Book*, (*R*) 709
HAUSDÖRFER, J. *see* STRAUß, J. M. 363–364
HAUßMANN, R. *see* RAUCH, H., (*ESA*) A.30
HAWELSKI, T. *see* PASCH, T., (*ESA*) A.153
HEAD-RAPSON, A. G., DEVLIN, J. C., LOVELL, G. G., PARKER, C. J. R. and HUNTER, J. M. Pharmacokinetics of the isomers of mivacurium chloride in the healthy adult, (*ARS*) 487P
HEAD-RAPSON, A. G. and SNOWDON, S. L. Routine preoxygenation: how long before mask anaesthesia? (*ARS*) 488P
HEALY, T. E. J. *see* BARRIE, J. R. 468–470; BEATTY, P. C. W., (*C*) 707
HEATH, M. L. and ALLAGAIN, J. Cricoid pressure and the laryngeal mask airway, (*C*) 596
HECKETSWEILER, B. *see* MORITZ, F. 451–453
HEDENSTIERNA, G. *see* ROTHEN, H. U., (*ESA*) A.53
HEIL, T., SPIES, C., NEUMANN, T. and MÜLLER, C. Carbohydrate deficient transferrin: a new copredictor of alcoholism related postoperative complications? (*ESA*) A.88
HEIL, T. *see* SPIES, C., (*ESA*) A.110
HEISS-DUNLOP, W. *see* MEIER-HELLMANN, A., (*ESA*) A.185
HELLSTRAND, P. *see* RAWAL, N. 280–285
HEMPELMANN, G. *see* BOLDT, J. 661–665
HENDERSON, P. D. *see* BERTHOUD, M. C. 423–427
HENNART, D. and MERSCH, Y. Analgesia by wound infiltration before or after surgery in inguinal hernioraphy, (*ESA*) A.202
HENNESSY, N., MAHAJAN, R. P. and AITKENHEAD, A. R. Effect of three different surgical prone positions on lung volumes in healthy, awake volunteers, (*ARS*) 475P
HENNESSY, N. *see* MAHAJAN, R. P., (*ARS*) 482–483P
HENRY, M. *see* THIRION, A.-V., (*ESA*) A.172; THORMANN, F., (*ESA*) A.173
HERING, W. *see* GEISSLINGER, G. 666–671
HETREED, M. *see* GAN, T. J., (*ESA*) A.13
HEWLETT, A. M. *see* LANDON, A. J. 605–611
HEYTENS, L. and BOOSAERT, L. Prolonged (> 1 week) sedation with midazolam in ICU patients: efficacy, safety and pharmacokinetics, (*ESA*) A.178
HICKMAN, J. *see* TOLLEY, P., (*C*) 115
HIDALGO, F., PÁRAMO, J. A., CATALÁ, J. C., CARRASCOSA, F. and MONEDERO, P. High dose aprotinin *versus* desmopressin acetate treatment in cardiac surgery, (*ESA*) A.99
HIRST, R. A. and LAMBERT, D. G. Halothane enhances forskolin stimulated cyclic adenosine-3′,5′-monophosphate formation in human neuroblastoma cells, (*ARS*) 486P
HIRST, R. A. *see* LAMBERT, D. G., (*ARS*) 475–476P
HJORTSØ, N.-C. *see* DAHL, J. B., (*C*) 379
HOERNECKE, R. *see* DOENICKE, A., (*C*) 491
HOHNER, P., BACKMAN, C., DIAMOND, G., FRIEDMAN, A., HÄGGMARK, S., JOHANSSON, G., KARP, K. and REIZ, S. Effects of nitrous oxide (N_2O) on systemic haemodynamics, regional left ventricular (LV) function and incidence of myocardial ischaemia (MI) in vascular surgical patients with coronary artery disease (CAD), (*ESA*) A.41
HOHNER, P., JOHANSSON, G., HÄGGMARK, S., MEHTA, V. and RIEZ, S. Evaluation of haemodynamic indices of myocardial ischaemia in patients with coronary artery disease (CAD), (*ESA*) A.23
HOHNER, P., MEHTA, V., SAADA, M., HÄGGMARK, S., JANSSON, E., JOHANSSON, G. and REIZ, S. Sensitivity and specificity of mechanical and electrocardiographic myocardial ischaemia (MI) monitoring techniques, (*ESA*) A.26
HOHNER, P. *see* REIZ, S., (*ESA*) A.24
HOILE, R. W. *see* LUNN, J. N., (*C*) 382
HOLCROFT, J. *see* JACOBSON, W. 522–526
HOLDCROFT, A. *see* WANG, C. 63–69
D'HOLLANDER, A. *see* BARDOCZKY, G., (*ESA*) A.55; ENGELMAN, E., (*ESA*) A.56
D'HOLLANDER, A. A. *see* BAURAIN, M. J., (*ESA*) A.133; (*ESA*) A.134; (*ESA*) A.135; DERNOVOI, B. S., (*ESA*) A.137
HOLLWAY, T. E. *see* PHILLIPS, S. 687–688
HOLST-LARSEN, H. *see* SØREIDE, E. 360–362
HOLTBY, H. M. *see* ALDERSON, P. J. 145–148
HONGNAT, J.-M. *see* ALFONSI, P., (*ESA*) A.74
HOOD, J. R., CAMPKIN, N. and FELDMAN, S. A. Comparison of the onset of depolarizing *vs* non-depolarizing block after early tourniquet release in the isolated forearm, (*ARS*) 480P
HOOD, J. R. *see* CAMPKIN, N. T. A. 581–582; LAW MIN, J.-C., (*ARS*) 480–481P
HOPKINS, P. M., ELLIS, F. R. and HALSALL, P. J. Comparison of *in vitro* contracture testing with ryanodine, halothane and caffeine in malignant hyperthermia and other neuromuscular disorders 397–401
HOPKINS, P. M. *see* BALL, S. P. 70–75; ELLIS, F. R., (*C*) 598
HORSMAN, E. L. *see* GRIFFITHS, A. G. 223–225
HOWELL, S. L. *see* DESBOROUGH, J. P., (*ESA*) A.91; 221–222
HUANG, Y. F., UPTON, R. N. and RUNCIMAN, W. B. I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: myocardial pharmacokinetics 326–332; I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: relationships between myocardial pharmacokinetics and pharmacodynamics 556–561
HUANG, Y. F. *see* UPTON, R. N. 333–338
HUGHES, D. *see* WOLF, A. R. 10–16
HUME, M. A. *see* SMITH, D. C., (*C*) 236–237
HUNTER, J. M. and SHEARER, E. S. Mortality in ITU patients receiving neuromuscular blocking drugs, (*C*) 238–239
HUNTER, J. M. *see* HEAD-RAPSON, A. G., (*ARS*) 487P; PARKER, C. J. R. 38–41; (*C*) 111–112; 443–445
HURSON, B. J. *see* JOSHI, G. P. 87–88
HUTCHINSON, S. *see* PHILLIPS, S. 6–9; (*C*) 702–703
HUTCHINSON, S. E. *see* PHILLIPS, S. 687–688
HYNYNEN, M. *see* KUITUNEN, A. 173–180

IANNUZZI, E., DE BLASIO, E., FERRARO, F., DE SIO, A. and SCHIRALDI, F. The choice of ECM rate could improve the neuroprotection during CPR, (*ESA*) A.195
IKEDA, K. *see* NAKAJIMA, R. 273–275
INGLIS, T. J. J. Evidence for dynamic phenomena in residual tracheal tube biofilm 22–24
INGLIS, T. J. J., JONES, J. G. and PAXTON, S. Penetration of an aerosol, produced by film atomization, through the carinal bifurcation 527–531
INGRAND, P. *see* LACOSTE, L., (*ESA*) A.66
INNES, P., ALLSOP, E., LOCKIE, J., KIRTON, C. and BOOKER, P. Comparison of dobutamine with enoximone following open heart surgery in small children, (*ESA*) A.167
IRIBARREN, M. J. *see* CARRERA, J., (*ESA*) A.77; CATALÁ, J. C., (*ESA*) A.89; DE LOS RÍOS, J., (*ESA*) A.75
IVENS, D. and VERBORGH, C. Is correlation of arterial and end-tidal carbon dioxide pressure during inhalation anaesthesia better with laryngeal mask as compared to face mask? (*ESA*) A.17

JACKSON, A. *see* GRIFFITHS, A. G. 223–225
JACKSON, R. *see* MURPHY, P. G. 583–586
JACOB, J. P. *see* GRANRY, J. C., (*ESA*) A.32
JACOB, L., CHAZALET, J. J., PAYEN, D., BEDROSSIAN, J., TEILLAC, P. and EURIN, B. Renal blood flow and function relationship in recent renal transplantation in man, (*ESA*) A.85
JACOBS, D. *see* ZAOUK, G., (*ESA*) A.11
JACOBSON, W., PARK, G. R., SAICH, T. and HOLCROFT, J. Surfactant and adult respiratory distress syndrome 522–526
JACQUENS, Y. *see* GOARIN, J. P., (*ESA*) A.193; RIOU, B., (*ESA*) A.80; SAADA, M., (*ESA*) A.194
JAKEWAYS, M. S. R. and CARLI, F. Laparoscopic *vs* open cholecystectomy, (*C*) 597
JALKANEN, L. *see* MERETOJA, O. A., (*ESA*) A.140
JAMALI, S., MONIN, S., BEGON, C., DUBOUSSET, A.-M. and ECOFFEY, C. Clonidine in paediatric caudal anaesthesia, (*ESA*) A.160
JAMALI, S. *see* NÈGRE, I., (*ESA*) A.203
JANSSON, E. *see* HOHNER, P., (*ESA*) A.26; NYSTRÖM, E., (*ESA*) A.65
JÄNTTI, V. *see* YLI-HANKALA, A. 54–57
JANVIER, G., BORDENAVE, L., REVEL, P., ELLISON, W., CROS, A. M. and WINNOCK, S. Mathematical analysis of the upper respiratory tract from an anthropometric study 186–191
JÄRVINEN, A. *see* KUITUNEN, A. 173–180
JAWAN, B., LEE, J. H., CHONG, Z. K. and CHANG, C. S. Spread of spinal anaesthesia for Caesarean section in singleton and twin pregnancies 639–641
JAYR, C. *see* SPENCER, A., (*ESA*) A.207
JEDEIKEN, R., OLSFANGER, D., SHACHOR, D. and MANSOOR, K. Transthoracic endoscopic sympathectomy, (*C*) 491–492
JENSEN, A. G., DAHLGREN, C. and EINTREI, C. Propofol decreases random and chemotactic stimulated locomotion of human neutrophils *in vitro* 99–100
JENSEN, M. B. *see* EJLERSEN, E., (*ESA*) A.7
JESSOP, J. and JONES, J. G. Effect of nitrous oxide on auditory evoked potentials, (*C*) 380
JOHANNSEN, H. S. *see* GAUSS, A. 591–592

JOHANSSON, G. *see* HOHNER, P., (*ESA*) A.23; (*ESA*) A.26; (*ESA*) A.41; ÖSTERLUND, B., (*ESA*) A.19; REIZ, S., (*ESA*) A.24; (*ESA*) A.52; SVANSTRÖM, M., (*ESA*) A.177
JOHNSON, A. *see* ATTEBO, L. 372–377
JOHNSTON, J. *see* CODY, M., (*C*) 116
JOLY, L.-M. and BENHAMOU, D. Continuous monitoring of Sp_{O_2} during total intravenous anaesthesia with ketamine and spontaneous ventilation, (*ESA*) A.58
JONES, J. G. *see* INGLIS, T. J. J. 527–531; JESSOP, J., (*C*) 380; MUNGLANI, R., (*ARS*) 483–484P
JONES, N. O. and GUY, J. G. Blood loss during total hip replacement, (*C*) 235–236
JONES, P. M. *see* DESBOROUGH, J. P., (*ESA*) A.91; 221–222
JONES, R. D. M., CHAN, K., ROULSON, C. J., BROWN, A. G., SMITH, I. D. and MYA, G. H. Pharmacokinetics of flumazenil and midazolam 286–292
JONES, R. M. *see* MUNDAY, I. T., (*ARS*) 480P; WATSON, N. A., (*ARS*) 479P
DE JONG, J. R., ROS, H. H. and DE LANGE, J. J. Clinical evaluation of the calibration of noninvasive continuous blood pressure measurement devices by means of oscillometric blood pressure measurements, (*ESA*) A.15
JOOS, S., QUINTILLA, R. and SERVAIS, R. Sequential spinal peridural anaesthesia for gynaecological surgery under laparoscopy, (*ESA*) A.130
JORDAN, M. J. *see* NATHANSON, M. H., (*ARS*) 481–482P
JORIS, J. Metabolic effects of cholecystectomy, (*C*) 494
JORIS, J. and LAMY, M. Neuroendocrine changes during pneumoperitoneum for laparoscopic cholecystectomy, (*ESA*) A.33
JOSHI, G. P. Pain relief after anterior cruciate ligament repair, (*C*) 600
JOSHI, G. P., MCCARROLL, S. M., BRADY, O. H., HURSON, B. J. and WALSH, G. Intra-articular morphine for pain relief after anterior cruciate ligament repair 87–88
JOSHI, P. and OOI, R. Nitrous oxide administration via oxygen therapy devices, (*C*) 238
JOYCE, C. *see* BAKER, A. B. 259–266

KADDOUR, C. *see* BODIN, L., (*ESA*) A.191
KAEFFER, N. *see* MORITZ, F. 451–453
KALFON, P., ROUBY, J. J. and VIARS, P. Comparison of pressure support ventilation provided by two ICU ventilators, (*ESA*) A.182
KALFON, P. *see* BEAUSSIER, M., (*ESA*) A.37
KALLI, I. Effect of isometric thumb preload on the evoked compound muscle action potential 92–93
KAMP, H.-D. *see* GEISSLINGER, G. 666–671
KAN, A. F. *see* GIN, T. 311–316
KANAYAMA, T. *see* TAKADA, K. 181–185
KANTO, J. *see* ALI-MELKKILÄ, T., (*ESA*) A.145
KARALAZOS, L. *see* SKOURTIS, C., (*ESA*) A.36
KARAYAN, J. *see* LACOSTE, L., (*ESA*) A.66; (*ESA*) A.67
KARLING, M. A national database for intensive care medicine in Sweden, (*ESA*) A.8
KARLING, M. *see* ÖSTMAN, M., (*ESA*) A.22
KARLSTEN, R. and ENGLESSON, S. An alternative method of increasing P_{CO_2} using apnoea and continuous positive airway pressure 411–413
KARP, K. *see* HOHNER, P., (*ESA*) A.41; ÖSTMAN, M., (*ESA*) A.22
KATZ, J., KAVANAGH, B. P., CLAIROUX, M. and SANDLER, A. N. Pre-emptive analgesia, (*C*) 378
KAUFMAN, L., (editor) *Anaesthesia Review 9*, (*R*) 385
KAUFMANN, M. A. *see* URWYLER, A. 76–79
KAUKINEN, L. *see* OJANEN, R., (*ESA*) A.94
KAUKINEN, S. *see* OJANEN, R., (*ESA*) A.94
KAVANAGH, B. P. *see* KATZ, J., (*C*) 378
KAY, P. H., (editor) *Techniques in Extracorporeal Circulation*, 3rd Edn, (*R*) 239–240
KAYSER, V. *see* CATTANEO, I., (*ESA*) A.114
KEEGAN, M. *see* MCKAVNEY, M., (*ARS*) 475P
KEHLET, H. *see* DAHL, J. B., (*C*) 379; 434–439
KENDIG, J. *see* SALONEN, M., (*ESA*) A.113
KENNA, J. G. and KNIGHT, T. L. Halothane, metabolite-induced antibodies and hepatotoxicity, (*ARS*) 484–485P
KENNY, G. N. C. *see* POLLOCK, J. S. S. 219–220; TAYLOR, I. N., (*C*) 383
KERMAREC, N. *see* LIU, N., (*ESA*) A.128; 515–518
KERMARREC, N. *see* MAHÉ, V., (*ESA*) A.109
KERR, K. A. *see* BUCKMASTER, H. A., (*C*) 598–599
KETTLER, D. *see* CROZIER, T. A. 47–53
KEY, A. *see* LANGTON, J. A. 126–130
KICK, O. *see* GEIGER, C., (*ESA*) A.14
KIDD, J. F. *see* COBLEY, M. 576–578
KINSELLA, J. Ketorolac postoperative analgesia, (*C*) 113
KIROLLOS, R. *see* MURPHY, P. G. 583–586
KIRTON, C. *see* INNES, P., (*ESA*) A.167
KIRVELÄ, M., YLI-HANKALA, A. and LINDGREN, L. Total intravenous anaesthesia (TIVA) with propofol and alfentanil for renal transplantation, (*ESA*) A.81
KIRVELÄ, M. *see* LINDGREN, L. 306–310
KITCHING, A. J. and RICE, A. S. C. Extradural abscess in the postpartum period, (*C*) 703
KLEMENT, W. *see* WIESEMES, R. 552–555
KLOTZ, K.-F. *see* ELEFTHERIADIS, S., (*ESA*) A.3; KUPPE, H., (*ESA*) A.31
KNAPIK, P., RICHARDSON, J. B. and MCLELLAN, I. Core–peripheral temperature difference in early *vs* later extubation after coronary artery surgery, (*ESA*) A.69; Early postperfusion assessment of gas exchange and postoperative extubation outcome following coronary artery surgery, (*ESA*) A.61
KNIGHT, T. L. *see* KENNA, J. G., (*ARS*) 484–485P
KNOLL, R. *see* GEISSLINGER, G. 666–671
KNOTHE, C. *see* BOLDT, J. 661–665
KNOWLES, P. F. *see* HALSALL, P. J., (*C*) 599
KOBLIN, D. D., LASTER, M. J. and LIU, J. Anaesthetic properties of dimethylthiourea 456–458
KOHN, W. *see* PEREL, A., (*ESA*) A.117
KOSCIELNIAK-NIELSEN, Z. J., SCHIERBECK, J., STENS PEDERSEN, H. L. and PERKO, G. Flumazenil facilitates intraoperative arousal in scoliosis surgery, (*ESA*) A.157
KOSHIKAWA, N. *see* TAKADA, K. 181–185
KOUTSOUKOU-DRITSOPOULOU, A. *see* WANG, C. 63–69
KOWOLIK, M. J. *see* OGILVY, A. J., (*ARS*) 476P
KOX, W. J. *see* SCHERER, R. U. 689–690
KOZAK RIBBENS, G., RODET, L., BORSARELLI, J., AUBERT, M. and COZZONE, P. J. Exercise and malignant hyperthermia: family investigations, (*ESA*) A.92
KRAEMER, S. *see* SPIES, C., (*ESA*) A.110
KRÄMER, J. *see* STRIEBEL, H. W., (*ESA*) A.208
KREMASTINOU, F. *see* GEORGIOU, L., (*ESA*) A.60
KRIVOSIC-HORBER, R. *see* BROMBERG, N., (*ESA*) A.28
KRZEMINSKA, E. K. *see* FIELD, L. M. 154–159
KUDYNSKA, J. *see* BUCKMASTER, H. A., (*C*) 598–599
KUHN, W. *see* CROZIER, T. A. 47–53
KUITUNEN, A., HYNYNEN, M., SALMENPERÄ, M., RASI, V., JÄRVINEN, A., SCHEININ, M., NEUVONEN, P. J. and FYHRQUIST, F. Anaesthesia affects plasma concentrations of vasopressin, von Willebrand factor and coagulation factor VIII in cardiac surgical patients 173–180
KULKA, P. J., TRYBA, M., MENZEL, C., LEURS, F. and FRANKENBERG, C. Preoperative clonidine improves postoperative renal function in CABG patients, (*ESA*) A.143
KULKARNI, P. and CARLI, F. Effectiveness of core warming on net transfer of body heat across the skin, (*ESA*) A.70
KULKARNI, P., MATSON, A., BRIGHT, J., PEARSON, J. and CARLI, F. Clinical evaluation of the oesophageal heat exchanger in the prevention of perioperative hypothermia 216–218
KUMAR, B., (editor) *MCQs in Anaesthesia: Basic Sciences*, (*R*) 117
KUPPE, H., KLOTZ, K.-F., ELEFTHERIADIS, S., GEHRING, H. and GERLING, W. Accuracy of processed auditory evoked response in predicting movement during cardiac surgery, (*ESA*) A.31
KUPPE, H. *see* ELEFTHERIADIS, S., (*ESA*) A.3

LACARELLE, B. *see* VIVIANI, X., (*ESA*) A.150
LACHATRE, G. *see* NATHAN, N., (*ESA*) A.151
LACOSTE, L., KARAYAN, J., LEHUEDÉ, M. S., INGRAND, P. and FUSCIARDI, J. Direct, indirect or flexible laryngoscopy after thyroidectomy? (*ESA*) A.66
LACOSTE, L., KARAYAN, J., THOMAS, D., VALLET, T. and FUSCIARDI, J. Day 0 or day 3 laryngoscopy after thyroidectomy? (*ESA*) A.67
DE LA COUSSAYE, J. E., ELEDJAM, J. J., BRUELLE, P., PERAY, P. and SASSINE, A. Lemakalim reverses ventricular conduction impairment induced by a large dose of bupivacaine in anesthetized dogs, (*ESA*) A.121
DE LA COUSSAYE, J. E. *see* LEFRANT, J. Y., (*ESA*) A.18
LAFONT, N. *see* BOOGAERTS, J., (*ESA*) A.200; LEGROS, F. J., (*ESA*) A.122
LAI, Y.-Y. *see* TSAI, Y.-C. 394–396
LAIDLAW, J. M. *see* ARNOLD, C. 118
LAISHLEY, R. S. Intermittent *vs* continuous extradural infusion of bupivacaine during labour, (*C*) 490
LAM, F. Y. Patient-controlled analgesia by proxy, (*C*) 113
LAMAS, G. *see* BODIN, L., (*ESA*) A.179
LAMB, J. M., MURTY, G. E., SLATER, R. M. and AITKENHEAD, A. R. Postoperative laryngeal function assessed by tussometry, (*ARS*) 478–479P
LAMBERT, D. G. and HIRST, R. A. Effects of morphine and its metabolites on opiate receptor binding and cyclic

adenosine-3′,5′-monophosphate (cAMP) formation in human neuroblastoma cells, (*ARS*) 475–476P
LAMBERT, D. G. *see* ATCHESON, R., (*ARS*) 485P; HIRST, R. A., (*ARS*) 486P
LAMOND, C. T., ROBINSON, D. L., BOYD, J. T. and CASHMAN, J. N. Addition of droperidol to PCA morphine: what is the optimal dose? (*ESA*) A.204
LAMPL, E. and DANDOY, M. Priming of atracurium with magnesium, (*ESA*) A.139
LAMY, M. *see* JORIS, J., (*ESA*) A.33
LANDON, A. J., MATSON, A. M., ROYSTON, B. D., HEWLETT, A. M., WHITE, D. C. and NUNN, J. F. Components of the inspiratory–arterial isoflurane partial pressure difference 605–611
DE LANGE, J. J. *see* DE JONG, J. R., (*ESA*) A.15; WAGEMANS, M. F. M., (*ESA*) A.213
LANGHAM, B. T. and HARRISON, D. A. The pressor response to venous cannulation: attenuation by prior infiltration with local anaesthetic 519–521
LANGTON, J. A., MURPHY, P. J., BARKER, P., KEY, A. and SMITH, G. Measurement of the sensitivity of upper airway reflexes 126–130
LANGTON, J. A. *see* ERSKINE, R. J., (*ARS*) 478P; 574–575; MURPHY, P. J. 131–134
LARSEN, R. *see* MOLTER, G. 428–433
DE LASSALE, M. E. *see* ROUBY, J. J., (*ESA*) A.181
LASTER, M. J. *see* KOBLIN, D. D. 456–458
LATSON, T. W. and O'FLAHERTY, D. Effects of surgical stimulation on autonomic reflex function: assessment by changes in heart rate variability 301–305
LATTO, P. *see* ROSEN, M., (*R*) 601
LAURENT, P. *see* BODIN, L., (*ESA*) A.179
LAUSSEN, P. C. *see* WOLF, A. R. 654–660
LAW MIN, J.-C., HOOD, J. R., CAMPKIN, N. and FELDMAN, S. A. Recovery of atracurium and vecuronium neuromuscular block in the isolated forearm, (*ARS*) 480–481P
LAXENAIRE, M. C. *see* BERMEJO, N. 322–325
LAYFIELD, D. J. *see* MORRIS, R. W., (*ESA*) A.2
LE BARS, D. *see* GUIRIMAND, F., (*ESA*) A.116
LEBRAULT, C. *see* ALFONSI, P., (*ESA*) A.74; CHAUVIN, M., (*ESA*) A.115
LE BRET, F. *see* GOARIN, J. P., (*ESA*) A.193; GOSGNACH, M., (*ESA*) A.21
LEE, J. H. *see* JAWAN, B. 639–641
LEE, M. G. Bacterial retention properties of heat and moisture exchange filters, (*C*) 382
LEE, R. C., CRAVALHO, E. G. and BURKE, J. F., (editors) *Electrical Trauma: the Pathophysiology, Manifestations and Clinical Management*, (*R*) 601
LEFRANT, J. Y., DE LA COUSSAYE, J. E., AYA, G., SAÏSSI, G. and ELEDJAM, J. J. Cardiac output (CO) measurement: comparison of esophageal Doppler (ED) *vs* thermodilution (TD), (*ESA*) A.18
LEGROS, F. J., LAFONT, N., DONNAY, M. and BOOGAERTS, J. Motor blockade and absence of local nerve toxicity induced by liposomal bupivacaine injected into the axillary brachial plexus of rabbits, (*ESA*) A.122
LEGROS, F. J. *see* BOOGAERTS, J., (*ESA*) A.200
LEHMANN, K. A. *see* RADBRUCH, L., (*ESA*) A.212
LEHUEDÉ, M. S. *see* LACOSTE, L., (*ESA*) A.66
LEICHT, C. H. *see* VASDEV, G. M. S., (*C*) 703–704
LEIJALA, M. *see* PUHAKKA, K. 149–153
LEJUS, C. *see* MALINOVSKY, J.-M. 617–620
LEMAIRE, F. *see* ARTIGAS, A., (*R*) 117
LENOIR, B. *see* DESCRAQUES, C., (*ESA*) A.127
LE NORMAND, Y. *see* MALINOVSKY, J.-M. 617–620
LENZLINGER, P. M. *see* ALON, E., (*ESA*) A.12
LEPAGE, J. Y., GARREC, F., MALINOVSKY, J. M., COZIAN, A. and PINAUD, M. Effects of plasma volume substitution on right ventricle volumes and function using Elohes® and Plasmion®, (*ESA*) A.35
LEPAGE, J.-Y. *see* MALINOVSKY, J.-M. 617–620
LE PELLEY, E., CHATAIGNEAU, T., RICHER, J.-P., TRICOCHE, R. and FUSCIARDI, J. Does captopril modify the arterial response to vasopressor substances? (*ESA*) A.48
LEQUEAU, F., BOURGAIN, J. L., CASTAIGNE, D. and SAMAMA, M. Use of aprotinine during cytoreductive surgery of ovarian cancer, (*ESA*) A.97
LEUNG, R. K. W. *see* GIN, T. 311–316
LEURS, F. *see* KULKA, P. J., (*ESA*) A.143
LEVARLET, M. *see* BARDOCZKY, G. I. 499–502
LEVY, D. M. and TUNSTALL, M. E. Preoperative drinking and gastric contents, (*C*) 701–702
LEWIS, S. A. *see* PHILLIPS, A. S., (*ARS*) 484P
LHERM, T. *see* ROUBY, J. J., (*ESA*) A.181
LIENHART, A., DERIAZ, H., DESNAULT, H., MASINI, J. P. and DELVA, E. Is Burkitt's lymphoma an etiology or a differential diagnosis of malignant hyperthermia? (*ESA*) A.93
LIENHART, A. *see* CAMUS, Y., (*ESA*) A.72; DEBAENE, B., (*ESA*) A.142; VASSILIEFF, N., (*ESA*) A.71
LINDGREN, L., YLI-HANKALA, A., RANDELL, T., KIRVELÄ, M., SCHEININ, M. and NEUVONEN, P. J. Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation: comparison between propofol and thiopentone 306–310
LINDGREN, L. *see* KIRVELÄ, M., (*ESA*) A.81; WATANABE, H. 94–95; YLI-HANKALA, A. 54–57
LIPFERT, P. *see* WIESEMES, R. 552–555
LIPPMANN, M. and GINSBURG, R. Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? (*C*) 235
LIPSZYC, M. *see* ENGELMAN, E., (*ESA*) A.144
LIPTON, J. M. *see* SHARKEY, A. 449–450
LISANDER, B. Evaluation of the analgesic effect of metoclopramide after opioid-free analgesia 631–633
LIU, J. *see* KOBLIN, D. D. 456–458
LIU, N., BONNET, F., DELAUNAY, L., KERMAREC, N. and D'HONNEUR, G. Partial reversal of the effects of extradural clonidine by oral yohimbine in postoperative patients 515–518
LIU, N., CATOIRE, P., ROSSO, J., SAADA, M. and BONNET, F. Evaluation in intensive care of the fraction area change obtained by automatic border detection, (*ESA*) A.25
LIU, N., MONTEFIORE, A., KERMAREC, N., BEYDON, L. and BONNET, F. Postdural puncture headaches are not related to the duration of spinal catheter placement, (*ESA*) A.128
LJUNGQVIST, O. *see* ODEBERG, S., (*ESA*) A.34
LOCKIE, J. *see* INNES, P., (*ESA*) A.167
LOCKLEY, S. M. *see* COLLIER, C. B. 462–465
LOFASO, F. *see* BEYDON, L., (*ESA*) A.4
LOH, L. *see* REEDER, M. K. 119; 119; 119
LOUFOUA, J. *see* FREYSZ, M., (*ESA*) A.46
LOVELL, G. G. *see* HEAD-RAPSON, A. G., (*ARS*) 487P
LUCIANI, J. *see* MOUQUET, C., (*ESA*) A.82; (*ESA*) A.83
LUCKE, F. *see* SAVOIA, G., (*ESA*) A.159
LUHMANN, I. *see* STRIEBEL, H. W., (*ESA*) A.208
LUNDBERG, J. *see* RANER, C., (*ESA*) A.49
LUNGHI, P. *see* FOPPOLI, R., (*ESA*) A.132
LUNN, J. N., DEVLIN, H. B., HOILE, R. W. and CAMPLING, E. A. Editorial II—the National Confidential Enquiry into Perioperative Deaths, (*C*) 382
LYNCH, M. *see* ALCOCK, R. 34–37
LYONS, G. Best Quincke point needle for Caesarean section, (*ESA*) A.174

MCALEER, S. *see* ARNOLD, C. 118
MCCARROLL, S. M. *see* JOSHI, G. P. 87–88
MCCARTHY, G. and MIRAKHUR, R. K. *MCQ for the Higher Examination in Clinical Pharmacology*, (*R*) 241
MCCARTHY, R. *see* POLSTER, M. R. 612–616
MCCARTNEY, C. A. *see* NATHANSON, M. H., (*ARS*) 481–482P
MCCLURE, J. H. and WILDSMITH, J. A. W., (editors) *Conduction Blockade for Postoperative Analgesia: Mechanisms and Management*, (*R*) 239
MCCLURE, J. H. *see* WILDSMITH, J. A. W., (*C*) 112
MCCOLLUM, C. N. *see* MCKAVNEY, M., (*ARS*) 475P
MCCOY, D., O'CONNOR, M., CUNNINGHAM, A. and DWYER, R. Influence of positive pressure ventilation on myocardial ischaemia after abdominal aortic aneurysm repair, (*ESA*) A.43
MCCOY, D. *see* DOYLE, M., (*ARS*) 486–487P
MCCOY, E. *see* MADDINENI, V. R. 694–695
MCCRAE, A. F. and WILDSMITH, J. A. W. Prevention and treatment of hypotension during central neural block 672–680
MCDAID, C. M. *see* PHILLIPS, A. S., (*ARS*) 484P
MACDONALD, A. G. John Henry Hill Lewellin: The first etherist in Glasgow 228–234
MCDONALD, P. F. *see* COGHLAN, S. F. E. 89–91
MCEWAN, T. *see* ALCOCK, R. 34–37
MCFADZEAN, W. *see* DOYLE, E. 542–555
MCGINN, A. *see* BAKER, A. B. 259–266
MCHALE, S. and CARLI, F. Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, (*C*) 701
MACINTYRE, D. *see* CRAWFORD, M. 419–422
MCKAVNEY, M., CORSON, R. J., HANBURY, A., MORTIMER, A. J., KEEGAN, M., MCCOLLUM, C. N. and CAMPBELL, I. T. Effect of selective cell separation on respiratory function after aortic aneurysm surgery, (*ARS*) 475P
MCKENZIE, P. J. *see* REEDER, M. K. 119
MACKENZIE, S. J. *see* RUNCIE, C. J. 192–195
MCLAUGHLAN, G. A. *see* BERTHOUD, M. C. 423–427
MCLELLAN, I. *see* KNAPIK, P., (*ESA*) A.61; (*ESA*) A.69

McLeod, G. A., Carson, D. and Bannister, J. "Concorde nose" in Whitacre spinal needles, (*C*) 593
McMahon, A. J., Baxter, J. N. and O'Dwyer, P. J. Metabolic effects of cholecystectomy, (*C*) 493–494
McMahon, S. B. *see* Rice, A. S. C., (*C*) 594
McMenemin, I. Subdural catheterization and cord damage, (*C*) 384
McMenemin, I. *see* Dryden, C. M. 508–510
McMurray, T. J. *see* Phillips, A. S., (*ARS*) 484P
McQuillan, P. *see* Young, J. D. 58–62
McSwiney, M. Blood loss during total hip replacement, (*C*) 236
Maddineni, V. R., Mirakhur, R. K., Cooper, R. and McCoy, E. Potency estimation of mivacurium: comparison of two different modes of nerve stimulation 694–695
Maddineni, V. R. *see* Cooper, R., (*ARS*) 482P
Madsen, J. B. *see* Crawford, M. E. 642–646
Maghrebi, H. *see* Bodin, L., (*ESA*) A.191
Mahajan, R. P., Hennessy, N. and Aitkenhead, A. R. Lung function after vecuronium pretreatment in elderly patients, (*ARS*) 482–483P
Mahajan, R. P., Murty, G. E., Singh, P. and Aitkenhead, A. R. Laryngeal function as assessed by tussometry following topical anaesthesia, (*ESA*) A.68
Mahajan, R. P. *see* Hennessy, N., (*ARS*) 475P
Mahé, V., Kermarrec, N. and Ecoffey, C. External ventricular CSF drains infections, (*ESA*) A.109
Mahé, V. *see* Moulay, N., (*ESA*) A.108
Malinovsky, J.-M., Lejus, C., Servin, F., Lepage, J.-Y., Le Normand, Y., Testa, S., Cozian, A. and Pinaud, M. Plasma concentrations of midazolam after i.v., nasal or rectal administration in children 617–620
Malinovsky, J. M. *see* Lepage, J. Y., (*ESA*) A.35
Malinowsky, J.-M. *see* Benhamou, D., (*ESA*) A.120
Mallett, S. V. and Cox, D. J. A. Haemostasis and thrombelastography: a cautious note, (*C*) 699–700
Mannion, D. *see* Doyle, M., (*ARS*) 486–487P
Mansoor, K. *see* Jedeiken, R., (*C*) 491–492
Mapleson, W. W. *see* Davis, N. R. 248–258; 711
Marana, E. *see* Crea, M. A., (*ESA*) A.63
Marcassa, A., Sorbara, C., Stellin, G., Pittarello, D. and Giron, G. P. Extracorporeal membrane oxygenation for postoperative cardiac support in newborn infants: first clinical data, (*ESA*) A.168
Marjot, R. Pressure exerted by the laryngeal mask airway cuff upon the pharyngeal mucosa 25–29; Pressure exerted by the laryngeal mask airway cuff upon the pharyngeal mucosa 711
Marsh, D. *see* O'Kelly, S. W., (*C*) 239
Martin, C., Auffray, J.-P., Potié, F. and Gouin, F. Comparison of two therapeutic strategies of septic shock, (*ESA*) A.190
Martin, C., Papazian, L., Perrin, G., Saux, P. and Gouin, F. Preservation of humidity and heat of respiratory gases in patients with minute ventilation > 10 l/min, (*ESA*) A.20
Martin, C., Saux, P., Mege, J.-L., Perrin, G. and Gouin, F. Septic shock: effect of a goal-directed therapy on oxygen metabolism and serum cytokine levels, (*ESA*) A.189
Martin, C. *see* Albanese, J., (*ESA*) A.107; Viviand, X., (*ESA*) A.150
Martin, D. C., Pruett, J. K. and Aronstam, R. S. Test-tube equilibration of volatile anaesthetic concentrations 365–367
Martin, D. F. *see* Watt, T., (*ARS*) 477P
Martin, E. *see* Geiger, C., (*ESA*) A.14; Motsch, J., (*ESA*) A.155; Rauch, H., (*ESA*) A.30
Martin, P. G. *see* Gupta, N. K., (*C*) 699
Martínez, J. L. *see* Martínez Urionabarrenetxea, K., (*ESA*) A.187; Pérez Arancón, J. L., (*ESA*) A.188
Martínez Urionabarrenetxea, K., Pérez Arancón, J. L., Yoldi, J. I., Camarero, A. and Martínez, J. L. Molecular mediators and post-bacteraemic phase, (*ESA*) A.187
Martínez Urionabarrenetxea, K. *see* Pérez Arancón, J. L., (*ESA*) A.188
Martner, J. *see* Raner, C., (*ESA*) A.49; Sundeman, H., (*ESA*) A.50
Mashimo, T. *see* Tomi, K. 684–686
Masini, J. P. *see* Lienhart, A., (*ESA*) A.93
Masterson, G. R. *see* Beck, G. N., (*ARS*) 483P
Mata, E. *see* Bermejo, N. 322–325
Mather, C. Preoperative drinking and gastric contents, (*C*) 702
Matson, A. *see* Kulkarni, P. 216–218
Matson, A. M. *see* Landon, A. J. 605–611
May, A. E. *see* Vickers, R. J. 214–215
Mayer, M. *see* Doenicke, A., (*C*) 491
Maze, M. *see* Salonen, M., (*ESA*) A.113
Mazoit, J. X. *see* Butscher, K., (*ESA*) A.201
Mazoyer, E. *see* Samama, C. M., (*ESA*) A.100
Meakin, G. *see* Barrie, J. R. 468–470; Beatty, P. C. W., (*C*) 707
Mearns, A. J. *see* Berrisford, R. G. 201–204
Medley, C. *see* Murphy, D. F. 298–300
Mege, J.-L. *see* Martin, C., (*ESA*) A.189
Mehta, V. *see* Hohner, P., (*ESA*) A.23; (*ESA*) A.26
Meier-Hellmann, A., Hannemann, L., Weyandt, D., Heiss-Dunlop, W. and Reinhart, K. The effect of dobutamine and norepinephrine on global and splanchnic O_2 consumption, (*ESA*) A.185
Meistelman, C., Fiset, P., O'Kelly, B., Frossard, J., Plaud, B. and Ecoffey, C. The pharmacokinetics of rocuronium in pediatric patients: a pooled data analysis, (*ESA*) A.138
Meistelman, C. *see* Debaene, B., (*ESA*) A.142; Plaud, B., (*ESA*) A.141
Menigaux, C., Hamza, J., Bougnières, P. and Saint-Maurice, C. Neonatal glycemia: does the maternal i.v. fluid regimen during labor make a difference? (*ESA*) A.175
Menon, G. and Allt-Graham, J. Anaesthetic implications of the anti-cardiolipin antibody syndrome 587–590
Menzel, C. *see* Kulka, P. J., (*ESA*) A.143
Méray, J. *see* Vereczkey, Z., (*ESA*) A.64
Meretoja, O. A., Brandom, B. W., Taivainen, T. and Jalkanen, L. Supra-additivity between atracurium and vecuronium, (*ESA*) A.140
Mergaert, C., Rolly, G. and Versichelen, L. Target-controlled intravenous sedation with propofol, (*ESA*) A.149
Mersch, Y. *see* Hennart, D., (*ESA*) A.202
Messeter, K. *see* Akeson, J., (*ESA*) A.111
Mestre, D. *see* Paut, O., (*ESA*) A.10
Michael, R. F. *see* Morris, R. W., (*ESA*) A.2
Michel, M. Z., Goodman, N. W. and Aitkenhead, A. R. *Essay Plans for Anaesthesia Exams*, (*R*) 709
Mimoz, O., Edouard, A., Beydon, L., Bonnet, F. and Samii, K. Reassessment of bronchoalveolar lavage in the diagnosis of post traumatic pulmonary fat embolism, (*ESA*) A.180
Mion, G. *see* Delayance, S., (*ESA*) A.45; Descraques, C., (*ESA*) A.127
Mirakhur, R. K., Cooper, R. A., Clarke, R. S. J. and Boules, Z. Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? (*C*) 235
Mirakhur, R. K. *see* Cooper, R., (*ARS*) 482P; McCarthy, G., (*R*) 241; Maddineni, V. R. 694–695
Mirow, N. *see* Weiss, M. 317–321
Møiniche, S. *see* Dahl, J. B., (*C*) 379
Molke Jensen, F. *see* Crawford, M. E. 642–646
Molter, G., Larsen, R., Peters, U., Bauch, U. and Sefrin, R. Haemodynamic changes produced by inhalation anaesthetics in the presence of phosphodiesterase inhibition 428–433
Monedero, P., Carrera, J., Catalá, J., Carrascosa, F. and Arroyo, J. L. Blood requirements reduction in orthotopic liver transplantation with aprotinin, (*ESA*) A.98
Monedero, P. *see* Carrera, J., (*ESA*) A.77; Hidalgo, F., (*ESA*) A.99; de los Ríos, J., (*ESA*) A.75
Monells, J. *see* Fernandez, S., (*ESA*) A.119
Moneret-Vautrin, D. A. *see* Bermejo, N. 322–325
Monin, S. *see* Jamali, S., (*ESA*) A.160; Nègre, I., (*ESA*) A.203
Monrigal, C. *see* Granry, J. C., (*ESA*) A.32
Monrigal, J. P. *see* Granry, J. C., (*ESA*) A.32
Montasser, A. M. Propofol for tracheal intubation in paediatric outpatient anaesthesia, (*ESA*) A.161
Montefiore, A. *see* Liu, N., (*ESA*) A.128
Moore, N. *see* Moritz, F. 451–453
Mora, C. *see* Foppoli, R., (*ESA*) A.132
Morgan, B. *see* Robson, S. C. 634–638
Morgan, R. J. and Pollard, B. J. Prediction of infusion rate of vecuronium to maintain steady state using the bolus test dose technique, (*ARS*) 481P
Moritz, F., Petit, J., Kaeffer, N., Oksenhendler, G., Papion, H., Hecketsweiler, B., Moore, N. and Winckler, C. Metabolic effects of propofol and flunitrazepam given for sedation after aortic surgery 451–453
Morris, R. W., Ernst, E., Greaves, D. J., Layfield, D. J. and Michael, R. F. An audit of the incidence and costs associated with post operative nausea and vomiting (PONV) following major gynaecological surgery in an inpatient population, (*ESA*) A.2
Mortimer, A. J. *see* McKavney, M., (*ARS*) 475P
Morton, N. S. *see* Doyle, E. 542–555; Runcie, C. J. 192–195
Motsch, J., Baller, S., Bach, A., Aderjan, R. and

MARTIN, E. Midazolam premedication: a forensic approach to pharmacokinetics and amnesia, (*ESA*) A.155
MOTSCH, J. *see* GEIGER, C., (*ESA*) A.14
MOULAY, N., MAHÉ, V., DESCORPS-DÉCLÈRE, A., COSSON, C. and ECOFFEY, C. Cardiac function in aneurysmal subarachnoid haemorrhage, (*ESA*) A.108
MOUQUET, C., CARAYON, A., CLERGUE, F., LUCIANI, J., BITKER, M. and VIARS, P. Volume loading and hormonal factors in the prevention of acute tubular necrosis in kidney transplantation, (*ESA*) A.83
MOUQUET, C., CARAYON, A., OURAHMA, S., BITKER, M.-O. and VIARS, P. Is the vasoconstrictive effect of cyclosporine mediated by endothelin in kidney transplantation? (*ESA*) A.84
MOUQUET, C., LUCIANI, J., BITKER, M.-O. and VIARS, P. Prevention of acute tubular necrosis by volume loading in kidney transplantation, (*ESA*) A.82
MOUREN, S. *see* DELAYANCE, S., (*ESA*) A.45; FELLAHI, J. L., (*ESA*) A.44
MOURGEON, E. *see* VIVIEN, B., (*ESA*) A.183
MOYLE, J. T. B. *see* DAVEY, A., (*R*) 240
MUELLER, R. F. *see* BALL, S. P. 70–75
MUIR, A. D. *see* REEDER, M. K. 119; 119; 119
MULAZZI, D., CALAPPI, E. and CROCI, M. The respiratory compliance in normal and obese subjects during anaesthesia, (*ESA*) A.54
MÜLLER, C. *see* HEIL, T., (*ESA*) A.88
MULLER, G. *see* VAN OBBERGH, L. J., (*ESA*) A.164
MUNDAY, I. T. and JONES, R. M. Anq 9040: effect of twice the ED_{95} dose, (*ARS*) 480P
MUNDAY, I. T. *see* WATSON, N. A., (*ARS*) 479P
MUNGLANI, R., ANDRADE, J., SAPSFORD, D. J., BADDELEY, A. and JONES, J. G. Validation of coherent frequency of the EEG as a measure of consciousness during anaesthesia, (*ARS*) 483–484P
MURAI, T. *see* TAKADA, K. 181–185
MURAT, I., BERNIÈRE, J. and CONSTANT, I. Evaluation of the efficacy of forced-air warmer (Bair Hugger) during spinal surgery in children, (*ESA*) A.165
MURAT, I., DELORME, M., PIAT, V. and DUBOIS, M. C. Evaluation of a forced-air warmer (Bair-Hugger) in maintaining body temperature in infants during cleft palate surgery, (*ESA*) A.166
MURGA, G. *see* SAMSÓ, E., (*ESA*) A.205
MURPHY, D. F. and MEDLEY, C. Preoperative indomethacin for pain relief after thoracotomy: comparison with postoperative indomethacin 298–300
MURPHY, P. G., JACKSON, R., KIROLLOS, R., GIBSON, J. S. and CHENNELS, P. Adult respiratory distress syndrome after attempted strangulation 583–586
MURPHY, P. G. *see* OGILVY, A. J., (*ARS*) 476P
MURPHY, P. J., LANGTON, J. A., BARKER, P. and SMITH, G. Effect of oral diazepam on the sensitivity of upper airway reflexes 131–134
MURPHY, P. J. *see* ERSKINE, R. J., (*ARS*) 478P; 574–575; LANGTON, J. A. 126–130
MURPHY, W. G., DAVIES, M. J. and EDUARDO, A. The haemostatic response to surgery and trauma 205–213
MURTY, G. E. *see* LAMB, J. M., (*ARS*) 478–479P; MAHAJAN, R. P., (*ESA*) A.68
MYA, G. H. *see* JONES, R. D. M. 286–292
MYLES, A. P., CALOW, P. and REILLY, C. S. Clonal variation in response to enflurane anaesthesia with *Daphnia magna*, (*ARS*) 476–477P
MYTHEN, M., BROWNE, D., HAMILTON-DAVIES, C. and WEBB, A. Gastric mucosal perfusion is better preserved during cardiac surgery when isoflurane rather than enflurane or propofol is used to maintain anaesthesia, (*ESA*) A.29

NAKAJIMA, R., NAKAJIMA, Y. and IKEDA, K. Minimum alveolar concentration of sevoflurane in elderly patients 273–275
NAKAJIMA, Y. *see* NAKAJIMA, R. 273–275
NARCHI, P. *see* AUBRUN, F., (*ESA*) A.198; HAMZA, J., (*ESA*) A.171
NARCISSE, F. *see* NATHAN, N., (*ESA*) A.151
NATH, S. and EHRENSTRÖM REIZ, G. Treatment of cancer pain with morphine (MO)—A double blind study of extradural (ED) *versus* intramuscular (im) routes of administration, (*ESA*) A.211
NATHAN, N., DEBORD, J., NARCISSE, F., DUPUIS, J. L., LACHATRE, G. and FEISS, P. Pharmacokinetics of propofol and its conjugates after continuous infusion in normal and renal failure patients, (*ESA*) A.151
NATHANSON, M. H., MCCARTNEY, C. A., FERGUSON, C. and JORDAN, M. J. Onset of action of a small dose of vecuronium, (*ARS*) 481–482P
NEBAUER, A. E. *see* DOENICKE, A., (*C*) 491
NÈGRE, I., GUÉNERON, J. P., JAMALI, S., MONIN, S. and ECOFFEY, C. Preemptive analgesia with epidural morphine, (*ESA*) A.203
NELSON, T. E. Combined caffeine–halothane test for malignant hyperthermia, (*C*) 597–598
NELSON, V. *see* BENNETT, S., (*ESA*) A.152
NEUMANN, T. *see* HEIL, T., (*ESA*) A.88; SPIES, C., (*ESA*) A.110
NEUVONEN, P. J. *see* KUITUNEN, A. 173–180; LINDGREN, L. 306–310
NEWTON, D. E. F. *see* THORNTON, C., (*C*) 705
NG, S. *see* ROSEN, M., (*R*) 601
NGAN KEE, W. D. Extradural abscess in the postpartum period, (*C*) 704
NISHIKAWA, T. Acute haemodynamic effect of sodium bicarbonate in canine respiratory or metabolic acidosis 196–200
NISHIMURA, M. *see* TOMI, K. 684–686
NISHIMURA, S. *see* TOMI, K. 684–686
NOLAN, A. and REID, J. Pharmacokinetics of propofol administered by infusion in dogs undergoing surgery 546–551
NOLAN, K. M., WINYARD, J. A. and GOLDHILL, D. R. Comparison of nasal cannulae with face mask for oxygen administration to postoperative patients 440–442
NORDSTRÖM, O. and SANDIN, R. Delayed presentation of an extradural abscess in a patient with alcohol abuse 368–369
NORMAN, R. I. *see* APPADU, B., (*ARS*) 477P
NOVOTNY, G. E. K. *see* WIESEMES, R. 552–555
NUNN, J. F. *see* LANDON, A. J. 605–611
NYARWAYA, J.-B. *see* DUPONT, H., (*ESA*) A.9
NYSTRÖM, E., JANSSON, E., WENNGREN, B.-I., SHARMA, R., CLERGUE, F. and REIZ, S. Diaphragmatic function after bupivacaine cervical extradural analgesia for chronic pain therapy, (*ESA*) A.65
NYSTRÖM, E. *see* REIZ, S., (*ESA*) A.52

O'CONNOR, B. *see* SALONEN, M., (*ESA*) A.113
O'CONNOR, L. *see* GREEN, D. W. 626–630
O'CONNOR, M. *see* MCCOY, D., (*ESA*) A.43
ODEBERG, S., LJUNGQVIST, O., GANNEDAHL, P., SVENBERG, T. and SOLLEVI, A. Influence of pneumoperitoneum and posture on hemodynamic and stress responses during anaesthesia for laparoscopic surgery, (*ESA*) A.34
O'DWYER, P. J. *see* MCMAHON, A. J., (*C*) 493–494
O'FLAHERTY, D. *see* LATSON, T. W. 301–305
OGILVY, A. J., WHITELEY, S. M., KOWOLIK, M. J. and MURPHY, P. G. Effect of propofol on neutrophil respiratory burst, (*ARS*) 476P
OH, T. E., BHATT, S. B. and TOMLINSON, B. Metabolic effects of dobutamine, (*C*) 237–238
OH, T. E. *see* AUN, C. S. T. 647–653; TAN, I. K. S. 267–272
OJANEN, R., KAUKINEN, S., SEPPÄLÄ, E., KAUKINEN, L. and VAPAATALO, H. Inhibition of increase of blood thromboxane concentration by acetylsalicylic acid after release of tourniquet in lower extremity operations, (*ESA*) A.94
O'KELLY, B. *see* MEISTELMAN, C., (*ESA*) A.138
O'KELLY, S. W. and MARSH, D. Face masks and spinal anaesthesia, (*C*) 239
OKSENHENDLER, G. *see* MORITZ, F. 451–453
OLSFANGER, D. *see* JEDEIKEN, R., (*C*) 491–492
O'MEARA, M. E. *see* AUN, C. S. T. 647–653; GIN, T. 311–316
OOI, L. G., O'SHEA, P. J. and WOOD, A. J. Use of esmolol in the postbypass management of hypertrophic obstructive cardiomyopathy 104–106
OOI, R., FAWCETT, W. J., SONI, N. and RILEY, B. Extra inspiratory work of breathing imposed by cricothyrotomy devices 17–21; Extra inspiratory work of breathing imposed by cricothyrotomy devices 494
OOI, R. *see* JOSHI, P., (*C*) 238
O'REGAN, M. *see* DOYLE, M., (*ARS*) 486–487P
ORIS, B. *see* PUYBASSET, L., (*ESA*) A.39
ORLIAGUET, G., PLAUD, B., CALMATTE, S. and ECOFFEY, C. Neuromuscular blockade following mivacurium in children during N_2O–halothane, (*ESA*) A.163
O'SHEA, P. J. *see* OOI, L. G. 104–106
ÖSTERLUND, B., JOHANSSON, G. and REIZ, S. Cardiac output determined from pulmonary gas exchange, (*ESA*) A.19
ÖSTMAN, M., KARLING, M., KARP, K., TEIEN, D. and REIZ, S. Dipyridamole-TEE and 24 h Holter-ECG as preoperative screening tests for coronary artery disease in patients with abdominal aortic aneurysm, (*ESA*) A.22
O'SULLIVAN, G. *see* POLSTER, M. R. 612–616
OUARDALI, F. *see* FELLAHI, J. L., (*ESA*) A.44
OURAHMA, S. *see* GUESDE, R., (*ESA*) A.79; MOUQUET, C., (*ESA*) A.84
ÖZGÖK, A. *see* DURAK, P., (*ESA*) A.95; (*ESA*) A.96

PAK, M. *see* TOMI, K. 684–686
PALAYIWA, E., GRINT, E., WINYARD, J., FLYNN, P. J. and STRUNIN, L. Evaluation of the Rascal II monitor, (*ARS*) 485P
PALAZZO, M. and EVANS, R. Logistic regression analysis of fixed patient factors for postoperative sickness: a model for risk assessment 135–140
PANADERO, A. *see* CARRERA, J., (*ESA*) A.77
PAPAZIAN, L. *see* MARTIN, C., (*ESA*) A.20
PAPION, H. *see* MORITZ, F. 451–453
PÁRAMO, J. A. *see* HIDALGO, F., (*ESA*) A.99
PARK, G. R. Hypertonic solutions in acute massive haemorrhage, (*C*) 706
PARK, G. R. *see* JACOBSON, W. 522–526; POLSTER, M. R. 612–616
PARKER, C. J. R. and HUNTER, J. M. Pharmacokinetic/pharmacodynamic modelling of atracurium, (*C*) 111–112; Relationship between volume of distribution of atracurium and body weight 443–445
PARKER, C. J. R., HUNTER, J. M. and SNOWDON, S. L. Effect of age, gender and anaesthetic technique on the pharmacodynamics of atracurium 38–41
PARKER, C. J. R. *see* HEAD-RAPSON, A. G., (*ARS*) 487P
PASCH, T. and HAWELSKI, T. Propofol anaesthesia with spontaneous breathing for extracorporeal shock wave lithotripsy, (*ESA*) A.153
PASCH, T. *see* ALON, E., (*ESA*) A.12
PATS, B. *see* DESCRAQUES, C., (*ESA*) A.127
PAUT, O., VERCHER, J. L., BLIN, O., MESTRE, D. and CAMBOULIVES, J. Evaluation of saccadic eye movements as an objective test during recovery from anesthesia, (*ESA*) A.10
PAXTON, S. *see* INGLIS, T. J. J. 527–531
PAYEN, D. *see* JACOB, L., (*ESA*) A.85
PEACHEY, T. *see* ALCOCK, R. 34–37
PEACOCK, J. E. and REILLY, C. S. Different rates of injection of propofol, (*C*) 383–384
PEACOCK, J. E. *see* BERTHOUD, M. C. 423–427; WILLIAMS, O. A., (*ARS*) 479P
PEARSON, J. *see* KULKARNI, P. 216–218
PEAT, S. J. *see* HANNA, M. H. 511–514
PELTOLA, K. *see* PUHAKKA, K. 149–153
PENDEVILLE, P. E. *see* VAN BOVEN, M. J., (*ESA*) A.87
PENNANT, J. H. *see* VAN ELSTRAETE, A. C. 691–693
PENZO, D. *see* ARMELLIN, G., (*ESA*) A.104
PEPPERMAN, M. *see* SKOYLES, J., (*E*) 603–604
PERAY, P. *see* DE LA COUSSAYE, J. E., (*ESA*) A.121
PERDRIX, J. P. *see* PY, C., (*ESA*) A.57
PERE, P., PITKÄNEN, M., TUOMINEN, M., EDGREN, J. and ROSENBERG, P. H. Clinical and radiological comparison of perivascular and transarterial techniques of axillary brachial plexus block 276–279
PEREL, A., SHNEIDER, A. and KOHN, W. Isoproterenol reverses the MAC decreasing effect of esmolol in rats, (*ESA*) A.117
PEREL, A. *see* CORIAT, P., (*ESA*) A.38; PREISMAN, S., (*ESA*) A.51; (*ESA*) A.124
PÉREZ ARANCÓN, J. L., MARTÍNEZ URIONABARRENETXEA, K., YOLDI, J. I., CAMARERO, A. and MARTÍNEZ, J. L. Molecular mediators and cardiac surgery, (*ESA*) A.188
PÉREZ ARANCÓN, J. L. *see* MARTÍNEZ URIONABARRENETXEA, K., (*ESA*) A.187
PERILLI, V. *see* CREA, M. A., (*ESA*) A.63
PERKO, G. *see* KOSCIELNIAK-NIELSEN, Z. J., (*ESA*) A.157
PERRIN, G. *see* MARTIN, C., (*ESA*) A.20; (*ESA*) A.189
PERSAUD, S. J. *see* DESBOROUGH, J. P., (*ESA*) A.91; 221–222
PETERS, U. *see* MOLTER, G. 428–433
PETERSEN-FELIX, S. and ZBINDEN, A. M. Brain partial pressures of isoflurane and nitrous oxide, (*C*) 704–705
PETIT, J. *see* MORITZ, F. 451–453
PFEIFFER, U. *see* PREISMAN, S., (*ESA*) A.51
PHILLIPS, A. S., MCDAID, C. M., MCMURRAY, T. J. and LEWIS, S. A. Does propofol supplemented anaesthesia affect neurophysiological outcome following cardiopulmonary bypass? (*ARS*) 484P
PHILLIPS, S., HUTCHINSON, S. and DAVIDSON, T. Preoperative drinking and gastric contents, (*C*) 702–703; Preoperative drinking does not affect gastric contents 6–9
PHILLIPS, S., HUTCHINSON, S. E., BAYLY, P. and HOLLWAY, T. E. Adrenaline-induced hypotension in neurosurgery 687–688
PIAT, V. *see* MURAT, I., (*ESA*) A.166
PICCINNI, P., TRIPEPI, A., ROSSARO, L., DE ZEN, F. and PIERRI, A. Oxygen consumption is dependent upon oxygen delivery in cirrhotics undergoing liver transplantation, (*ESA*) A.78
PIERRI, A. *see* PICCINNI, P., (*ESA*) A.78
PIETZSCH, S. *see* BIRO, P., (*ESA*) A.156
PIGNAUD, G. *see* SAMAMA, C. M., (*ESA*) A.100
PINAUD, M. *see* LEPAGE, J. Y., (*ESA*) A.35; MALINOVSKY, J.-M. 617–620
PIRONKOV, A. *see* GOSGNACH, M., (*ESA*) A.6
PITKÄNEN, M. *see* PERE, P. 276–279; ROSENBERG, P. H., (*ESA*) A.129
PITTARELLO, D. *see* ARMELLIN, G., (*ESA*) A.104; MARCASSA, A., (*ESA*) A.168
PLASTOW, S. E. and WEISZ, M. T. Transthoracic endoscopic sympathectomy, (*C*) 492
PLATT, N. D. Xylometazoline and porphyria, (*C*) 491
PLAUD, B., PROOST, J. H., WIERDA, J. M. K. H., DEBAENE, B., BARRÉ, J. and MEISTELMAN, C. Concentration–effect relationship at the vocal cords and the adductor pollicis following rocuronium administration, (*ESA*) A.141
PLAUD, B. *see* MEISTELMAN, C., (*ESA*) A.138; ORLIAGUET, G., (*ESA*) A.163
PLOURDE, G. Effect of nitrous oxide on auditory evoked potentials, (*C*) 379–380
POELAERT, J. *see* DE DEYNE, C., (*ESA*) A.16; (*ESA*) A.106
POETE, P. *see* ROUBY, J. J., (*ESA*) A.181
POL, A. *see* BROMBERG, N., (*ESA*) A.28
POLLARD, B. J. *see* MORGAN, R. J., (*ARS*) 481P; RITTOO, D. B., (*ARS*) 486P
POLLOCK, J. *see* CRAWFORD, M. 419–422
POLLOCK, J. S. S. and KENNY, G. N. C. Effects of lorazepam on oxygen saturation before cardiac surgery 219–220
POLSTER, M. R., GRAY, P. A., O'SULLIVAN, G., MCCARTHY, R. and PARK, G. R. Comparison of the sedative and amnesic effects of midazolam and propofol 612–616
POMMERENING, J. *see* STRIEBEL, W. H., (*ESA*) A.209
PORKKALA, T. *see* YLI-HANKALA, A. 54–57
PORTILLA, M. *see* BEAUSSIER, M., (*ESA*) A.37
POTIÉ, F. *see* MARTIN, C., (*ESA*) A.190
POTTER, F. A. Explaining risk to patients, (*C*) 381
PREISMAN, S., ELDAR, I. and PEREL, A. The effects of epidural and spinal anesthesia on the changes in the plethysmographic signal in the lower and upper limbs, (*ESA*) A.124
PREISMAN, S., SHNEIDER, A., PFEIFFER, U. and PEREL, A. A comparison between various hemodynamic parameters reflecting preload during graded hemorrhage in ventilated dogs, (*ESA*) A.51
PRICE, M. Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, (*C*) 116
PROOST, J. H. *see* PLAUD, B., (*ESA*) A.141
PRUETT, J. K. *see* MARTIN, D. C. 365–367
PRYS-ROBERTS, C. *see* HASAN, M. A. 141–144
PUHAKKA, K., RÄSÄNEN, J., LEIJALA, M. and PELTOLA, K. Metabolic effects of corrective surgery in infants and children with congenital heart defects 149–153
PUIG, M. M. *see* FERNANDEZ, D., (*ESA*) A.131; FERNANDEZ, S., (*ESA*) A.119; SAMSÓ, E., (*ESA*) A.205
PUYBASSET, L., ORIS, B., CORIAT, P., GOSGNACH, M. and VIARS, P. Influence of chronic angiotensin converting enzyme inhibition on systolic pressure variation during anesthetic induction, (*ESA*) A.39
PY, C., PERDRIX, J. P., BACONNIER, P., EBERHARD, A., FARGNOLI, J. M., COPPO, F. and BANSSILLON, V. Continuous monitoring of the ventilatory mechanics during anaesthesia & intensive care, (*ESA*) A.57

QUINEY, N. F. and ALLEN, P. Use of lignocaine in ventricular defibrillation? (*C*) 380
QUINQUIS, V. *see* BENHAMOU, D., (*ESA*) A.120
QUINTILLA, R. *see* JOOS, S., (*ESA*) A.130

RABEEAH, A. *see* AHMAD, R. 696–698
RADBRUCH, L., GROND, S., ZECH, D. and LEHMANN, K. A. High dose oral morphine in cancer pain management, (*ESA*) A.212
RAFFERTY, T. *see* CUNNINGHAM, A. J. 621–625
RAMACHANDRA, V. *see* BENNET, J., (*ESA*) A.73
RAMOS, M. *see* RIOU, B., (*ESA*) A.103
RANDELL, T. *see* LINDGREN, L. 306–310; WATANABE, H. 94–95
RANER, C., BIBER, B., LUNDBERG, J., MARTNER, J. and WINSÖ, O. Does exogenous dopamine reverse cardiovascular depression induced by isoflurane during thoracic epidural blockade? (*ESA*) A.49
RANER, C. *see* SUNDEMAN, H., (*ESA*) A.50
RANIERI, R. *see* CREA, M. A., (*ESA*) A.63
RÄSÄNEN, J. *see* PUHAKKA, K. 149–153
RASI, V. *see* KUITUNEN, A. 173–180
RATH, W. *see* CROZIER, T. A. 47–53
RAUCH, H., FLEISCHER, F., HAUßMANN, R., BÖTTIGER, B. and MARTIN, E. Propofol/fentanyl-anesthesia in patients with highly depressed cardiac function, (*ESA*) A.30

RAUSS, A. *see* BEYDON, L., (*ESA*) A.4
RAVISHANKAR, M. and CHATTERJEE, S. Fractional utilization of fresh gas by breathing systems without carbon dioxide absorption, (*C*) 706–707
RAVUSSIN, P. *see* BORGEAT, A. 459–461; SAMAHA, T., (*ESA*) A.118
RAWAL, N. Organization of acute pain services—a low-cost model, (*ESA*) A.199
RAWAL, N., HALLÉN, J., AMILON, A. and HELLSTRAND, P. Improvement in i.v. regional anaesthesia by re-exsanguination before surgery 280–285
READ, M. *see* CARLI, F., (*ESA*) A.86
READ, M. S. and VAUGHAN, R. S. Preoperative drinking and gastric contents, (*C*) 701
READY, L. B., EDWARDS, W. T. and TASK FORCE ON ACUTE PAIN, (editors) *Management of Acute Pain: A Practical Guide*, (*R*) 495
REEDER, M. K., GOLDMAN, M. D., LOH, L., MUIR, A. D. and CASEY, K. R. Haemodynamic effects of periodic ventilation: abolition with supplementary oxygen 119
REEDER, M. K., GOLDMAN, M. D., LOH, L., MUIR, A. D., FOËX, P., CASEY, K. R. and MCKENZIE, P. J. Postoperative hypoxaemia after major abdominal vascular surgery 119
REEDER, M. K., MUIR, A. D., FOËX, P., GOLDMAN, M. D., LOH, L. and SMART, D. Postoperative myocardial ischaemia: temporal association with nocturnal hypoxaemia 119
REID, J. *see* NOLAN, A. 546–551
REIGNIER, J., BEN AMEUR, M. and ECOFFEY, C. Ventilation with halothane is less affected in children with laryngeal mask airway than with endotracheal tube, (*ESA*) A.162
REILLY, C. S. *see* BERTHOUD, M. C. 423–427; MYLES, A. P., (*ARS*) 476–477P; PEACOCK, J. E., (*C*) 383–384
REINHART, K. *see* MEIER-HELLMANN, A., (*ESA*) A.185; SPIES, C., (*ESA*) A.110; (*ESA*) A.186
REIZ, S., JOHANSSON, G., HOHNER, P. and HÄGGMARK, S. The use of the CUSUM plot for determination of myocardial ischaemia threshold during atrial pacing in patients with coronary artery disease, (*ESA*) A.24
REIZ, S., NYSTRÖM, E., TUGRUL, M., HÄGGMARK, S. and JOHANSSON, G. Influence of cervicothoracic epidural anaesthesia (C-TEA) on left ventricular (LV) contractility—an experimental study in pigs with autonomous blockade, (*ESA*) A.52
REIZ, S. *see* HOHNER, P., (*ESA*) A.26; (*ESA*) A.41; NYSTRÖM, E., (*ESA*) A.65; ÖSTERLUND, B., (*ESA*) A.19; ÖSTMAN, M., (*ESA*) A.22
RENKL, F. *see* DITTMANN, M., (*ESA*) A.126
REVEL, P. *see* JANVIER, G. 186–191
REYNOLDS, F. Antepartum assessment for anaesthesia, (*C*) 116
RICE, A. S. C. and MCMAHON, S. B. Peripheral nerve damage and regional anaesthesia, (*C*) 594
RICE, A. S. C. *see* KITCHING, A. J., (*C*) 703
RICHARDS, J. *see* BECK, G. N., (*ARS*) 483P
RICHARDSON, J. B. *see* KNAPIK, P., (*ESA*) A.61; (*ESA*) A.69
RICHER, J.-P. *see* LE PELLEY, E., (*ESA*) A.48
RIEGER, A. *see* STRIEBEL, W. H., (*ESA*) A.209; (*ESA*) A.210
RIEZ, S. *see* HOHNER, P., (*ESA*) A.23
RILEY, B. *see* OOI, R. 17–21; 494
RIMANIOL, J. M. *see* FULGENCIO, J. P., (*ESA*) A.42
DE LOS RÍOS, J., IRIBARREN, M. J., MONEDERO, P., GARCÍA-PEDRAJAS, F. and ARROYO, J. L. Modification of the renin–aldosterone axis during orthotopic liver transplantation, (*ESA*) A.75
DE LOS RÍOS, J. *see* CARRERA, J., (*ESA*) A.77
RIOU, B., CAVALLIER, S., ROY-CAMILLE, R. and VIARS, P. Preoperative autotransfusion in emergency surgery for spine trauma, (*ESA*) A.102
RIOU, B., GUERRERO, M., AROCK, M., RAMOS, M. and VIARS, P. Effects of postoperative auto-transfusion in spine surgery, (*ESA*) A.103
RIOU, B., GUESDE, R., JACQUENS, Y., DURANTEAU, R. and VIARS, P. Fiberoptic bronchoscopy in brain dead organ donors, (*ESA*) A.80
RIOU, B. *see* DURANTEAU, R., (*ESA*) A.148; GOARIN, J. P., (*ESA*) A.193; GUESDE, R., (*ESA*) A.79; SAADA, M., (*ESA*) A.194
RIPART, J., COHENDY, R. and ELEDJAM, J.-J. The laryngeal mask and intraocular surgery, (*C*) 704
RITTER, M. *see* FARIS, P. P., (*ESA*) A.101
RITTOO, D. B., BREED, N. and POLLARD, B. J. Preoxygenation and Sp_{O_2} after induction of anaesthesia with propofol and fentanyl, (*ARS*) 486P
ROBINSON, D. L. Frequency of damaged coaxial breathing systems, (*C*) 384
ROBINSON, D. L. *see* LAMOND, C. T., (*ESA*) A.204
ROBSON, S. C., SAMSOON, G., BOYS, R. J., RODECK, C. and MORGAN, B. Incremental spinal anaesthesia for elective Caesarean section: maternal and fetal haemodynamic effects 634–638
RODECK, C. *see* ROBSON, S. C. 634–638
RODET, L. *see* KOZAK RIBBENS, G., (*ESA*) A.92
ROHIERSE-HOHLER, I. *see* STRIEBEL, H. W., (*ESA*) A.208
ROLLY, G. *see* MERGAERT, C., (*ESA*) A.149; VAN BASTELAERE, M., (*ESA*) A.146
ROMPPANEN, O. *see* RORARIUS, M. G. F. 293–297
RORARIUS, M. G. F., SUOMINEN, P., BAER, G. A., ROMPPANEN, O. and TUIMALA, R. Diclofenac and ketoprofen for pain treatment after elective Caesarean section 293–297
ROS, H. H. *see* DE JONG, J. R., (*ESA*) A.15
ROSEN, M., LATTO, P. and NG, S., (editors) *Handbook of Percutaneous Central Venous Catheterisation*, 2nd Edn, (*R*) 601
ROSENBAUM, S. *see* CUNNINGHAM, A. J. 621–625
ROSENBERG, P. *see* WATANABE, H. 94–95
ROSENBERG, P. H., TAIVAINEN, T., PITKÄNEN, M. and TUOMINEN, M. Epidural blood patch for treatment of postdural puncture headache, (*ESA*) A.129
ROSENBERG, P. H. *see* PERE, P. 276–279
ROSENCHER, N. *see* VASSILIEFF, N., (*ESA*) A.71
ROSSARO, L. *see* PICCINNI, P., (*ESA*) A.78
ROSSO, J. *see* LIU, N., (*ESA*) A.25
ROTHEN, H. U., SPORRE, B., ENGBERG, G., WEGENIUS, G. and HEDENSTIERNA, G. Recruitment of atelectasis during general anaesthesia: a CT-study, (*ESA*) A.53
ROTHENBÜHLER, J. M. *see* URWYLER, A. 76–79
ROUBY, J. J., LHERM, T., DE LASSALE, M. E., POETE, P., BODIN, L. and VIARS, P. Histology aspects of pulmonary barotrauma in critically ill patients with acute respiratory failure, (*ESA*) A.181
ROUBY, J. J. *see* BODIN, L., (*ESA*) A.179; (*ESA*) A.191; KALFON, P., (*ESA*) A.182
ROUBY, J.-J. *see* SAADA, M., (*ESA*) A.194; VIVIEN, B., (*ESA*) A.183
ROULSON, C. J. *see* JONES, R. D. M. 286–292
ROUVIER, B. *see* DESCRAQUES, C., (*ESA*) A.127
ROWAN, E. G. *see* BRAGA, M. F. M. 405–410
ROWBOTHAM, D. J. *see* APPADU, B., (*ARS*) 477P; ATCHESON, R., (*ARS*) 485P
ROWE, P. *see* WOLF, A. R. 654–660
ROY-CAMILLE, R. *see* RIOU, B., (*ESA*) A.102
ROYSTON, B. D. *see* LANDON, A. J. 605–611
RUE, M. *see* FERNANDEZ, D., (*ESA*) A.131
RUGGIER, R. *see* BAILEY, C. R., (*ESA*) A.169
RUNCIE, C. J. Statistical assessment of two methods of clinical measurement, (*C*) 595
RUNCIE, C. J., MACKENZIE, S. J., ARTHUR, D. S. and MORTON, N. S. Comparison of recovery from anaesthesia induced in children with either propofol or thiopentone 192–195
RUNCIMAN, W. B. *see* HUANG, Y. F. 326–332; 556–561
RUPREHT, J. *see* DZOLJIC, M., (*ESA*) A.112
RUSSELL, I. F. Midazolam–alfentanil: an anaesthetic? An investigation using the isolated forearm technique 42–46
RUSSELL, R. Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, (*C*) 699–700
RYAN, T., TIMONEY, A. and CUNNINGHAM, A. J. Use of transoesophageal echocardiography to manage beta-adrenoceptor block and assess left ventricular function in a patient with phaeochromocytoma 101–103
RYCKMAN, J. V. *see* WHALLEY, D. G. 96–98

SAADA, M., RIOU, B., GOARIN, J.-P., ROUBY, J.-J., JACQUENS, Y. and VIARS, P. Systemic gas embolism in pulmonary contusion diagnosed by transesophageal echocardiography, (*ESA*) A.194
SAADA, M. *see* FULGENCIO, J. P., (*ESA*) A.42; GOARIN, J. P., (*ESA*) A.193; HOHNER, P., (*ESA*) A.26; LIU, N., (*ESA*) A.25; VIVIEN, B., (*ESA*) A.183
SABANATHAN, S. *see* BERRISFORD, R. G. 201–204
SAICH, T. *see* JACOBSON, W. 522–526
SAINT-MAURICE, C. *see* MENIGAUX, C., (*ESA*) A.175
SAÏSSI, G. *see* LEFRANT, J. Y., (*ESA*) A.18
SAITOH, Y., TOYOOKA, H. and AMAHA, K. Recoveries of post-tetanic twitch and train-of-four responses after administration of vecuronium with different inhalation anaesthetics and neuroleptanaesthesia 402–404
SALEVSKY, F. C. *see* WHALLEY, D. G. 96–98
SALMENPERÄ, M. *see* KUITUNEN, A. 173–180
SALONEN, M., KENDIG, J., O'CONNOR, B. and MAZE, M. Dexmedetomidine does not exercise its anesthetic action through GABA, (*ESA*) A.113
SAMAHA, T., RAVUSSIN, P., CLACQUIN, C. and ECOFFEY, C. Effect of esmolol *versus* lidocaine on intracranial pressure and haemodynamic responses to laryngoscopy and intubation, (*ESA*) A.118
SAMAMA, C. M., MAZOYER, E., BRUNEVAL, P., BONNIN, P.,

BONNEAU, M., PIGNAUD, G., VIARS, P., CAEN, J. P. and DROUET, L. O. Aprotinin does not decrease surgical bleeding and could promote arterial thrombosis in the pig: a prospective randomized, blind, study, (*ESA*) A.100
SAMAMA, M. *see* LEQUEAU, F., (*ESA*) A.97
SAMI, K. A. *see* AHMAD, R. 696–698
SAMII, K. *see* BUTSCHER, K., (*ESA*) A.201; DUPONT, H., (*ESA*) A.9; MIMOZ, O., (*ESA*) A.180
SAMSÓ, E., MURGA, G., VALLES, J., GALLART, L. L. and PUIG, M. M. Effects of epidural clonidine on anaesthetic requirements and postoperative analgesia, (*ESA*) A.205
SAMSOON, G. *see* ROBSON, S. C. 634–638
SANDIN, R. Propofol and alfentanil mixture, (*C*) 382–383
SANDIN, R. *see* NORDSTRÖM, O. 368–369
SANDLER, A. N. *see* KATZ, J., (*C*) 378
SANSONE, A. *see* SANTANGELO, E., (*ESA*) A.206; SAVOIA, G., (*ESA*) A.159
SANTANGELO, E., AMANTEA, B., SANSONE, A., SAVOIA, G. and SPARACIA, B. Safety of PCA in elderly, (*ESA*) A.206
SAPSFORD, D. J. *see* MUNGLANI, R., (*ARS*) 483–484P
SASSINE, A. *see* DE LA COUSSAYE, J. E., (*ESA*) A.121
SAUX, P. *see* MARTIN, C., (*ESA*) A.20; (*ESA*) A.189
SAVOIA, G., LUCKE, F., SPARACIA, B. and SANSONE, A. Blended anaesthesia in pediatric major surgery: top-up *vs* epidural continuous infusion, (*ESA*) A.159
SAVOIA, G. *see* SANTANGELO, E., (*ESA*) A.206
SAYDAM, G. *see* DURAK, P., (*ESA*) A.96
SCHÄFER, H.-G. *see* DITTMANN, M., (*ESA*) A.126
SCHÄFER, R., GERLING, W., UTSCHAKOWSKI, A. and WAGNER, K. Influence of norepinephrine therapy on the oxygen supply and lactate extraction rate of the liver in the septic pig, (*ESA*) A.184
SCHÄFERMEYER, H. *see* SCHREGEL, W., (*ESA*) A.105
SCHEININ, M. *see* KUITUNEN, A. 173–180; LINDGREN, L. 306–310
SCHERER, R. U., GIEBLER, R. M., SCHMUTZLER, M. J., GÜNNICKER, F. M. and KOX, W. J. Shunt flow and caval pressure gradient during veno–venous bypass in human orthotopic liver transplantation 689–690
SCHIERBECK, J. *see* KOSCIELNIAK-NIELSEN, Z. J., (*ESA*) A.157
SCHINDLER, E. *see* BOLDT, J. 661–665
SCHIRALDI, F. *see* IANNUZZI, E., (*ESA*) A.195
SCHMARTZ, D. M. *see* BAURAIN, M. J., (*ESA*) A.133; (*ESA*) A.135
SCHMUCKER, P. *see* ELEFTHERIADIS, S., (*ESA*) A.3
SCHMUTZLER, M. J. *see* SCHERER, R. U. 689–690
SCHNEIDER, M. *see* WEISS, M. 317–321
SCHOEFFLER, P., (editor) *Anesthésie et Analgésie en Obstétrique. Collection d'Anesthésiologie et de Réanimation*, Vol. 33, (*R*) 708
SCHOEFFLER, P. *see* BAZIN, J. E., (*ESA*) A.136
SCHREGEL, W., GEIßLER, C., BREDENKÖTTER, U. and SCHÄFERMEYER, H. Transcranial Doppler sonography: effect of propofol and thiopental in patients with brain tumors and brain injuries, (*ESA*) A.105
SCHWILDEN, H. and STOECKEL, H. Closed-loop feedback controlled administration of alfentanil during alfentanil–nitrous oxide anaesthesia 389–393
SCOTT, N. B. *see* FORBES, D., (*ESA*) A.125
SEAR, J. W. Why not model physiologically? (*E*) 243–245
SEEBACHER, J. *see* THIRION, A.-V., (*ESA*) A.172; THORMANN, F., (*ESA*) A.173
SEEBERGER, M. D. and URWYLER, A. Lumbovertebral syndrome after extradural blood patch, (*C*) 489
SEEBERGER, M. D. *see* URWYLER, A. 76–79
SEFRIN, R. *see* MOLTER, G. 428–433
SEPPÄLÄ, E. *see* OJANEN, R., (*ESA*) A.94
SERMEUS, L. *see* WIEBALCK, A., (*ESA*) A.90; (*ESA*) A.154
SERVAIS, R. *see* JOOS, S., (*ESA*) A.130
SERVIN, F. *see* MALINOVSKY, J.-M. 617–620
SESSLER, D. I. *see* VASSILIEFF, N., (*ESA*) A.71
SETZIS, D. *see* SKOURTIS, C., (*ESA*) A.36
SHACHOR, D. *see* JEDEIKEN, R., (*C*) 491–492
SHARKEY, A., GULDEN, R. H., LIPTON, J. M. and GIESECKE, A. H. Effect of radiant heat on the metabolic cost of postoperative shivering 449–450
SHARMA, R. *see* NYSTRÖM, E., (*ESA*) A.65
SHAW, C. *Specialty Medical Audit* (Medical Audit Series 4), (*R*) 495
SHEARER, E. S. *see* HUNTER, J. M., (*C*) 238–239
SHENKMAN, Z., SHIR, Y. and BRODSKY, J. B. Perioperative management of the obese patient 349–359
SHIR, Y. *see* SHENKMAN, Z. 349–359
SHNEIDER, A. *see* PEREL, A., (*ESA*) A.117; PREISMAN, S., (*ESA*) A.51
SHORT, T. G. *see* AUN, C. S. T. 647–653
SHORTEN, G. D., ALI, H. H. and GOUDSOUZIAN, N. G. Neostigmine and edrophonium antagonism of moderate neuromuscular block induced by pancuronium or tubocurarine 160–162
SIMON, L. *see* WOLF, A. R. 654–660
SINGELYN, F. J. *see* VAN BOVEN, M. J., (*ESA*) A.87
SINGH, P. *see* MAHAJAN, R. P., (*ESA*) A.68
SIPOS, E. *see* WEINDLMAYR-GOETTEL, M. 579–580
SKINNER, A. C. Death certification, (*C*) 112
SKOURTIS, C., KARALAZOS, L. and SETZIS, D. Alternating right to left ventricular ejection; the case of occult cardiac tamponade, (*ESA*) A.36
SKOYLES, J. and PEPPERMAN, M. IVOX, (*E*) 603–604
SLADE, J. M. Extradural 0.07% bupivacaine for postoperative pain, (*ARS*) 478P
SLATER, R. M. *see* LAMB, J. M., (*ARS*) 478–479P
SMAIL, N. *see* GOSGNACH, M., (*ESA*) A.21
SMART, D. *see* REEDER, M. K. 119
SMILOV, I. and BORISSOV, B. Epidural clonidine analgesia after major gynaecological surgery, (*ESA*) A.176
SMITH, D. C., DRYDEN, C. M. and HUME, M. A. Metabolic effects of dobutamine, (*C*) 236–237
SMITH, G. Perioperative blood loss, (*C*) 493
SMITH, G. *see* ERSKINE, R. J. 574–575; LANGTON, J. A. 126–130; MURPHY, P. J. 131–134
SMITH, I. and WHITE, P. F. Pipecuronium-induced prolongation of vecuronium neuromuscular block 446–448
SMITH, I. D. *see* JONES, R. D. M. 286–292
SMITH, J. A. S. Possible venous air embolism with a new water jet dissector 466–467
SMITH, M. B. *see* GILLIGAN, S., (*C*) 491
SMITH, P. *see* WILLIAMS, O. A., (*ARS*) 479P
SNOWDON, S. L. *see* HEAD-RAPSON, A. G., (*ARS*) 488P; PARKER, C. J. R. 38–41
SOINI, H. *see* ALI-MELKKILÄ, T., (*ESA*) A.145
SOLER, J. P. *see* THORMANN, F., (*ESA*) A.173
SOLLAZZI, L. *see* CREA, M. A., (*ESA*) A.63
SOLLEVI, A. *see* ODEBERG, S., (*ESA*) A.34
SONI, N. *see* OOI, R. 17–21; 494
SORBARA, C. *see* ARMELLIN, G., (*ESA*) A.104; MARCASSA, A., (*ESA*) A.168
SØREIDE, E., SØREIDE, J. A., HOLST-LARSEN, H. and STEEN, P. A. Studies of gastric content: comparison of two methods 360–362
SØREIDE, J. A. *see* SØREIDE, E. 360–362
SPARACIA, B. *see* SANTANGELO, E., (*ESA*) A.206; SAVOIA, G., (*ESA*) A.159
SPEER, C. P. *see* CROZIER, T. A. 47–53
SPENCER, A., FARHAT, F., BOURGAIN, J.-L. and JAYR, C. Postoperative hypoxaemia: comparison of epidural and patient controlled analgesia, (*ESA*) A.207
SPIES, C., KRAEMER, S., HEIL, T., NEUMANN, T. and REINHART, K. EEG-monitoring during defibrillator-implantation: effects of repetitive cerebral ischemia on electric brain activity, (*ESA*) A.110
SPIES, C., WITT, I., WALENSKY, C., HANNEMANN, L. and REINHART, K. Influence of N-acetylcysteine on O_2 consumption and gastric intramucosal pH in septic patients, (*ESA*) A.186
SPIES, C. *see* HEIL, T., (*ESA*) A.88
SPOELDER, E. M. *see* WAGEMANS, M. F. M., (*ESA*) A.213
SPORRE, B. *see* ROTHEN, H. U., (*ESA*) A.53
STACCA, R. *see* FOPPOLI, R., (*ESA*) A.132
STANLEY, I. J. *see* WOLF, A. R. 654–660
STEEN, P. A. *see* SØREIDE, E. 360–362
STEFANOU, P. *see* GEORGIOU, L., (*ESA*) A.60
STEINBEREITHNER, K. *see* WEINDLMAYR-GOETTEL, M. 579–580
STELLIN, G. *see* MARCASSA, A., (*ESA*) A.168
STEMP, L. I. *see* ALDERSON, P. J. 145–148
STENS PEDERSEN, H. L. *see* KOSCIELNIAK-NIELSEN, Z. J., (*ESA*) A.157
STEVENS, J. J. W. M., GRIFFIN, R. M. and STOW, P. J. Prolonged use of isoflurane in a patient with tetanus 107–109
STEWART, A. D. *see* BALL, S. P. 70–75
STOECKEL, H. *see* SCHWILDEN, H. 389–393
STOTT, D. G. and WALLBANK, W. A. Electrode burns during local hyperthermia 370–371
STOW, P. J. *see* STEVENS, J. J. W. M. 107–109
STRAUß, J. M. and HAUSDÖRFER, J. Accumulation of acetone in blood during long-term anaesthesia with closed systems 363–364
STRIDE, P. C. Lumbovertebral syndrome after extradural blood patch, (*C*) 489
STRIEBEL, H. W., KRÄMER, J., LUHMANN, I., ROHIERSE-HOHLER, I. and TRILTSCH, A. Pharmacokinetics of intranasal fentanyl, (*ESA*) A.208
STRIEBEL, W. H., POMMERENING, J., RIEGER, A. and BRUMMER, G. Intranasal fentanyl for postoperative pain management in an unselected population, (*ESA*) A.209
STRIEBEL, W. H., WESSEL, A., RIEGER, A. and BOERGER, N. Intranasal fentanyl for breakthrough cancer pain or incident pain, (*ESA*) A.210

STRIMBU, M. *see* GUIRIMAND, F., (*ESA*) A.116
STRUNIN, L. How long should patients fast before surgery? Time for new guidelines, (*E*) 1–3; Preoperative drinking and gastric contents, (*C*) 702
STRUNIN, L. *see* ELLIOTT, R. H. 339–348; PALAYIWA, E., (*ARS*) 485P
SUNDEMAN, H., BIBER, B., WINSÖ, S., MARTNER, J. and RANER, C. Local *versus* neurogenic vasodilator effects of desflurane and isoflurane in the small intestine, (*ESA*) A.50
SUNG, R. Y. T. *see* AUN, C. S. T. 647–653
SUOMINEN, P. *see* RORARIUS, M. G. F. 293–297
SUTER, P. M. *see* ARTIGAS, A., (*R*) 117
SVANSTRÖM, M., JOHANSSON, G. and BÅLFORS, E. Mechanisms of ECG changes during Caesarean section (CS)—a hypothesis, (*ESA*) A.177
SVENBERG, T. *see* ODEBERG, S., (*ESA*) A.34

TAIVAINEN, T. *see* MERETOJA, O. A., (*ESA*) A.140; ROSENBERG, P. H., (*ESA*) A.129
TAKADA, K., MURAI, T., KANAYAMA, T. and KOSHIKAWA, N. Effects of midazolam and flunitrazepam on the release of dopamine from rat striatum measured by *in vivo* microdialysis 181–185
TAM, Y. H. *see* TAN, I. K. S. 267–272
TAN, I. K. S., BHATT, S. B., TAM, Y. H. and OH, T. E. Effects of PEEP on dynamic hyperinflation in patients with airflow limitation 267–272
TAN, P. *see* GIN, T. 311–316
TASHIRO, C. *see* TOMI, K. 684–686
TASK FORCE ON ACUTE PAIN *see* READY, L. B., (*R*) 495
TAYLOR, I. N. and KENNY, G. N. C. Propofol and alfentanil mixture, (*C*) 383
TAYLOR, P. M. Veterinary use of "Xylocaine" spray, (*C*) 113
TEIEN, D. *see* ÖSTMAN, M., (*ESA*) A.22
TEILLAC, P. *see* JACOB, L., (*ESA*) A.85
TESTA, S. *see* MALINOVSKY, J.-M. 617–620
THIRION, A.-V., HENRY, M., CORNET, A., SEEBACHER, J. and VIARS, P. Spinal anesthesia for C section: addition of phenylephrine to ephedrine for prevention of maternal hypotension, (*ESA*) A.172
THOMANN, P. *see* GEISSLINGER, G. 666–671
THOMAS, D. *see* LACOSTE, L., (*ESA*) A.67
THOMAS, T. A. *see* HASAN, M. A. 141–144
THOMMESEN, L. *see* DALE, O. 454–455
THORMANN, F., HENRY, M., SOLER, J. P., SEEBACHER, J. and VIARS, P. Headache—new needles and spinal anaesthesia for C. section, (*ESA*) A.173
THORNTON, C. and NEWTON, D. E. F. Brain partial pressures of isoflurane and nitrous oxide, (*C*) 705
TIGHE, S. Q. M. Use of the laryngeal mask and face mask by inexperienced personnel, (*C*) 114–115
TIMONEY, A. *see* RYAN, T. 101–103
TIMOUR, Q. *see* FREYSZ, M., (*ESA*) A.46
TOFTDAHL, D. B. *see* CRAWFORD, M. E. 642–646
TOLLEY, P., WATTS, A. and HICKMAN, J. Use of the laryngeal mask and face mask by inexperienced personnel, (*C*) 115
TOMI, K., MASHIMO, T., TASHIRO, C., YAGI, M., PAK, M., NISHIMURA, S., NISHIMURA, M. and YOSHIYA, I. Alterations in pain threshold and psychomotor response associated with subanaesthetic concentrations of inhalation anaesthetics in humans 684–686
TOMLINSON, B. *see* OH, T. E., (*C*) 237–238
TOYOOKA, H. *see* SAITOH, Y. 402–404
TREIBER, H. S. *see* GAUSS, A. 591–592
TRICOCHE, R. *see* LE PELLEY, E., (*ESA*) A.48
TRILTSCH, A. *see* STRIEBEL, H. W., (*ESA*) A.208
TRIPEPI, A. *see* PICCINNI, P., (*ESA*) A.78
TRONSON, M. *see* HATFIELD, A., (*R*) 709
TRYBA, M. *see* KULKA, P. J., (*ESA*) A.143
TSAI, Y.-C., LAI, Y.-Y. and CHANG, C.-L. Comparison of the effect of EMLA cream, subcutaneous ring anaesthesia and a double cuff technique in the prevention of tourniquet pain 394–396
TSIOTOU, A. *see* GEORGIOU, L., (*ESA*) A.60
TUGRUL, M. *see* REIZ, S., (*ESA*) A.52
TUIMALA, R. *see* RORARIUS, M. G. F. 293–297
TUNSTALL, M. E. *see* LEVY, D. M., (*C*) 701–702
TUOMINEN, M. *see* PERE, P. 276–279; ROSENBERG, P. H., (*ESA*) A.129
TÜRKAN, H. *see* BAYHAN, N., (*ESA*) A.123
TÜRKMEN, A. *see* DURAK, P., (*ESA*) A.96
TURNER, G. *see* COOPER, D. W. 503–507
TURNER, J. *see* CUNNINGHAM, A. J. 621–625

UNCLES, D. R. and CARRIE, L. E. S. Antepartum assessment for anaesthesia, (*C*) 116
UPTON, P. M. *see* CRAFT, T. M., (*R*) 117
UPTON, R. N. and HUANG, Y. F. Influence of cardiac output, injection time and injection volume on the initial mixing of drugs with venous blood after i.v. bolus administration to sheep 333–338
UPTON, R. N. *see* HUANG, Y. F. 326–332; 556–561
URWYLER, A., CENSIER, K., SEEBERGER, M. D., ROTHENBÜHLER, J. M., KAUFMANN, M. A. and DREWE, J. *In vitro* effect of ephedrine, adrenaline, noradrenaline and isoprenaline on halothane-induced contractures in skeletal muscle from patients potentially susceptible to malignant hyperthermia 76–79
URWYLER, A. *see* SEEBERGER, M. D., (*C*) 489
UTSCHAKOWSKI, A. *see* SCHÄFER, R., (*ESA*) A.184

VALLES, J. *see* SAMSÓ, E., (*ESA*) A.205
VALLET, T. *see* LACOSTE, L., (*ESA*) A.67
VANACKER, B. *see* WIEBALCK, A., (*ESA*) A.90; (*ESA*) A.154
VAN AKEN, H. *see* BAUDOT, J., (*ESA*) A.170; BLOCKMANS, D., (*ESA*) A.40; WIEBALCK, A., (*ESA*) A.90; (*ESA*) A.154
VAN BASTELAERE, M., ROLLY, G. and VAN PEER, A. Pharmacokinetic behaviour of transdermal fentanyl, (*ESA*) A.146
VAN BOVEN, M. J., PENDEVILLE, P. E. and SINGELYN, F. J. Glycine and its metabolites during and after intrauterine YAG laser surgery, (*ESA*) A.87
VANDEKERCKHOVE, T. *see* DE DEYNE, C., (*ESA*) A.106
VAN ELSTRAETE, A. C., PENNANT, J. H., GAJRAJ, N. M. and VICTORY, R. A. Tracheal tube cuff inflation as an aid to blind nasotracheal intubation 691–693
VAN HEMELRIJCK, J. *see* BLOCKMANS, D., (*ESA*) A.40
VANNER, R. G. Regurgitation and the laryngeal mask airway, (*C*) 380–381
VAN OBBERGH, L. J., ZEIPPEN, B., MULLER, G. and VEYCKEMANS, F. Relationship between arterial Pco_2 (Pa_{CO_2}) and end tidal CO_2 ($ETco_2$) recorded through a laryngeal mask (LMA) in children breathing spontaneously, (*ESA*) A.164
VAN PEER, A. *see* VAN BASTELAERE, M., (*ESA*) A.146
VAPAATALO, H. *see* OJANEN, R., (*ESA*) A.94
VASDEV, G. M. S. and LEICHT, C. H. Extradural abscess in the postpartum period, (*C*) 703–704
VASSILIEFF, N., ROSENCHER, N., SESSLER, D. I., CONSEILLER, C. T. and LIENHART, A. Effect of premedication with nifedipine on intraoperative hypothermia, (*ESA*) A.71
VAUGHAN, R. S. Double-lumen tubes, (*E*) 497–498
VAUGHAN, R. S. and COBLEY, M. The airway decides the anaesthetic approach before tracheal intubation, (*C*) 600
VAUGHAN, R. S. *see* COBLEY, M. 576–578; READ, M. S., (*C*) 701
VENKAT, N. *see* HANNA, M. H. 511–514
VERBORGH, C. *see* IVENS, D., (*ESA*) A.17
VERCHER, J. L. *see* PAUT, O., (*ESA*) A.10
VERECZKEY, Z., BABIK, B., FOGAS, J., MÉRAY, J. and BALTÁS, B. Abdominal wall retraction may decrease anaesthesiological risks of laparoscopic cholecystectomy, (*ESA*) A.64
VERGHESE, C. *see* WALKER, M. B., (*C*) 114
VERNON, D. *see* CRAWFORD, M. 419–422
VERSICHELEN, L. *see* MERGAERT, C., (*ESA*) A.149
VERTOMMEN, J. D. *see* BAUDOT, J., (*ESA*) A.170
VEYCKEMANS, F. *see* VAN OBBERGH, L. J., (*ESA*) A.164
VIARS, P. *see* BEAUSSIER, M., (*ESA*) A.37; BODIN, L., (*ESA*) A.179; (*ESA*) A.191; CORIAT, P., (*ESA*) A.38; DELAYANCE, S., (*ESA*) A.45; DURANTEAU, R., (*ESA*) A.148; FELLAHI, J. L., (*ESA*) A.44; GOARIN, J. P., (*ESA*) A.193; GOSGNACH, M., (*ESA*) A.5; (*ESA*) A.6; (*ESA*) A.21; GUESDE, R., (*ESA*) A.79; KALFON, P., (*ESA*) A.182; MOUQUET, C., (*ESA*) A.82; (*ESA*) A.83; (*ESA*) A.84; PUYBASSET, L., (*ESA*) A.39; RIOU, B., (*ESA*) A.80; (*ESA*) A.102; (*ESA*) A.103; ROUBY, J. J., (*ESA*) A.181; SAADA, M., (*ESA*) A.194; SAMAMA, C. M., (*ESA*) A.100; THIRION, A.-V., (*ESA*) A.172; THORMANN, F., (*ESA*) A.173; VIVIEN, B., (*ESA*) A.183
VICKERS, R. J. and MAY, A. E. Long-term backache after extradural or general anaesthesia for manual removal of placenta: preliminary report 214–215
VICTORY, R. A. *see* VAN ELSTRAETE, A. C. 691–693
VINELLI, M. *see* DEGASPERI, D., (*ESA*) A.59
VIRKKILÄ, M. *see* ALI-MELKKILÄ, T., (*ESA*) A.145
VIVIAND, X., GUIDON-ATTALI, C., LACARELLE, B., MARTIN, C. and FRANÇOIS, G. Determination of a pharmacokinetic model for propofol induction of anaesthesia, (*ESA*) A.150
VIVIAND, X. *see* ALBANESE, J., (*ESA*) A.107
VIVIEN, B., MOURGEON, E., SAADA, M., GOARIN, J.-P., ROUBY, J.-J. and VIARS, P. Evaluation of cardiac function in ICU: right heart catheterization *vs* transesophageal echocardiography. Preliminary results, (*ESA*) A.183
VOURLIOTI, A. *see* GEORGIOU, L., (*ESA*) A.60

WAGEMANS, M. F. M., ZUURMOND, W. W. A., SPOELDER, E. M. and DE LANGE, J. J. Intrathecal pain relief in terminally ill cancer patients at home, (*ESA*) A.213
WAGENER, G. *see* FRUHSTORFER, H. 167–172
WAGNER, K. *see* SCHÄFER, R., (*ESA*) A.184
WALENSKY, C. *see* SPIES, C., (*ESA*) A.186
WALKER, D. R. *see* GUPTA, N. K., (*C*) 699
WALKER, M. B., GOODWIN, A. P. L. and VERGHESE, C. Use of the laryngeal mask and face mask by inexperienced personnel, (*C*) 114
WALLBANK, W. A. *see* STOTT, D. G. 370–371
WALSH, G. *see* JOSHI, G. P. 87–88
WANG, C., KOUTSOUKOU-DRITSOPOULOU, A., CHAKRABARTI, M. K., HOLDCROFT, A. and WHITWAM, J. G. Differential effects of alfentanil, fentanyl, pethidine and lignocaine administered intrathecally on nociceptive responses evoked by low and high frequency stimulation of somatic nerves 63–69
WARD, C. S. *see* DAVEY, A., (*R*) 240
WARGNIER, J. P. *see* GENTILI, M. E., (*C*) 594
WATANABE, H., LINDGREN, L., ROSENBERG, P. and RANDELL, T. Glycopyrronium prolongs topical anaesthesia of oral mucosa and enhances absorption of lignocaine 94–95
WATSON, N. A., MUNDAY, I. T. and JONES, R. M. Relative efficacy and potency of nalmefene, a long-acting opioid antagonist, (*ARS*) 479P
WATT, T., FARAGHER, B., WITHERS, D. J., ENGLAND, R. E., MARTIN, D. F. and CAMPBELL, I. T. Ultrasound measurement of muscle thickness in the estimation of fat free mass, (*ARS*) 477P
WATTS, A. *see* TOLLEY, P., (*C*) 115
WEBB, A. *see* MYTHEN, M., (*ESA*) A.29
WEGENIUS, G. *see* ROTHEN, H. U., (*ESA*) A.53
WEIDMANN, G. *see* BIRO, P., (*ESA*) A.156
WEINDLMAYR-GOETTEL, M., GILLY, H., SIPOS, E. and STEINBEREITHNER, K. Lipid solubility of pancuronium and vecuronium determined by n-octanol/water partitioning 579–580
WEISS, M., MIROW, N., BIRKHAHN, A., SCHNEIDER, M. and WERNET, P. Benzodiazepines and their solvents influence neutrophil granulocyte function 317–321
WEISZ, M. T. *see* PLASTOW, S. E., (*C*) 492
WELLS, J. C. D. and WOOLF, C. J., (editors) *British Medical Bulletin: A Series of Expert Reviews. Pain, Mechanisms and Management*, (*R*) 495
WENKER, O. The part of rescue helicopters in large accidents and disasters, (*ESA*) A.197
WENNGREN, B.-I. *see* NYSTRÖM, E., (*ESA*) A.65
WERNET, P. *see* WEISS, M. 317–321
WERTZ, E. Does etomidate cause haemolysis? (*C*) 490–491
WESSEL, A. *see* STRIEBEL, W. H., (*ESA*) A.210
WEYANDT, D. *see* MEIER-HELLMANN, A., (*ESA*) A.185
WHALLEY, D. G., SALEVSKY, F. C. and RYCKMAN, J. V. Haemodynamic and metabolic consequences of aortic occlusion during abdominal aortic surgery 96–98
WHITE, D. C. *see* LANDON, A. J. 605–611
WHITE, P. F. *see* SMITH, I. 446–448
WHITELEY, S. M. *see* OGILVY, A. J., (*ARS*) 476P
WHITWAM, J. G. *see* WANG, C. 63–69
WIEBALCK, A., VANACKER, B., VAN AKEN, H., SERMEUS, L., BOUILLON, R. and AMERY, A. Adrenocortical function: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, (*ESA*) A.90; Quality of induction: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, (*ESA*) A.154
WIERDA, J. M. K. H. *see* COOPER, R., (*ARS*) 482P; PLAUD, B., (*ESA*) A.141
WIESEMES, R., KLEMENT, W., NOVOTNY, G. E. K. and LIPFERT, P. *In vivo* determination of concentration–effect curves of local anaesthetics in man 552–555
WILDER-SMITH, O. H. G. *see* BORGEAT, A. 459–461
WILDSMITH, J. A. W. Extradural abscess after central nerve block, (*E*) 387–388; Face masks and spinal anaesthesia, (*C*) 239
WILDSMITH, J. A. W. and MCCLURE, J. H. Aspirin, bleeding time and central neural block, (*C*) 112
WILDSMITH, J. A. W. *see* MCCLURE, J. H., (*R*) 239; MCCRAE, A. F. 672–680
WILKINSON, D. J. Pain on i.v. injection of metoclopramide, (*C*) 239
WILLATTS, S. M. and WINTER, R. J., (editors) *Principles and Protocols in Intensive Care*, (*R*) 239
WILLER, J. C. *see* GUIRIMAND, F., (*ESA*) A.116
WILLIAMS, E. L. Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, (*C*) 115
WILLIAMS, O. A., CLARKE, F. L., HARRIS, R. W., SMITH, P. and PEACOCK, J. E. Addition of droperidol to patient-controlled analgesia: effect on nausea and vomiting, (*ARS*) 479P
WILLIAMS, P. J. and BAILEY, P. M. Comparison of the reinforced laryngeal mask airway and tracheal intubation for adenotonsillectomy 30–33
WILLIAMSON, R. The airway decides the anaesthetic approach before tracheal intubation, (*C*) 600
WILLIS, B. A. *see* COBLEY, M. 576–578
WILLIS, W., (editor) *Hyperalgesia and Allodynia*, (*R*) 385
WILSON, I. G. The laryngeal mask airway in paediatric practice, (*E*) 124–125
WINCKLER, C. *see* MORITZ, F. 451–453
WINNOCK, S. *see* JANVIER, G. 186–191
WINSÖ, O. *see* RANER, C., (*ESA*) A.49
WINSÖ, S. *see* SUNDEMAN, H., (*ESA*) A.50
WINTER, R. J. *see* WILLATTS, S. M., (*R*) 239
WINYARD, J. *see* PALAYIWA, E., (*ARS*) 485P
WINYARD, J. A. *see* NOLAN, K. M. 440–442
WITHERS, D. J. *see* WATT, T., (*ARS*) 477P
WITT, I. *see* SPIES, C., (*ESA*) A.186
WOLF, A. R., EYRES, R. L., LAUSSEN, P. C., EDWARDS, J., STANLEY, I. J., ROWE, P. and SIMON, L. Effect of extradural analgesia on stress responses to abdominal surgery in infants 654–660
WOLF, A. R. and HUGHES, D. Pain relief for infants undergoing abdominal surgery: comparison of infusions of i.v. morphine and extradural bupivacaine 10–16
WOOD, A. J. *see* OOI, L. G. 104–106
WOOD, R. A. *see* ARNOLD, C. 118
WOOLF, C. J. *see* WELLS, J. C. D., (*R*) 495
WUTTKE, W. *see* CROZIER, T. A. 47–53

YAGI, M. *see* TOMI, K. 684–686
YAU, G. *see* GIN, T. 311–316
YLI-HANKALA, A., LINDGREN, L., PORKKALA, T. and JÄNTTI, V. Nitrous oxide-mediated activation of the EEG during isoflurane anaesthesia in patients 54–57
YLI-HANKALA, A. *see* KIRVELÄ, M., (*ESA*) A.81; LINDGREN, L. 306–310
YOLDI, J. I. *see* MARTÍNEZ URIONABARRENETXEA, K., (*ESA*) A.187; PÉREZ ARANCÓN, J. L., (*ESA*) A.188
YOSHIYA, I. *see* TOMI, K. 684–686
YOUNG, J. D. and MCQUILLAN, P. Comparison of thoracic electrical bioimpedance and thermodilution for the measurement of cardiac index in patients with severe sepsis 58–62

ZAOUK, G., GILBART, E., DUBOIS, A., JACOBS, D. and BALATONI, E. Alizapride does reduce pain on injection of propofol: comparison with lidocaine, (*ESA*) A.11
ZAPOL, W. M. *see* ARTIGAS, A., (*R*) 117
ZBINDEN, A. M. *see* PETERSEN-FELIX, S., (*C*) 704–705
ZECH, D. *see* RADBRUCH, L., (*ESA*) A.212
ZEIPPEN, B. *see* VAN OBBERGH, L. J., (*ESA*) A.164
ZILKHA, T. R. *see* HANNA, M. H. 511–514
ZOUAOUI, Z. *see* BODIN, L., (*ESA*) A.179
ZUURMOND, W. W. A. *see* WAGEMANS, M. F. M., (*ESA*) A.213

SUBJECT INDEX

ABC of Transfusion, 2nd Edn, CONTRERAS, M., (editor), (*R*) 495

Acid–base equilibrium, Changes in blood lactate, total body oxygen delivery and consumption during liver transplantation, CARRERA, J., *et al.*, (*ESA*) A.77

Acid–base equilibrium, metabolic acidosis, Acute haemodynamic effect of sodium bicarbonate in canine respiratory or metabolic acidosis, NISHIKAWA, T. 196–200

——, Haemodynamic and metabolic consequences of aortic occlusion during abdominal aortic surgery, WHALLEY, D. G., *et al.* 96–98

Acid–base equilibrium, pH, Measurement of sigmoid intramural pH during orthotopic liver transplantation, AUROY, Y., *et al.*, (*ESA*) A.76

Acid–base equilibrium, respiratory acidosis, Acute haemodynamic effect of sodium bicarbonate in canine respiratory or metabolic acidosis, NISHIKAWA, T. 196–200

——, An alternative method of increasing P_{CO_2} using apnoea and continuous positive airway pressure, KARLSTEN, R., *et al.* 411–413

Adductor pollicis, Anq 9040: effect of twice the ED_{95} dose, MUNDAY, I. T., *et al.*, (*ARS*) 480P

——, Can repetition of high frequencies stimuli alter the value of 50 and 100 Hz tetanic fade during vecuronium induced neuromuscular blockade? BAURAIN, M. J., *et al.*, (*ESA*) A.135

——, Comparison of the onset of depolarizing *vs* non-depolarizing block after early tourniquet release in the isolated forearm, HOOD, J. R., *et al.*, (*ARS*) 480P

——, Concentration–effect relationship at the vocal cords and the adductor pollicis following rocuronium administration, PLAUD, B., *et al.*, (*ESA*) A.141

——, Effect of isometric thumb preload on the evoked compound muscle action potential, KALLI, I. 92–93

——, Monitoring the onset of neuromuscular blockade at the orbicularis oculi can predict good intubating conditions when using $2 \times ED_{95}$ of atracurium, DEBAENE, B., *et al.*, (*ESA*) A.142

——, Potency estimation of mivacurium: comparison of two different modes of nerve stimulation, MADDINENI, V. R., *et al.* 694–695

——, Recovery of atracurium and vecuronium neuromuscular block in the isolated forearm, LAW MIN, J.-C., *et al.*, (*ARS*) 480–481P

——, Tetanic fade during recovery from vecuronium block: comparison of systemic and isolated forearm administration, CAMPKIN, N. T. A., *et al.* 581–582

Adult Respiratory Distress Syndrome, ARTIGAS, A., *et al.*, (editors), (*R*) 117

Age factors, An investigation into the effect of passive and active cutaneous warming devices on intraoperative body temperature in elderly patients, BENNET, J., *et al.*, (*ESA*) A.73

——, Anesthesia for patients ⩾ 90 years of age in emergency hip surgery, ELEFTHERIADIS, S., *et al.*, (*ESA*) A.3

——, Comparison of infusion rates of three i.v. anaesthetic agents for induction in elderly patients, BERTHOUD, M. C., *et al.* 423–427

——, Different rates of injection of propofol, GOODMAN, N. W., (*C*) 383

——, Different rates of injection of propofol, PEACOCK, J. E., *et al.*, (*C*) 383–384

——, Effect of age, gender and anaesthetic technique on the pharmacodynamics of atracurium, PARKER, C. J. R., *et al.* 38–41

——, Effect of age on the sensitivity of upper airway reflexes, ERSKINE, R. J., *et al.* 574–575

——, Effectiveness of core warming on net transfer of body heat across the skin, KULKARNI, P., *et al.*, (*ESA*) A.70

——, Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously breathing adults, BARRIE, J. R., *et al.* 468–470

——, Incidence of post dural puncture headache in young adults by the use of the Sprôtte needle: 300 patients, DESCRAQUES, C., *et al.*, (*ESA*) A.127

——, Ketamine does not prevent hypotension caused by induction of anaesthesia with propofol in elderly patients, BLOCKMANS, D., *et al.*, (*ESA*) A.40

——, Lung function after vecuronium pretreatment in elderly patients, MAHAJAN, R. P., *et al.*, (*ARS*) 482–483P

——, Minimum alveolar concentration of sevoflurane in elderly patients, NAKAJIMA, R., *et al.* 273–275

——, Safety of PCA in elderly, SANTANGELO, E., *et al.*, (*ESA*) A.206

——, Subarachnoid anaesthesia (SAA) and postoperative analgesia with bupivacaine (BV) plus fentanyl (FN) in geriatric patients, FERNANDEZ, D., *et al.*, (*ESA*) A.131

——, The pharmacokinetics of rocuronium in pediatric patients: a pooled data analysis, MEISTELMAN, C., *et al.*, (*ESA*) A.138

Airway, aerosol penetration, Penetration of an aerosol, produced by film atomization, through the carinal bifurcation, INGLIS, T. J. J., *et al.* 527–531

Airway, anatomy, A new clinical score to predict difficult intubation, ARNÉ, J., *et al.*, (*ESA*) A.1

——, Mathematical analysis of the upper respiratory tract from an anthropometric study, JANVIER, G., *et al.* 186–191

Airway, infections, A new clinical score to predict difficult intubation, ARNÉ, J., *et al.*, (*ESA*) A.1

——, Penetration of an aerosol, produced by film atomization, through the carinal bifurcation, INGLIS, T. J. J., *et al.* 527–531

Airway, mucosa, Glycopyrronium prolongs topical anaesthesia of oral mucosa and enhances absorption of lignocaine, WATANABE, H., *et al.* 94–95

Airway, obstruction, Effects of PEEP on dynamic hyperinflation in patients with airflow limitation, TAN, I. K. S., *et al.* 267–272

——, The airway decides the anaesthetic approach before tracheal intubation, VAUGHAN, R. S., *et al.*, (*C*) 600

——, The airway decides the anaesthetic approach before tracheal intubation, WILLIAMSON, R., (*C*) 600

Airway, patency, Continuous spirometry: an aid in the intraoperative respiratory monitoring—case reports, BARDOCZKY, G., *et al.*, (*ESA*) A.55

Airway, pressure, Pressure exerted by the laryngeal mask airway cuff upon the pharyngeal mucosa, MARJOT, R. 25–29

Airway, reflexes, Effect of age on the sensitivity of upper airway reflexes, ERSKINE, R. J., *et al.* 574–575

——, Effect of oral diazepam on the sensitivity of upper airway reflexes, MURPHY, P. J., *et al.* 131–134

——, Effect of stopping smoking on upper airway reflexes, ERSKINE, R. J., *et al.*, (*ARS*) 478P

——, Measurement of the sensitivity of upper airway reflexes, LANGTON, J. A., *et al.* 126–130

——, Upper airway reflexes, DRUMMOND, G. B., (*E*) 121–123

Alcohol, Delayed presentation of an extradural abscess in a patient with alcohol abuse, NORDSTRÖM, O., *et al.* 368–369

Alcohol, withdrawal, Carbohydrate deficient transferrin: a new copredictor of alcoholism related postoperative complications? HEIL, T., *et al.*, (*ESA*) A.88

Anaesthesia, audit, Adequate pain relief with epidural analgesia during labor: why are women still dissatisfied? HAMZA, J., *et al.*, (*ESA*) A.171

——, An audit of the incidence and costs associated with post operative nausea and vomiting (PONV) following major gynaecological surgery in an inpatient population, MORRIS, R. W., *et al.*, (*ESA*) A.2

——, Editorial II—the National Confidential Enquiry into Perioperative Deaths, LUNN, J. N., *et al.*, (*C*) 382

Anaesthesia, day-case, Comparison of alfentanil with suxamethonium in facilitating nasotracheal intubation in day-case anaesthesia, ALCOCK, R., *et al.* 34–37

——, Comparison of midazolam with propofol for sedation in outpatient bronchoscopy, CRAWFORD, M., *et al.* 419–422

——, Comparison of recovery from anaesthesia induced in children with either propofol or thiopentone, RUNCIE, C. J., *et al.* 192–195

——, Propofol for tracheal intubation in paediatric outpatient anaesthesia, MONTASSER, A. M., (*ESA*) A.161

——, Use of alfentanil with propofol for nasotracheal intubation without neuromuscular block, COGHLAN, S. F. E., *et al.* 89–91

Anaesthesia, dental, Comparison of alfentanil with

suxamethonium in facilitating nasotracheal intubation in day-case anaesthesia, ALCOCK, R., *et al.* 34–37
Anaesthesia, depth, Validation of coherent frequency of the EEG as a measure of consciousness during anaesthesia, MUNGLANI, R., *et al.*, (*ARS*) 483–484P
Anaesthesia, general, Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously breathing adults, BARRIE, J. R., *et al.* 468–470
——, Hypoxic events after general anaesthesia in the recovery room, DEGASPERI, D., *et al.*, (*ESA*) A.59
——, Long-term backache after extradural or general anaesthesia for manual removal of placenta: preliminary report, VICKERS, R. J., *et al.* 214–215
——, Metabolic effects of propofol and flunitrazepam given for sedation after aortic surgery, MORITZ, F., *et al.* 451–453
——, Recruitment of atelectasis during general anaesthesia: a CT-study, ROTHEN, H. U., *et al.*, (*ESA*) A.53
——, Studies of gastric content: comparison of two methods, SØREIDE, E., *et al.* 360–362
Anaesthesia, geriatric, Anesthesia for patients ⩾ 90 years of age in emergency hip surgery, ELEFTHERIADIS, S., *et al.*, (*ESA*) A.3
——, Fentanyl or buprenorphine side effects in spinal anaesthesia, FOPPOLI, R., *et al.*, (*ESA*) A.132
——, Ketamine does not prevent hypotension caused by induction of anaesthesia with propofol in elderly patients, BLOCKMANS, D., *et al.*, (*ESA*) A.40
——, Minimum alveolar concentration of sevoflurane in elderly patients, NAKAJIMA, R., *et al.* 273–275
——, Subarachnoid anaesthesia (SAA) and postoperative analgesia with bupivacaine (BV) plus fentanyl (FN) in geriatric patients, FERNANDEZ, D., *et al.*, (*ESA*) A.131
Anaesthesia, neurosurgical, Adrenaline-induced hypotension in neurosurgery, PHILLIPS, S., *et al.* 687–688
——, Effect of esmolol *versus* lidocaine on intracranial pressure and haemodynamic responses to laryngoscopy and intubation, SAMAHA, T., *et al.*, (*ESA*) A.118
Anaesthesia, obstetric, A continuous subdural block, COLLIER, C. B., *et al.* 462–465
——, Addition of droperidol to patient-controlled analgesia: effect on nausea and vomiting, WILLIAMS, O. A., *et al.*, (*ARS*) 479P
——, Antepartum assessment for anaesthesia, CODY, M., *et al.*, (*C*) 116
——, Antepartum assessment for anaesthesia, REYNOLDS, F., (*C*) 116
——, Antepartum assessment for anaesthesia, UNCLES, D. R., *et al.*, (*C*) 116
——, Best Quincke point needle for Caesarean section, LYONS, G., (*ESA*) A.174
——, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, MCHALE, S., *et al.*, (*C*) 701
——, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, RUSSELL, R., (*C*) 699–700
——, Diclofenac and ketoprofen for pain treatment after elective Caesarean section, RORARIUS, M. G. F., *et al.* 293–297
——, Effects of etomidate on the adrenocortical and metabolic adaptation of the neonate, CROZIER, T. A., *et al.* 47–53
——, Extradural abscess in the postpartum period, KITCHING, A. J., *et al.*, (*C*) 703
——, Extradural abscess in the postpartum period, NGAN KEE, W. D., (*C*) 704
——, Extradural abscess in the postpartum period, VASDEV, G. M. S., *et al.*, (*C*) 703–704
——, Headache—new needles and spinal anaesthesia for C. section, THORMANN, F., *et al.*, (*ESA*) A.173
——, Incremental spinal anaesthesia for elective Caesarean section: maternal and fetal haemodynamic effects, ROBSON, S. C., *et al.* 634–638
——, Intermittent *vs* continuous extradural infusion of bupivacaine during labour, EDDLESTON, J. M., (*C*) 490
——, Intermittent *vs* continuous extradural infusion of bupivacaine during labour, LAISHLEY, R. S., (*C*) 490
——, Long-term backache after extradural or general anaesthesia for manual removal of placenta: preliminary report, VICKERS, R. J., *et al.* 214–215
——, Mechanisms of ECG changes during Caesarean section (CS)—a hypothesis, SVANSTRÖM, M., *et al.*, (*ESA*) A.177
——, Plasma catecholamines and neonatal condition after induction of anaesthesia with propofol or thiopentone at Caesarean section, GIN, T., *et al.* 311–316
——, Preoperative drinking and gastric contents, LEVY, D. M., *et al.*, (*C*) 701–702
——, Spinal anesthesia for C section: addition of phenylephrine to ephedrine for prevention of maternal hypotension, THIRION, A.-V., *et al.*, (*ESA*) A.172
——, Spread of spinal anaesthesia for Caesarean section in singleton and twin pregnancies, JAWAN, B., *et al.* 639–641
Anaesthesia, otolaryngological, Comparison of the reinforced laryngeal mask airway and tracheal intubation for adenotonsillectomy, WILLIAMS, P. J., *et al.* 30–33
Anaesthesia, paediatric, A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.* 696–698
——, Blended anaesthesia in pediatric major surgery: top-up *vs* epidural continuous infusion, SAVOIA, G., *et al.*, (*ESA*) A.159
——, Cardiovascular effects of i.v. induction in children: comparison between propofol and thiopentone, AUN, C. S. T., *et al.* 647–653
——, Clonidine in paediatric caudal anaesthesia, JAMALI, S., *et al.*, (*ESA*) A.160
——, Comparison of recovery from anaesthesia induced in children with either propofol or thiopentone, RUNCIE, C. J., *et al.* 192–195
——, Continuous monitoring of Sp_{O_2} during total intravenous anaesthesia with ketamine and spontaneous ventilation, JOLY, L.-M., *et al.*, (*ESA*) A.58
——, I.v. anaesthesia with propofol using a target-controlled infusion system: comparison with inhalation anaesthesia for general surgical procedures in children, DOYLE, E., *et al.* 542–555
——, Pharmacokinetics of flumazenil and midazolam, JONES, R. D. M., *et al.* 286–292
——, Plasma concentrations of midazolam after i.v., nasal or rectal administration in children, MALINOVSKY, J.-M., *et al.* 617–620
——, Propofol for tracheal intubation in paediatric outpatient anaesthesia, MONTASSER, A. M., (*ESA*) A.161
——, Relationship between arterial P_{CO_2} (Pa_{CO_2}) and end tidal CO_2 (ET_{CO_2}) recorded through a laryngeal mask (LMA) in children breathing spontaneously, VAN OBBERGH, L. J., *et al.*, (*ESA*) A.164
——, The laryngeal mask airway in paediatric practice, WILSON, I. G., (*E*) 124–125
——, Use of ultrasound to evaluate internal jugular vein anatomy and to facilitate central venous cannulation in paediatric patients, ALDERSON, P. J., *et al.* 145–148
——, Ventilation with halothane is less affected in children with laryngeal mask airway than with endotracheal tube, REIGNIER, J., *et al.*, (*ESA*) A.162
——, Ventilatory effects of morphine, pethidine and methadone in children, HAMUNEN, K. 414–418
——, Volume replacement with hydroxyethyl starch solution in children, BOLDT, J., *et al.* 661–665
Anaesthesia Review 9, KAUFMAN, L., (editor), (*R*) 385
Anaesthesia, veterinary, Veterinary use of "Xylocaine" spray, TAYLOR, P. M., (*C*) 113
Anaesthetic–analgesic regimens, Addition of droperidol to PCA morphine: what is the optimal dose? LAMOND, C. T., *et al.*, (*ESA*) A.204
——, Blended anaesthesia in pediatric major surgery: top-up *vs* epidural continuous infusion, SAVOIA, G., *et al.*, (*ESA*) A.159
——, Diamorphine/bupivacaine mixture *vs* plain bupivacaine: a comparison of epidural infusions in labour, BAILEY, C. R., *et al.*, (*ESA*) A.169
——, Fentanyl or buprenorphine side effects in spinal anaesthesia, FOPPOLI, R., *et al.*, (*ESA*) A.132
——, Patient-controlled extradural analgesia to compare bupivacaine, fentanyl and bupivacaine with fentanyl in the treatment of postoperative pain, COOPER, D. W., *et al.* 503–507
——, Postoperative hypoxaemia: comparison of epidural and patient controlled analgesia, SPENCER, A., *et al.*, (*ESA*) A.207
——, Propofol anaesthesia with spontaneous breathing for extracorporeal shock wave lithotripsy, PASCH, T., *et al.*, (*ESA*) A.153
——, Propofol and alfentanil mixture, SANDIN, R., (*C*) 382–383
——, Propofol and alfentanil mixture, TAYLOR, I. N., *et al.*, (*C*) 383
——, Subarachnoid anaesthesia (SAA) and postoperative analgesia with bupivacaine (BV) plus fentanyl (FN) in geriatric patients, FERNANDEZ, D., *et al.*, (*ESA*) A.131
Anaesthetic techniques, bronchoscopy, Comparison of midazolam with propofol for sedation in outpatient bronchoscopy, CRAWFORD, M., *et al.* 419–422
——, Fiberoptic bronchoscopy in brain dead organ donors, RIOU, B., *et al.*, (*ESA*) A.80
Anaesthetic techniques, endobronchial, A bifurcated

endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.* 696–698
——, Continuous spirometry for detection of double-lumen endobronchial tube displacement, BARDOCZKY, G. I., *et al.* 499–502
——, Double-lumen tubes, VAUGHAN, R. S., (*E*) 497–498
——, Endobronchial cuff pressures, COBLEY, M., *et al.* 576–578
——, Transthoracic endoscopic sympathectomy, GILLIGAN, S., *et al.*, (*C*) 491
——, Transthoracic endoscopic sympathectomy, JEDEIKEN, R., *et al.*, (*C*) 491–492
——, Transthoracic endoscopic sympathectomy, PLASTOW, S. E., *et al.*, (*C*) 492
Anaesthetic techniques, extradural, A continuous subdural block, COLLIER, C. B., *et al.* 462–465
——, Aspirin, bleeding time and central neural block, WILDSMITH, J. A. W., *et al.*, (*C*) 112
——, Blended anaesthesia in pediatric major surgery: top-up *vs* epidural continuous infusion, SAVOIA, G., *et al.*, (*ESA*) A.159
——, Delayed presentation of an extradural abscess in a patient with alcohol abuse, NORDSTRÖM, O., *et al.* 368–369
——, Direct spinal effect of intrathecal and extradural midazolam on visceral noxious stimulation in rabbits, CRAWFORD, M. E., *et al.* 642–646
——, Does exogenous dopamine reverse cardiovascular depression induced by isoflurane during thoracic epidural blockade? RANER, C., *et al.*, (*ESA*) A.49
——, Effects of epidural clonidine on anaesthetic requirements and postoperative analgesia, SAMSÓ, E., *et al.*, (*ESA*) A.205
——, Epidural blood patch for treatment of postdural puncture headache, ROSENBERG, P. H., *et al.*, (*ESA*) A.129
——, Extradural abscess after central nerve block, WILDSMITH, J. A. W., (*E*) 387–388
——, Extradural abscess in the postpartum period, KITCHING, A. J., *et al.*, (*C*) 703
——, Extradural abscess in the postpartum period, NGAN KEE, W. D., (*C*) 704
——, Extradural abscess in the postpartum period, VASDEV, G. M. S., *et al.*, (*C*) 703–704
——, Face masks and spinal anaesthesia, O'KELLY, S. W., *et al.*, (*C*) 239
——, Face masks and spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 239
——, Influence of cervicothoracic epidural anaesthesia (C-TEA) on left ventricular (LV) contractility—an experimental study in pigs with autonomous blockade, REIZ, S., *et al.*, (*ESA*) A.52
——, Long-term backache after extradural or general anaesthesia for manual removal of placenta: preliminary report, VICKERS, R. J., *et al.* 214–215
——, Lumbovertebral syndrome after extradural blood patch, SFEBERGER, M. D., *et al.*, (*C*) 489
——, Lumbovertebral syndrome after extradural blood patch, STRIDE, P. C., (*C*) 489
——, Metal particle generation caused by the combined spinal–extradural technique, HARGREAVES, J., (*C*) 706
——, Patient-controlled extradural analgesia to compare bupivacaine, fentanyl and bupivacaine with fentanyl in the treatment of postoperative pain, COOPER, D. W., *et al.* 503–507
——, Prevention and treatment of hypotension during central neural block, MCCRAE, A. F., *et al.* 672–680
——, Sequential spinal peridural anaesthesia for gynaecological surgery under laparoscopy, JOOS, S., *et al.*, (*ESA*) A.130
——, Subdural catheterization and cord damage, COLLIER, C. B., (*C*) 384
——, Subdural catheterization and cord damage, MCMENEMIN, I., (*C*) 384
——, The effect of parenteral diclofenac and morphine on efficacy duration and height of blockade during continuous epidural bupivacaine 0.5%, FORBES, D., *et al.*, (*ESA*) A.125
——, The effects of epidural and spinal anesthesia on the changes in the plethysmographic signal in the lower and upper limbs, PREISMAN, S., *et al.*, (*ESA*) A.124
——, Visualization of extradural blood patch for post lumbar puncture headache by magnetic resonance imaging, GRIFFITHS, A. G., *et al.* 223–225
Anaesthetic techniques, fibreoptic, Comparison of midazolam with propofol for sedation in outpatient bronchoscopy, CRAWFORD, M., *et al.* 419–422
——, Direct, indirect or flexible laryngoscopy after thyroidectomy? LACOSTE, L., *et al.*, (*ESA*) A.66
Anaesthetic techniques, hypotensive, Does nicardipine potentiate the neuromuscular block of atracurium? BAZIN, J. E., *et al.*, (*ESA*) A.136
Anaesthetic techniques, hypothermia, Core–peripheral temperature difference in early *vs* later extubation after coronary artery surgery, KNAPIK, P., *et al.*, (*ESA*) A.69
Anaesthetic techniques, i.m., Slow-release effect of pH-adjusted bupivacaine: pharmacokinetic demonstration, BENHAMOU, D., *et al.*, (*ESA*) A.120
Anaesthetic techniques, induction, Comparison of infusion rates of three i.v. anaesthetic agents for induction in elderly patients, BERTHOUD, M. C., *et al.* 423–427
——, Determination of a pharmacokinetic model for propofol induction of anaesthesia, VIVIAND, X., *et al.*, (*ESA*) A.150
——, Effects of etomidate on the adrenocortical and metabolic adaptation of the neonate, CROZIER, T. A., *et al.* 47–53
——, Plasma catecholamines and neonatal condition after induction of anaesthesia with propofol or thiopentone at Caesarean section, GIN, T., *et al.* 311–316
——, Propofol and alfentanil or thiopentone and suxamethonium for tracheal intubation, BECK, G. N., *et al.*, (*ARS*) 483P
——, Quality of induction: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.154
Anaesthetic techniques, inhalation, Alterations in pain threshold and psychomotor response associated with subanaesthetic concentrations of inhalation anaesthetics in humans, TOMI, K., *et al.* 684–686
——, Influence of anaesthesia on post-operative hypoxaemia, GEORGIOU, L., *et al.*, (*ESA*) A.60
——, Is correlation of arterial and end-tidal carbon dioxide pressure during inhalation anaesthesia better with laryngeal mask as compared to face mask? IVENS, D., *et al.*, (*ESA*) A.17
——, I.v. anaesthesia with propofol using a target-controlled infusion system: comparison with inhalation anaesthesia for general surgical procedures in children, DOYLE, E., *et al.* 542–555
——, Nitrous oxide-mediated activation of the EEG during isoflurane anaesthesia in patients, YLI-HANKALA, A., *et al.* 54–57
——, Ventilation with halothane is less affected in children with laryngeal mask airway than with endotracheal tube, REIGNIER, J., *et al.*, (*ESA*) A.162
Anaesthetic techniques, insufflation, Abdominal wall retraction may decrease anaesthesiological risks of laparoscopic cholecystectomy, VERECZKEY, Z., *et al.*, (*ESA*) A.64
——, Haemodynamic changes in patients undergoing laparoscopic cholecystectomy: measurement by transthoracic electrical bioimpedance, CRITCHLEY, L. A. H., *et al.* 681–683
——, Influence of pneumoperitoneum and posture on hemodynamic and stress responses during anaesthesia for laparoscopic surgery, ODEBERG, S., *et al.*, (*ESA*) A.34
——, Neuroendocrine changes during pneumoperitoneum for laparoscopic cholecystectomy, JORIS, J., *et al.*, (*ESA*) A.33
——, Respiratory effects of laparoscopic cholecystectomy (preliminary data), CREA, M. A., *et al.*, (*ESA*) A.63
Anaesthetic techniques, i.v., Continuous monitoring of Sp_{O_2} during total intravenous anaesthesia with ketamine and spontaneous ventilation, JOLY, L.-M., *et al.*, (*ESA*) A.58
——, Influence of anaesthesia on post-operative hypoxaemia, GEORGIOU, L., *et al.*, (*ESA*) A.60
——, Plasma concentrations of midazolam after i.v., nasal or rectal administration in children, MALINOVSKY, J.-M., *et al.* 617–620
——, Total intravenous anaesthesia (TIVA) with propofol and alfentanil for renal transplantation, KIRVELÄ, M., *et al.*, (*ESA*) A.81
——, Tracheal intubation after induction of anaesthesia with propofol, alfentanil and i.v. lignocaine, DAVIDSON, J. A. H., *et al.* 163–166
Anaesthetic techniques, i.v. bolus, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: relationships between myocardial pharmacokinetics and pharmacodynamics, HUANG, Y. F., *et al.* 556–561
——, Spontaneous excitatory movements during recovery from propofol anaesthesia in an infant: EEG evaluation, BORGEAT, A., *et al.* 459–461
Anaesthetic techniques, i.v. infusion, Closed-loop feedback controlled administration of alfentanil during alfentanil–nitrous oxide anaesthesia, SCHWILDEN, H., *et al.* 389–395
——, Comparison of infusion rates of three i.v. anaesthetic agents for induction in elderly patients, BERTHOUD, M. C., *et al.* 423–427
——, Comparison of midazolam with propofol for sedation in outpatient bronchoscopy, CRAWFORD, M., *et al.* 419–422
——, Computer-controlled syringe pump improves safety of

pharmacokinetic models, DURANTEAU, R., *et al.*, (*ESA*) A.148
——, Determination of a pharmacokinetic model for propofol induction of anaesthesia, VIVIAND, X., *et al.*, (*ESA*) A.150
——, Different rates of injection of propofol, GOODMAN, N. W., (*C*) 383
——, Different rates of injection of propofol, PEACOCK, J. E., *et al.*, (*C*) 383–384
——, I.v. anaesthesia with propofol using a target-controlled infusion system: comparison with inhalation anaesthesia for general surgical procedures in children, DOYLE, E., *et al.* 542–555
——, Midazolam–alfentanil: an anaesthetic? An investigation using the isolated forearm technique, RUSSELL, I. F. 42–46
——, Pharmacokinetics of propofol administered by infusion in dogs undergoing surgery, NOLAN, A., *et al.* 546–551
——, Pharmacokinetics of propofol and its conjugates after continuous infusion in normal and renal failure patients, NATHAN, N., *et al.*, (*ESA*) A.151
——, Prolonged (> 1 week) sedation with midazolam in ICU patients: efficacy, safety and pharmacokinetics, HEYTENS, L., *et al.*, (*ESA*) A.178
——, Propofol anaesthesia with spontaneous breathing for extracorporeal shock wave lithotripsy, PASCH, T., *et al.*, (*ESA*) A.153
Anaesthetic techniques, i.v. regional, Comparison of the effect of EMLA cream, subcutaneous ring anaesthesia and a double cuff technique in the prevention of tourniquet pain, TSAI, Y.-C., *et al.* 394–396
——, Improvement in i.v. regional anaesthesia by re-exsanguination before surgery, RAWAL, N., *et al.* 280–285
Anaesthetic techniques, laryngoscopy, Day 0 or day 3 laryngoscopy after thyroidectomy? LACOSTE, L., *et al.*, (*ESA*) A.67
——, Direct, indirect or flexible laryngoscopy after thyroidectomy? LACOSTE, L., *et al.*, (*ESA*) A.66
Anaesthetic techniques, neuroleptanaesthesia, Recoveries of post-tetanic twitch and train-of-four responses after administration of vecuronium with different inhalation anaesthetics and neuroleptanaesthesia, SAITOH, Y., *et al.* 402–404
Anaesthetic techniques, preoxygenation, Preoxygenation and Sp_{O_2} after induction of anaesthesia with propofol and fentanyl, RITTOO, D. B., *et al.*, (*ARS*) 486P
——, Routine preoxygenation: how long before mask anaesthesia? HEAD-RAPSON, A. G., *et al.*, (*ARS*) 488P
Anaesthetic techniques, regional, I.v. anaesthesia with propofol using a target-controlled infusion system: comparison with inhalation anaesthesia for general surgical procedures in children, DOYLE, E., *et al.* 542–555
——, Peripheral nerve damage and regional anaesthesia, BARANOWSKI, A. P., *et al.*, (*C*) 593–594
——, Peripheral nerve damage and regional anaesthesia, GENTILI, M. E., *et al.*, (*C*) 594
——, Peripheral nerve damage and regional anaesthesia, RICE, A. S. C., *et al.*, (*C*) 594
——, Sedation with propofol during regional anaesthesia, ARNOLD, B. D. C., (*C*) 112
Anaesthetic techniques, regional, brachial plexus, Clinical and radiological comparison of perivascular and transarterial techniques of axillary brachial plexus block, PERE, P., *et al.* 276–279
Anaesthetic techniques, regional, brachial plexus, Explaining risk to patients, CHAMBERS, W. A., (*C*) 381–382
——, Explaining risk to patients, POTTER, F. A., (*C*) 381
——, Motor blockade and absence of local nerve toxicity induced by liposomal bupivacaine injected into the axillary brachial plexus of rabbits, LEGROS, F. J., *et al.*, (*ESA*) A.122
Anaesthetic techniques, regional, caudal, Clonidine in paediatric caudal anaesthesia, JAMALI, S., *et al.*, (*ESA*) A.160
Anaesthetic techniques, regional, intercostal, Efficacy of continuous intercostal bupivacaine for pain relief after thoracotomy, DRYDEN, C. M., *et al.* 508–510
Anaesthetic techniques, regional, intrapleural, Transthoracic endoscopic sympathectomy, GILLIGAN, S., *et al.*, (*C*) 491
——, Transthoracic endoscopic sympathectomy, JEDEIKEN, R., *et al.*, (*C*) 491–492
——, Transthoracic endoscopic sympathectomy, PLASTOW, S. E., *et al.*, (*C*) 492
Anaesthetic techniques, regional, knee, Pain relief after anterior cruciate ligament repair, CARROLL, P. H., *et al.*, (*C*) 600
——, Pain relief after anterior cruciate ligament repair, JOSHI, G. P., (*C*) 600
Anaesthetic techniques, regional, paravertebral, Plasma concentrations of bupivacaine and its enantiomers during continuous extrapleural intercostal nerve block, BERRISFORD, R. G., *et al.* 201–204
Anaesthetic techniques, subarachnoid, Best Quincke point needle for Caesarean section, LYONS, G., (*ESA*) A.174
——, Differential effects of alfentanil, fentanyl, pethidine and lignocaine administered intrathecally on nociceptive responses evoked by low and high frequency stimulation of somatic nerves, WANG, C., *et al.* 63–69
——, Direct spinal effect of intrathecal and extradural midazolam on visceral noxious stimulation in rabbits, CRAWFORD, M. E., *et al.* 642–646
——, Effects of intrathecal meperidine (MP), fentanyl (FN) and lidocaine (LD) on somatosensory (SSEP) and cortical motor (CMEP) evoked potentials in humans, FERNANDEZ, S., *et al.*, (*ESA*) A.119
——, Face masks and spinal anaesthesia, O'KELLY, S. W., *et al.*, (*C*) 239
——, Face masks and spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 239
——, Fentanyl or buprenorphine side effects in spinal anaesthesia, FOPPOLI, R., *et al.*, (*ESA*) A.132
——, Headache—new needles and spinal anaesthesia for C. section, THORMANN, F., *et al.*, (*ESA*) A.173
——, Incidence of post dural puncture headache in young adults by the use of the Sprôtte needle: 300 patients, DESCRAQUES, C., *et al.*, (*ESA*) A.127
——, Incremental spinal anaesthesia for elective Caesarean section: maternal and fetal haemodynamic effects, ROBSON, S. C., *et al.* 634–638
——, Metal particle generation caused by the combined spinal–extradural technique, HARGREAVES, J., (*C*) 706
——, Nine years of clinical experience with 29 gauge spinal needles, DITTMANN, M., *et al.*, (*ESA*) A.126
——, Postdural puncture headaches are not related to the duration of spinal catheter placement, LIU, N., *et al.*, (*ESA*) A.128
——, Prevention and treatment of hypotension during central neural block, MCCRAE, A. F., *et al.* 672–680
——, Sequential spinal peridural anaesthesia for gynaecological surgery under laparoscopy, JOOS, S., *et al.*, (*ESA*) A.130
——, Spinal anesthesia for C section: addition of phenylephrine to ephedrine for prevention of maternal hypotension, THIRION, A.-V., *et al.*, (*ESA*) A.172
——, Spread of spinal anaesthesia for Caesarean section in singleton and twin pregnancies, JAWAN, B., *et al.* 639–641
——, Subarachnoid anaesthesia (SAA) and postoperative analgesia with bupivacaine (BV) plus fentanyl (FN) in geriatric patients, FERNANDEZ, D., *et al.*, (*ESA*) A.131
——, The effects of epidural and spinal anesthesia on the changes in the plethysmographic signal in the lower and upper limbs, PREISMAN, S., *et al.*, (*ESA*) A.124
Anaesthetic techniques, subconvulsive dose, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: myocardial pharmacokinetics, HUANG, Y. F., *et al.* 326–332
——, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: relationships between myocardial pharmacokinetics and pharmacodynamics, HUANG, Y. F., *et al.* 556–561
Anaesthetic techniques, subcutaneous, Comparison of the effect of EMLA cream, subcutaneous ring anaesthesia and a double cuff technique in the prevention of tourniquet pain, TSAI, Y.-C., *et al.* 394–396
Anaesthetic techniques, subdural, A continuous subdural block, COLLIER, C. B., *et al.* 462–465
Anaesthetic techniques, test doses, Prediction of infusion rate of vecuronium to maintain steady state using the bolus test dose technique, MORGAN, R. J., *et al.*, (*ARS*) 481P
Anaesthetic techniques, topical, Glycopyrronium prolongs topical anaesthesia of oral mucosa and enhances absorption of lignocaine, WATANABE, H., *et al.* 94–95
——, Laryngeal function as assessed by tussometry following topical anaesthesia, MAHAJAN, R. P., *et al.*, (*ESA*) A.68
Anaesthetics gases, nitrous oxide, Alterations in pain threshold and psychomotor response associated with subanaesthetic concentrations of inhalation anaesthetics in humans, TOMI, K., *et al.* 684–686
——, Brain partial pressures of isoflurane and nitrous oxide, PETERSEN-FELIX, S., *et al.*, (*C*) 704–705
——, Brain partial pressures of isoflurane and nitrous oxide, THORNTON, C., *et al.*, (*C*) 705
——, Effect of nitrous oxide on auditory evoked potentials, JESSOP, J., *et al.*, (*C*) 380
——, Effect of nitrous oxide on auditory evoked potentials, PLOURDE, G., (*C*) 379–380
——, Effect of nitrous oxide on cerebral blood flow in normal humans, FIELD, L. M., *et al.* 154–159
——, Effects of nitrous oxide (N_2O) on systemic

haemodynamics, regional left ventricular (LV) function and incidence of myocardial ischaemia (MI) in vascular surgical patients with coronary artery disease (CAD), HOHNER, P., *et al.*, (*ESA*) A.41
——, Influence of anaesthesia on post-operative hypoxaemia, GEORGIOU, L., *et al.*, (*ESA*) A.60
——, Neuromuscular blockade following mivacurium in children during N_2O–halothane, ORLIAGUET, G., *et al.*, (*ESA*) A.163
——, Nitrous oxide administration via oxygen therapy devices, GODDARD, J. M., (*C*) 238
——, Nitrous oxide administration via oxygen therapy devices, JOSHI, P., *et al.*, (*C*) 238
——, Nitrous oxide induced neuronal depression: modification through benzodiazepine receptors, DZOLJIC, M., *et al.*, (*ESA*) A.112
——, Nitrous oxide-mediated activation of the EEG during isoflurane anaesthesia in patients, YLI-HANKALA, A., *et al.* 54–57
Anaesthetics i.v., droperidol, Addition of droperidol to patient-controlled analgesia: effect on nausea and vomiting, WILLIAMS, O. A., *et al.*, (*ARS*) 479P
——, Addition of droperidol to PCA morphine: what is the optimal dose? LAMOND, C. T., *et al.*, (*ESA*) A.204
——, Comparison of ondansetron, metoclopramide and droperidol for the prophylaxis of emetic symptoms after gynecological laparoscopic procedures, GEIGER, C., *et al.*, (*ESA*) A.14
——, Double-blind comparison of ondansetron, droperidol and saline for prevention of nausea & vomiting after orthopaedic surgery, GAN, T. J., *et al.*, (*ESA*) A.13
——, Ondansetron 4 mg *vs* droperidol 1.25 mg in the prophylaxis of postoperative nausea and vomiting after alfentanil-supplemented inhalation anaesthesia, ALON, E., *et al.*, (*ESA*) A.12
Anaesthetics i.v., etomidate, Adrenocortical function: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.90
——, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, PRICE, M., (*C*) 116
——, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, WILLIAMS, E. L., (*C*) 115
——, Comparison of infusion rates of three i.v. anaesthetic agents for induction in elderly patients, BERTHOUD, M. C., *et al.* 423–427
——, Does etomidate cause haemolysis? DOENICKE, A., *et al.*, (*C*) 491
——, Does etomidate cause haemolysis? WERTZ, E., (*C*) 490–491
——, Effects of etomidate on the adrenocortical and metabolic adaptation of the neonate, CROZIER, T. A., *et al.* 47–53
——, Quality of induction: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.154
Anaesthetics i.v., ketamine, Continuous monitoring of Sp_{O_2} during total intravenous anaesthesia with ketamine and spontaneous ventilation, JOLY, L.-M., *et al.*, (*ESA*) A.58
——, Ketamine does not prevent hypotension caused by induction of anaesthesia with propofol in elderly patients, BLOCKMANS, D., *et al.*, (*ESA*) A.40
——, Midazolam prevents ketamine-induced stimulation of cerebral metabolism, ÅKESON, J., *et al.*, (*ESA*) A.111
——, Pharmacokinetics and pharmacodynamics of ketamine enantiomers in surgical patients using a stereoselective analytical method, GEISSLINGER, G., *et al.* 666–671
Anaesthetics i.v., methohexitone, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, PRICE, M., (*C*) 116
——, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, WILLIAMS, E. L., (*C*) 115
——, Comparison of infusion rates of three i.v. anaesthetic agents for induction in elderly patients, BERTHOUD, M. C., *et al.* 423–427
——, Effects of etomidate on the adrenocortical and metabolic adaptation of the neonate, CROZIER, T. A., *et al.* 47–53
Anaesthetics i.v., propofol, Alizapride does reduce pain on injection of propofol: comparison with lidocaine, ZAOUK, G., *et al.*, (*ESA*) A.11
——, An alternative method of increasing Pco_2 using apnoea and continuous positive airway pressure, KÄRLSTEN, R., *et al.* 411–413
——, Cardiovascular effects of i.v. induction in children: comparison between propofol and thiopentone, AUN, C. S. T., *et al.* 647–653
——, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, PRICE, M., (*C*) 116
——, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, WILLIAMS, E. L., (*C*) 115
——, Comparison of alfentanil with suxamethonium in facilitating nasotracheal intubation in day-case anaesthesia, ALCOCK, R., *et al.* 34–37
——, Comparison of midazolam with propofol for sedation in outpatient bronchoscopy, CRAWFORD, M., *et al.* 419–422
——, Comparison of recovery from anaesthesia induced in children with either propofol or thiopentone, RUNCIE, C. J., *et al.* 192–195
——, Comparison of the sedative and amnesic effects of midazolam and propofol, POLSTER, M. R., *et al.* 612–616
——, Determination of a pharmacokinetic model for propofol induction of anaesthesia, VIVIAND, X., *et al.*, (*ESA*) A.150
——, Different rates of injection of propofol, GOODMAN, N. W., (*C*) 383
——, Different rates of injection of propofol, PEACOCK, J. E., *et al.*, (*C*) 383–384
——, Does propofol supplemented anaesthesia affect neurophysiological outcome following cardiopulmonary bypass? PHILLIPS, A. S., *et al.*, (*ARS*) 484P
——, Effect of hyperoxia on the breathing of patients anaesthetized with infusions of propofol, DOW, A. C., *et al.* 532–535
——, Effect of propofol on neutrophil respiratory burst, OGILVY, A. J., *et al.*, (*ARS*) 476P
——, Effects of active and passive sighs in normoxia and hyperoxia on the breathing of patients anaesthetized with infusions of propofol, GOODMAN, N. W., *et al.* 536–541
——, Gastric mucosal perfusion is better preserved during cardiac surgery when isoflurane rather than enflurane or propofol is used to maintain anaesthesia, MYTHEN, M., *et al.*, (*ESA*) A.29
——, Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation: comparison between propofol and thiopentone, LINDGREN, L., *et al.* 306–310
——, Influence of anaesthesia on post-operative hypoxaemia, GEORGIOU, L., *et al.*, (*ESA*) A.60
——, I.v. anaesthesia with propofol using a target-controlled infusion system: comparison with inhalation anaesthesia for general surgical procedures in children, DOYLE, E., *et al.* 542–555
——, Ketamine does not prevent hypotension caused by induction of anaesthesia with propofol in elderly patients, BLOCKMANS, D., *et al.*, (*ESA*) A.40
——, Metabolic effects of propofol and flunitrazepam given for sedation after aortic surgery, MORITZ, F., *et al.* 451–453
——, Pain on i.v. injection of metoclopramide, WILKINSON, D. J., (*C*) 239
——, Pharmacokinetics of propofol administered by infusion in dogs undergoing surgery, NOLAN, A., *et al.* 546–551
——, Pharmacokinetics of propofol and its conjugates after continuous infusion in normal and renal failure patients, NATHAN, N., *et al.*, (*ESA*) A.151
——, Plasma catecholamines and neonatal condition after induction of anaesthesia with propofol or thiopentone at Caesarean section, GIN, T., *et al.* 311–316
——, Preoxygenation and Sp_{O_2} after induction of anaesthesia with propofol and fentanyl, RITTOO, D. B., *et al.*, (*ARS*) 486P
——, Propofol (2,6 diisopropylphenol) as an antioxidant *in-vitro*: a dose response study, BENNETT, S., *et al.*, (*ESA*) A.152
——, Propofol anaesthesia with spontaneous breathing for extracorporeal shock wave lithotripsy, PASCH, T., *et al.*, (*ESA*) A.153
——, Propofol and alfentanil mixture, SANDIN, R., (*C*) 382–383
——, Propofol and alfentanil mixture, TAYLOR, I. N., *et al.*, (*C*) 383
——, Propofol and alfentanil or thiopentone and suxamethonium for tracheal intubation, BECK, G. N., *et al.*, (*ARS*) 483P
——, Propofol decreases random and chemotactic stimulated locomotion of human neutrophils *in vitro*, JENSEN, A. G., *et al.* 99–100
——, Propofol for tracheal intubation in paediatric outpatient anaesthesia, MONTASSER, A. M., (*ESA*) A.161
——, Propofol/fentanyl-anesthesia in patients with highly depressed cardiac function, RAUCH, H., *et al.*, (*ESA*) A.30
——, Sedation with propofol during regional anaesthesia, ARNOLD, B. D. C., (*C*) 112
——, Spontaneous excitatory movements during recovery from propofol anaesthesia in an infant: EEG evaluation, BORGEAT, A., *et al.* 459–461

——, Target-controlled intravenous sedation with propofol, MERGAERT, C., *et al.*, (*ESA*) A.149
——, Total intravenous anaesthesia (TIVA) with propofol and alfentanil for renal transplantation, KIRVELÄ, M., *et al.*, (*ESA*) A.81
——, Tracheal intubation after induction of anaesthesia with propofol, alfentanil and i.v. lignocaine, DAVIDSON, J. A. H., *et al.* 163–166
——, Transcranial Doppler sonography: effect of propofol and thiopental in patients with brain tumors and brain injuries, SCHREGEL, W., *et al.*, (*ESA*) A.105
——, Use of alfentanil with propofol for nasotracheal intubation without neuromuscular block, COGHLAN, S. F. E., *et al.* 89–91
Anaesthetics i.v., stereoisomers, Pharmacokinetics and pharmacodynamics of ketamine enantiomers in surgical patients using a stereoselective analytical method, GEISSLINGER, G., *et al.* 666–671
Anaesthetics i.v., thiopentone, An alternative method of increasing P_{CO_2} using apnoea and continuous positive airway pressure, KARLSTEN, R., *et al.* 411–413
——, Cardiovascular effects of i.v. induction in children: comparison between propofol and thiopentone, AUN, C. S. T., *et al.* 647–653
——, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, PRICE, M., (*C*) 116
——, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, WILLIAMS, E. L., (*C*) 115
——, Comparison of infusion rates of three i.v. anaesthetic agents for induction in elderly patients, BERTHOUD, M. C., *et al.* 423–427
——, Comparison of recovery from anaesthesia induced in children with either propofol or thiopentone, RUNCIE, C. J., *et al.* 192–195
——, Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation: comparison between propofol and thiopentone, LINDGREN, L., *et al.* 306–310
——, Plasma catecholamines and neonatal condition after induction of anaesthesia with propofol or thiopentone at Caesarean section, GIN, T., *et al.* 311–316
——, Postoperative pain thresholds, COOK, T. M., (*C*) 110
——, Propofol and alfentanil or thiopentone and suxamethonium for tracheal intubation, BECK, G. N., *et al.*, (*ARS*) 483P
——, Transcranial Doppler sonography: effect of propofol and thiopental in patients with brain tumors and brain injuries, SCHREGEL, W., *et al.*, (*ESA*) A.105
Anaesthetics local, bupivacaine, A continuous subdural block, COLLIER, C. B., *et al.* 462–465
——, Analgesia by wound infiltration before or after surgery in inguinal hernioraphy, HENNART, D., *et al.*, (*ESA*) A.202
——, Blended anaesthesia in pediatric major surgery: top-up *vs* epidural continuous infusion, SAVOIA, G., *et al.*, (*ESA*) A.159
——, Clinical and radiological comparison of perivascular and transarterial techniques of axillary brachial plexus block, PERE, P., *et al.* 276–279
——, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, MCHALE, S., *et al.*, (*C*) 701
——, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, RUSSELL, R., (*C*) 699–700
——, Delayed presentation of an extradural abscess in a patient with alcohol abuse, NORDSTRÖM, O., *et al.* 368–369
——, Diamorphine/bupivacaine mixture *vs* plain bupivacaine: a comparison of epidural infusions in labour, BAILEY, C. R., *et al.*, (*ESA*) A.169
——, Diaphragmatic function after bupivacaine cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.65
——, Effect of extradural analgesia on stress responses to abdominal surgery in infants, WOLF, A. R., *et al.* 654–660
——, Efficacy of continuous intercostal bupivacaine for pain relief after thoracotomy, DRYDEN, C. M., *et al.* 508–510
——, Epidural administration of liposomal bupivacaine for the management of postsurgical pain, BOOGAERTS, J., *et al.*, (*ESA*) A.200
——, Extradural 0.07% bupivacaine for postoperative pain, SLADE, J. M., (*ARS*) 478P
——, Fentanyl or buprenorphine side effects in spinal anaesthesia, FOPPOLI, R., *et al.*, (*ESA*) A.132
——, *In vivo* determination of concentration–effect curves of local anaesthetics in man, WIESEMES, R., *et al.* 552–555
——, Intermittent *vs* continuous extradural infusion of bupivacaine during labour, EDDLESTON, J. M., (*C*) 490
——, Intermittent *vs* continuous extradural infusion of bupivacaine during labour, LAISHLEY, R. S., (*C*) 490
——, Lemakalim reverses ventricular conduction impairment induced by a large dose of bupivacaine in anesthetized dogs, DE LA COUSSAYE, J. E., *et al.*, (*ESA*) A.121
——, Motor blockade and absence of local nerve toxicity induced by liposomal bupivacaine injected into the axillary brachial plexus of rabbits, LEGROS, F. J., *et al.*, (*ESA*) A.122
——, Pain relief for infants undergoing abdominal surgery: comparison of infusions of i.v. morphine and extradural bupivacaine, WOLF, A. R., *et al.* 10–16
——, Patient controlled epidural analgesia *vs* intermittent injections during labor using 0.125% bupivacaine and sufentanil, BAUDOT, J., *et al.*, (*ESA*) A.170
——, Patient-controlled extradural analgesia to compare bupivacaine, fentanyl and bupivacaine with fentanyl in the treatment of postoperative pain, COOPER, D. W., *et al.* 503–507
——, Plasma concentrations of bupivacaine and its enantiomers during continuous extrapleural intercostal nerve block, BERRISFORD, R. G., *et al.* 201–204
——, Postoperative hypoxaemia: comparison of epidural and patient controlled analgesia, SPENCER, A., *et al.*, (*ESA*) A.207
——, Pre-emptive analgesia, DAHL, J. B., *et al.*, (*C*) 379
——, Pre-emptive analgesia, KATZ, J., *et al.*, (*C*) 378
——, Slow-release effect of pH-adjusted bupivacaine: pharmacokinetic demonstration, BENHAMOU, D., *et al.*, (*ESA*) A.120
——, Spread of spinal anaesthesia for Caesarean section in singleton and twin pregnancies, JAWAN, B., *et al.* 639–641
——, Subarachnoid anaesthesia (SAA) and postoperative analgesia with bupivacaine (BV) plus fentanyl (FN) in geriatric patients, FERNANDEZ, D., *et al.*, (*ESA*) A.131
——, The effect of parenteral diclofenac and morphine on efficacy duration and height of blockade during continuous epidural bupivacaine 0.5%, FORBES, D., *et al.*, (*ESA*) A.125
——, The effects of bupivacaine, mepivacaine and prilocaine on platelet aggregation, BAYHAN, N., *et al.*, (*ESA*) A.123
——, Use of thoracic epidural block for perioperative analgesia in children, ENTRESS, A. H., *et al.*, (*ESA*) A.158
Anaesthetics local, EMLA, Comparison of the effect of EMLA cream, subcutaneous ring anaesthesia and a double cuff technique in the prevention of tourniquet pain, TSAI, Y.-C., *et al.* 394–396
Anaesthetics local, lignocaine, Adrenaline-induced hypotension in neurosurgery, PHILLIPS, S., *et al.* 687–688
——, Alizapride does reduce pain on injection of propofol: comparison with lidocaine, ZAOUK, G., *et al.*, (*ESA*) A.11
——, Comparison of the effect of EMLA cream, subcutaneous ring anaesthesia and a double cuff technique in the prevention of tourniquet pain, TSAI, Y.-C., *et al.* 394–396
——, Differential effects of alfentanil, fentanyl, pethidine and lignocaine administered intrathecally on nociceptive responses evoked by low and high frequency stimulation of somatic nerves, WANG, C., *et al.* 63–69
——, Effect of esmolol *versus* lidocaine on intracranial pressure and haemodynamic responses to laryngoscopy and intubation, SAMAHA, T., *et al.*, (*ESA*) A.118
——, Effects of intradermal lignocaine and mepivacaine on human cutaneous circulation in areas with histamine-induced neurogenic inflammation, FRUHSTORFER, H., *et al.* 167–172
——, Effects of intrathecal meperidine (MP), fentanyl (FN) and lidocaine (LD) on somatosensory (SSEP) and cortical motor (CMEP) evoked potentials in humans, FERNANDEZ, S., *et al.*, (*ESA*) A.119
——, Fentanyl, as pethidine, inhibits post anaesthesia shivering, ALFONSI, P., *et al.*, (*ESA*) A.74
——, Glycopyrronium prolongs topical anaesthesia of oral mucosa and enhances absorption of lignocaine, WATANABE, H., *et al.* 94–95
——, Improvement in i.v. regional anaesthesia by re-exsanguination before surgery, RAWAL, N., *et al.* 280–285
——, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: myocardial pharmacokinetics, HUANG, Y. F., *et al.* 326–332
——, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: relationships between myocardial pharmacokinetics and pharmacodynamics, HUANG, Y. F., *et al.* 556–561
——, Laryngeal function as assessed by tussometry following topical anaesthesia, MAHAJAN, R. P., *et al.*, (*ESA*) A.68
——, Pain on i.v. injection of metoclopramide, WILKINSON, D. J., (*C*) 239
——, The pressor response to venous cannulation: attenuation

by prior infiltration with local anaesthetic, LANGHAM, B. T., *et al.* 519–521
——, Tracheal intubation after induction of anaesthesia with propofol, alfentanil and i.v. lignocaine, DAVIDSON, J. A. H., *et al.* 163–166
——, Use of lignocaine in ventricular defibrillation? BASKETT, P. J. F., (*C*) 380
——, Use of lignocaine in ventricular defibrillation? QUINEY, N. F., *et al.*, (*C*) 380
Anaesthetics local, mepivacaine, Clinical and radiological comparison of perivascular and transarterial techniques of axillary brachial plexus block, PERE, P., *et al.* 276–279
——, Effects of intradermal lignocaine and mepivacaine on human cutaneous circulation in areas with histamine-induced neurogenic inflammation, FRUHSTORFER, H., *et al.* 167–172
——, Improvement in i.v. regional anaesthesia by re-exsanguination before surgery, RAWAL, N., *et al.* 280–285
——, The effects of bupivacaine, mepivacaine and prilocaine on platelet aggregation, BAYHAN, N., *et al.*, (*ESA*) A.123
Anaesthetics local, prilocaine, Improvement in i.v. regional anaesthesia by re-exsanguination before surgery, RAWAL, N., *et al.* 280–285
——, The effects of bupivacaine, mepivacaine and prilocaine on platelet aggregation, BAYHAN, N., *et al.*, (*ESA*) A.123
Anaesthetics local, stereoisomers, Plasma concentrations of bupivacaine and its enantiomers during continuous extrapleural intercostal nerve block, BERRISFORD, R. G., *et al.* 201–204
Anaesthetics local, Xylocaine, Veterinary use of "Xylocaine" spray, TAYLOR, P. M., (*C*) 113
Anaesthetics volatile, desflurane, Hepatic elimination of diazepam: interactions with albumin, desflurane and sevoflurane, DALE, O., *et al.* 454–455
——, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
——, Local *versus* neurogenic vasodilator effects of desflurane and isoflurane in the small intestine, SUNDEMAN, H., *et al.*, (*ESA*) A.50
Anaesthetics volatile, diethyl ether, John Henry Hill Lewellin: The first etherist in Glasgow, MACDONALD, A. G. 228–234
Anaesthetics volatile, enflurane, Alterations in pain threshold and psychomotor response associated with subanaesthetic concentrations of inhalation anaesthetics in humans, TOMI, K., *et al.* 684–686
——, An alternative method of increasing P_{CO_2} using apnoea and continuous positive airway pressure, KARLSTEN, R., *et al.* 411–413
——, Clonal variation in response to enflurane anaesthesia with *Daphnia magna*, MYLES, A. P., *et al.*, (*ARS*) 476–477P
——, Effects of oral preoperative guanfacine on anesthetics requirements, ENGELMAN, E., *et al.*, (*ESA*) A.144
——, Gastric mucosal perfusion is better preserved during cardiac surgery when isoflurane rather than enflurane or propofol is used to maintain anaesthesia, MYTHEN, M., *et al.*, (*ESA*) A.29
——, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
——, Recoveries of post-tetanic twitch and train-of-four responses after administration of vecuronium with different inhalation anaesthetics and neuroleptanaesthesia, SAITOH, Y., *et al.* 402–404
——, Test-tube equilibration of volatile anaesthetic concentrations, MARTIN, D. C., *et al.* 365–367
Anaesthetics volatile, ether, Preoperative drinking and gastric contents, LEVY, D. M., *et al.*, (*C*) 701–702
Anaesthetics volatile, halothane, Alterations in pain threshold and psychomotor response associated with subanaesthetic concentrations of inhalation anaesthetics in humans, TOMI, K., *et al.* 684–686
——, Comparison of *in vitro* contracture testing with ryanodine, halothane and caffeine in malignant hyperthermia and other neuromuscular disorders, HOPKINS, P. M., *et al.* 397–401
——, Effect of age, gender and anaesthetic technique on the pharmacodynamics of atracurium, PARKER, C. J. R., *et al.* 38–41
——, Haemodynamic changes produced by inhalation anaesthetics in the presence of phosphodiesterase inhibition, MOLTER, G., *et al.* 428–433
——, Halothane enhances forskolin stimulated cyclic adenosine-3′,5′-monophosphate formation in human neuroblastoma cells, HIRST, R. A., *et al.*, (*ARS*) 486P
——, Halothane, metabolite-induced antibodies and hepatotoxicity, KENNA, J. G., *et al.*, (*ARS*) 484–485P
——, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
——, *In vitro* effect of ephedrine, adrenaline, noradrenaline and isoprenaline on halothane-induced contractures in skeletal muscle from patients potentially susceptible to malignant hyperthermia, URWYLER, A., *et al.* 76–79
——, Isoproterenol reverses the MAC decreasing effect of esmolol in rats, PEREL, A., *et al.*, (*ESA*) A.117
——, I.v. anaesthesia with propofol using a target-controlled infusion system: comparison with inhalation anaesthesia for general surgical procedures in children, DOYLE, E., *et al.* 542–555
——, Membrane action of volatile anaesthetics: effect of halothane on microviscosity, APPADU, B., *et al.*, (*ARS*) 477P
——, Neuromuscular blockade following mivacurium in children during N_2O–halothane, ORLIAGUET, G., *et al.*, (*ESA*) A.163
——, Recoveries of post-tetanic twitch and train-of-four responses after administration of vecuronium with different inhalation anaesthetics and neuroleptanaesthesia, SAITOH, Y., *et al.* 402–404
——, Regurgitation and the laryngeal mask airway, BRIMACOMBE, J., *et al.*, (*C*) 381
——, Regurgitation and the laryngeal mask airway, VANNER, R. G., (*C*) 380–381
——, Test-tube equilibration of volatile anaesthetic concentrations, MARTIN, D. C., *et al.* 365–367
——, Ventilation with halothane is less affected in children with laryngeal mask airway than with endotracheal tube, REIGNIER, J., *et al.*, (*ESA*) A.162
Anaesthetics volatile, isoflurane, Accumulation of acetone in blood during long-term anaesthesia with closed systems, STRAUß, J. M., *et al.* 363–364
——, Alterations in pain threshold and psychomotor response associated with subanaesthetic concentrations of inhalation anaesthetics in humans, TOMI, K., *et al.* 684–686
——, Anaesthetic properties of dimethylthiourea, KOBLIN, D. D., *et al.* 456–458
——, Brain partial pressures of isoflurane and nitrous oxide, PETERSEN-FELIX, S., *et al.*, (*C*) 704–705
——, Brain partial pressures of isoflurane and nitrous oxide, THORNTON, C., *et al.*, (*C*) 705
——, Components of the inspiratory–arterial isoflurane partial pressure difference, LANDON, A. J., *et al.* 605–611
——, Does exogenous dopamine reverse cardiovascular depression induced by isoflurane during thoracic epidural blockade? RANER, C., *et al.*, (*ESA*) A.49
——, Does propofol supplemented anaesthesia affect neurophysiological outcome following cardiopulmonary bypass? PHILLIPS, A. S., *et al.*, (*ARS*) 484P
——, Effect of age, gender and anaesthetic technique on the pharmacodynamics of atracurium, PARKER, C. J. R., *et al.* 38–41
——, Effects of oral preoperative guanfacine on anesthetics requirements, ENGELMAN, E., *et al.*, (*ESA*) A.144
——, Gastric mucosal perfusion is better preserved during cardiac surgery when isoflurane rather than enflurane or propofol is used to maintain anaesthesia, MYTHEN, M., *et al.*, (*ESA*) A.29
——, Haemodynamic changes produced by inhalation anaesthetics in the presence of phosphodiesterase inhibition, MOLTER, G., *et al.* 428–433
——, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
——, Influence of anaesthesia on post-operative hypoxaemia, GEORGIOU, L., *et al.*, (*ESA*) A.60
——, Isoflurane inhibits Ca^{2+}-induced insulin secretion from electrically permeabilised islets of Langerhans, DESBOROUGH, J. P., *et al.*, (*ESA*) A.91
——, Local *versus* neurogenic vasodilator effects of desflurane and isoflurane in the small intestine, SUNDEMAN, H., *et al.*, (*ESA*) A.50
——, Nitrous oxide-mediated activation of the EEG during isoflurane anaesthesia in patients, YLI-HANKALA, A., *et al.* 54–57
——, Prolonged use of isoflurane in a patient with tetanus, STEVENS, J. J. W. M., *et al.* 107–109
——, Recoveries of post-tetanic twitch and train-of-four responses after administration of vecuronium with different inhalation anaesthetics and neuroleptanaesthesia, SAITOH, Y., *et al.* 402–404
——, Validation of coherent frequency of the EEG as a measure of consciousness during anaesthesia, MUNGLANI, R., *et al.*, (*ARS*) 483–484P
Anaesthetics volatile, methoxyflurane, Alterations in pain threshold and psychomotor response associated with subanaesthetic concentrations of inhalation anaesthetics in humans, TOMI, K., *et al.* 684–686
Anaesthetics volatile, sevoflurane, Alterations in pain threshold and psychomotor response associated with

subanaesthetic concentrations of inhalation anaesthetics in humans, TOMI, K., *et al.* 684–686
——, Hepatic elimination of diazepam: interactions with albumin, desflurane and sevoflurane, DALE, O., *et al.* 454–455
——, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
——, Minimum alveolar concentration of sevoflurane in elderly patients, NAKAJIMA, R., *et al.* 273–275
——, Recoveries of post-tetanic twitch and train-of-four responses after administration of vecuronium with different inhalation anaesthetics and neuroleptanaesthesia, SAITOH, Y., *et al.* 402–404
Anaesthetist, activity, Face masks and spinal anaesthesia, O'KELLY, S. W., *et al.*, (*C*) 239
——, Face masks and spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 239
——, Perioperative blood loss, APPADU, B., (*C*) 492–493
Analeptics, caffeine, Comparison of *in vitro* contracture testing with ryanodine, halothane and caffeine in malignant hyperthermia and other neuromuscular disorders, HOPKINS, P. M., *et al.* 397–401
Analgesia, obstetric, Adequate pain relief with epidural analgesia during labor: why are women still dissatisified? HAMZA, J., *et al.*, (*ESA*) A.171
——, Diamorphine/bupivacaine mixture *vs* plain bupivacaine: a comparison of epidural infusions in labour, BAILEY, C. R., *et al.*, (*ESA*) A.169
——, Patient controlled epidural analgesia *vs* intermittent injections during labor using 0.125% bupivacaine and sufentanil, BAUDOT, J., *et al.*, (*ESA*) A.170
Analgesia, paediatric, Clonidine in paediatric caudal anaesthesia, JAMALI, S., *et al.*, (*ESA*) A.160
——, Effect of extradural analgesia on stress responses to abdominal surgery in infants, WOLF, A. R., *et al.* 654–660
——, Pain relief for infants undergoing abdominal surgery: comparison of infusions of i.v. morphine and extradural bupivacaine, WOLF, A. R., *et al.* 10–16
——, Postoperative analgesia in children, FELL, D., (*E*) 4–5
——, Use of thoracic epidural block for perioperative analgesia in children, ENTRESS, A. H., *et al.*, (*ESA*) A.158
Analgesia, patient-controlled, Addition of droperidol to patient-controlled analgesia: effect on nausea and vomiting, WILLIAMS, O. A., *et al.*, (*ARS*) 479P
——, Addition of droperidol to PCA morphine: what is the optimal dose? LAMOND, C. T., *et al.*, (*ESA*) A.204
——, Evaluation of the analgesic effect of metoclopramide after opioid-free analgesia, LISANDER, B. 631–633
——, Intrathecal pain relief in terminally ill cancer patients at home, WAGEMANS, M. F. M., *et al.*, (*ESA*) A.213
——, Patient-controlled analgesia by proxy, LAM, F. Y., (*C*) 113
——, Patient controlled epidural analgesia *vs* intermittent injections during labor using 0.125% bupivacaine and sufentanil, BAUDOT, J., *et al.*, (*ESA*) A.170
——, Patient-controlled extradural analgesia to compare bupivacaine, fentanyl and bupivacaine with fentanyl in the treatment of postoperative pain, COOPER, D. W., *et al.* 503–507
——, Postoperative hypoxaemia: comparison of epidural and patient controlled analgesia, SPENCER, A., *et al.*, (*ESA*) A.207
——, Safety of PCA in elderly, SANTANGELO, E., *et al.*, (*ESA*) A.206
Analgesia, postoperative, Addition of droperidol to PCA morphine: what is the optimal dose? LAMOND, C. T., *et al.*, (*ESA*) A.204
——, Clonidine in paediatric caudal anaesthesia, JAMALI, S., *et al.*, (*ESA*) A.160
——, Diclofenac and ketoprofen for pain treatment after elective Caesarean section, RORARIUS, M. G. F., *et al.* 293–297
——, Effect of morphine on a nociceptive flexion reflex in patients with postoperative pain, CHAUVIN, M., *et al.*, (*ESA*) A.115
——, Effects of epidural clonidine on anaesthetic requirements and postoperative analgesia, SAMSÓ, E., *et al.*, (*ESA*) A.205
——, Efficacy of continuous intercostal bupivacaine for pain relief after thoracotomy, DRYDEN, C. M., *et al.* 508–510
——, Efficacy of postoperative pain treatment regimens using both buprenorphine and papaveretum sequentially after abdominal hysterectomy, GREEN, D. W., *et al.* 626–630
——, Epidural administration of liposomal bupivacaine for the management of postsurgical pain, BOOGAERTS, J., *et al.*, (*ESA*) A.200
——, Evaluation of pain and analgesia in a postanesthesia care unit, AUBRUN, F., *et al.*, (*ESA*) A.198
——, Evaluation of the analgesic effect of metoclopramide after opioid-free analgesia, LISANDER, B. 631–633
——, Extradural 0.07% bupivacaine for postoperative pain, SLADE, J. M., (*ARS*) 478P
——, Intra-articular morphine for pain relief after anterior cruciate ligament repair, JOSHI, G. P., *et al.* 87–88
——, Intranasal fentanyl for postoperative pain management in an unselected population, STRIEBEL, W. H., *et al.*, (*ESA*) A.209
——, Ketorolac postoperative analgesia, AL-HASANI, A., (*C*) 112–113
——, Ketorolac postoperative analgesia, KINSELLA, J., (*C*) 113
——, Organization of acute pain services—a low-cost model, RAWAL, N., (*ESA*) A.199
——, Pain relief after anterior cruciate ligament repair, CARROLL, P. H., *et al.*, (*C*) 600
——, Pain relief after anterior cruciate ligament repair, JOSHI, G. P., (*C*) 600
——, Pain relief for infants undergoing abdominal surgery: comparison of infusions of i.v. morphine and extradural bupivacaine, WOLF, A. R., *et al.* 10–16
——, Partial reversal of the effects of extradural clonidine by oral yohimbine in postoperative patients, LIU, N., *et al.* 515–518
——, Patient-controlled extradural analgesia to compare bupivacaine, fentanyl and bupivacaine with fentanyl in the treatment of postoperative pain, COOPER, D. W., *et al.* 503–507
——, Postoperative analgesia: a two dosage regimens trial for i.m. morphine after early i.v. titration, BUTSCHER, K., *et al.*, (*ESA*) A.201
——, Postoperative analgesia in children, FELL, D., (*E*) 4–5
——, Pre-emptive analgesia, DAHL, J. B., *et al.*, (*C*) 379
——, Pre-emptive analgesia, KATZ, J., *et al.*, (*C*) 378
——, Preoperative indomethacin for pain relief after thoracotomy: comparison with postoperative indomethacin, MURPHY, D. F., *et al.* 298–300
——, Subarachnoid anaesthesia (SAA) and postoperative analgesia with bupivacaine (BV) plus fentanyl (FN) in geriatric patients, FERNANDEZ, D., *et al.*, (*ESA*) A.131
——, The effect of parenteral diclofenac and morphine on efficacy duration and height of blockade during continuous epidural bupivacaine 0.5%, FORBES, D., *et al.*, (*ESA*) A.125
——, The value of pre-emptive analgesia in the treatment of postoperative pain, DAHL, J. B., *et al.* 434–439
——, Ventilatory effects of morphine, pethidine and methadone in children, HAMUNEN, K. 414–418
Analgesia, pre-emptive, Analgesia by wound infiltration before or after surgery in inguinal herniorahy, HENNART, D., *et al.*, (*ESA*) A.202
——, Pain relief after anterior cruciate ligament repair, CARROLL, P. H., *et al.*, (*C*) 600
——, Pain relief after anterior cruciate ligament repair, JOSHI, G. P., (*C*) 600
——, Pre-emptive analgesia, DAHL, J. B., *et al.*, (*C*) 379
——, Pre-emptive analgesia, KATZ, J., *et al.*, (*C*) 378
——, Preemptive analgesia with epidural morphine, NÈGRE, I., *et al.*, (*ESA*) A.203
——, Pre-emptive extradural analgesia, HARDY, P. A. J., (*C*) 493
——, Preoperative indomethacin for pain relief after thoracotomy: comparison with postoperative indomethacin, MURPHY, D. F., *et al.* 298–300
——, The value of pre-emptive analgesia in the treatment of postoperative pain, DAHL, J. B., *et al.* 434–439
Analgesic techniques, extradural, Adequate pain relief with epidural analgesia during labor: why are women still dissatisified? HAMZA, J., *et al.*, (*ESA*) A.171
——, Diamorphine/bupivacaine mixture *vs* plain bupivacaine: a comparison of epidural infusions in labour, BAILEY, C. R., *et al.*, (*ESA*) A.169
——, Diaphragmatic function after bupivacaine cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.65
——, Effect of extradural analgesia on stress responses to abdominal surgery in infants, WOLF, A. R., *et al.* 654–660
——, Epidural administration of liposomal bupivacaine for the management of postsurgical pain, BOOGAERTS, J., *et al.*, (*ESA*) A.200
——, Epidural clonidine analgesia after major gynaecological surgery, SMILOV, I., *et al.*, (*ESA*) A.176
——, Epidural clonidine and myocardial ischaemia after abdominal aortic surgery, FULGENCIO, J. P., *et al.*, (*ESA*) A.42
——, Extradural 0.07% bupivacaine for postoperative pain, SLADE, J. M., (*ARS*) 478P

——, Intermittent *vs* continuous extradural infusion of bupivacaine during labour, EDDLESTON, J. M., (*C*) 490
——, Intermittent *vs* continuous extradural infusion of bupivacaine during labour, LAISHLEY, R. S., (*C*) 490
——, Pain relief for infants undergoing abdominal surgery: comparison of infusions of i.v. morphine and extradural bupivacaine, WOLF, A. R., *et al.* 10–16
——, Partial reversal of the effects of extradural clonidine by oral yohimbine in postoperative patients, LIU, N., *et al.* 515–518
——, Patient controlled epidural analgesia *vs* intermittent injections during labor using 0.125% bupivacaine and sufentanil, BAUDOT, J., *et al.*, (*ESA*) A.170
——, Patient-controlled extradural analgesia to compare bupivacaine, fentanyl and bupivacaine with fentanyl in the treatment of postoperative pain, COOPER, D. W., *et al.* 503–507
——, Postoperative hypoxaemia: comparison of epidural and patient controlled analgesia, SPENCER, A., *et al.*, (*ESA*) A.207
——, Preemptive analgesia with epidural morphine, NÈGRE, I., *et al.*, (*ESA*) A.203
——, Pre-emptive extradural analgesia, HARDY, P. A. J., (*C*) 493
——, Spinal extradural abscess: pursuit of vigilance, BROMAGE, P. R. 471–473
——, Use of thoracic epidural block for perioperative analgesia in children, ENTRESS, A. H., *et al.*, (*ESA*) A.158
Analgesic techniques, i.m., Pharmacokinetics and effects of i.m. alfentanil as premedication for outpatient cataract surgery, ALI-MELKKILÄ, T., *et al.*, (*ESA*) A.145
Analgesic techniques, infiltration, Analgesia by wound infiltration before or after surgery in inguinal hernioraphy, HENNART, D., *et al.*, (*ESA*) A.202
Analgesic techniques, infusion, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, MCHALE, S., *et al.*, (*C*) 701
——, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, RUSSELL, R., (*C*) 699–700
——, Intrathecal pain relief in terminally ill cancer patients at home, WAGEMANS, M. F. M., *et al.*, (*ESA*) A.213
Analgesic techniques, intra-articular, Intra-articular morphine for pain relief after anterior cruciate ligament repair, JOSHI, G. P., *et al.* 87–88
——, Pain relief after anterior cruciate ligament repair, CARROLL, P. H., *et al.*, (*C*) 600
——, Pain relief after anterior cruciate ligament repair, JOSHI, G. P., (*C*) 600
Analgesic techniques, i.v., Pain relief for infants undergoing abdominal surgery: comparison of infusions of i.v. morphine and extradural bupivacaine, WOLF, A. R., *et al.* 10–16
Analgesic techniques, nasal, Intranasal fentanyl for breakthrough cancer pain or incident pain, STRIEBEL, W. H., *et al.*, (*ESA*) A.210
——, Intranasal fentanyl for postoperative pain management in an unselected population, STRIEBEL, W. H., *et al.*, (*ESA*) A.209
——, Pharmacokinetics of intranasal fentanyl, STRIEBEL, H. W., *et al.*, (*ESA*) A.208
Analgesic techniques, subarachnoid, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, MCHALE, S., *et al.*, (*C*) 701
——, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, RUSSELL, R., (*C*) 699–700
——, Intrathecal pain relief in terminally ill cancer patients at home, WAGEMANS, M. F. M., *et al.*, (*ESA*) A.213
——, Involvement of μ, δ, and κ receptors in the inhibition by intrathecal morphine of a C-fibre evoked reflex in the rat, GUIRIMAND, F., *et al.*, (*ESA*) A.116
Analgesics anti-inflammatory, steroid, Spinal extradural abscess: pursuit of vigilance, BROMAGE, P. R. 471–473
Analgesics non-opioid, diclofenac, Diclofenac and ketoprofen for pain treatment after elective Caesarean section, RORARIUS, M. G. F., *et al.* 293–297
——, The effect of parenteral diclofenac and morphine on efficacy duration and height of blockade during continuous epidural bupivacaine 0.5%, FORBES, D., *et al.*, (*ESA*) A.125
Analgesics non-opioid, indomethacin, Preoperative indomethacin for pain relief after thoracotomy: comparison with postoperative indomethacin, MURPHY, D. F., *et al.* 298–300
Analgesics non-opioid, ketoprofen, Diclofenac and ketoprofen for pain treatment after elective Caesarean section, RORARIUS, M. G. F., *et al.* 293–297
Analgesics non-opioid, ketorolac, Ketorolac postoperative analgesia, AL-HASANI, A., (*C*) 112–113
——, Ketorolac postoperative analgesia, KINSELLA, J., (*C*) 113
——, Safety of PCA in elderly, SANTANGELO, E., *et al.*, (*ESA*) A.206
Analgesics opioid, alfentanil, Closed-loop feedback controlled administration of alfentanil during alfentanil–nitrous oxide anaesthesia, SCHWILDEN, H., *et al.* 389–393
——, Comparison of alfentanil with suxamethonium in facilitating nasotracheal intubation in day-case anaesthesia, ALCOCK, R., *et al.* 34–37
——, Differential effects of alfentanil, fentanyl, pethidine and lignocaine administered intrathecally on nociceptive responses evoked by low and high frequency stimulation of somatic nerves, WANG, C., *et al.* 63–69
——, Effects of oral preoperative guanfacine on anesthetics requirements, ENGELMAN, E., *et al.*, (*ESA*) A.144
——, Midazolam–alfentanil: an anaesthetic? An investigation using the isolated forearm technique, RUSSELL, I. F. 42–46
——, Ondansetron 4 mg *vs* droperidol 1.25 mg in the prophylaxis of postoperative nausea and vomiting after alfentanil-supplemented inhalation anaesthesia, ALON, E., *et al.*, (*ESA*) A.12
——, Pharmacokinetic behaviour of transdermal fentanyl, VAN BASTELAERE, M., *et al.*, (*ESA*) A.146
——, Pharmacokinetics and effects of i.m. alfentanil as premedication for outpatient cataract surgery, ALI-MELKKILÄ, T., *et al.*, (*ESA*) A.145
——, Propofol and alfentanil mixture, SANDIN, R., (*C*) 382–383
——, Propofol and alfentanil mixture, TAYLOR, I. N., *et al.*, (*C*) 383
——, Propofol and alfentanil or thiopentone and suxamethonium for tracheal intubation, BECK, G. N., *et al.*, (*ARS*) 483P
——, Quality of induction: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.154
——, Total intravenous anaesthesia (TIVA) with propofol and alfentanil for renal transplantation, KIRVELÄ, M., *et al.*, (*ESA*) A.81
——, Tracheal intubation after induction of anaesthesia with propofol, alfentanil and i.v. lignocaine, DAVIDSON, J. A. H., *et al.* 163–166
——, Use of alfentanil with propofol for nasotracheal intubation without neuromuscular block, COGHLAN, S. F. E., *et al.* 89–91
Analgesics opioid, buprenorphine, Blended anaesthesia in pediatric major surgery: top-up *vs* epidural continuous infusion, SAVOIA, G., *et al.*, (*ESA*) A.159
——, Efficacy of postoperative pain treatment regimens using both buprenorphine and papaveretum sequentially after abdominal hysterectomy, GREEN, D. W., *et al.* 626–630
——, Fentanyl or buprenorphine side effects in spinal anaesthesia, FOPPOLI, R., *et al.*, (*ESA*) A.132
——, Safety of PCA in elderly, SANTANGELO, E., *et al.*, (*ESA*) A.206
Analgesics opioid, diamorphine, Diamorphine/bupivacaine mixture *vs* plain bupivacaine: a comparison of epidural infusions in labour, BAILEY, C. R., *et al.*, (*ESA*) A.169
Analgesics opioid, fentanyl, A comparison of midazolam and midazolam plus fentanyl for colonoscopy, DUPONT, H., *et al.*, (*ESA*) A.9
——, A continuous subdural block, COLLIER, C. B., *et al.* 462–465
——, Differential effects of alfentanil, fentanyl, pethidine and lignocaine administered intrathecally on nociceptive responses evoked by low and high frequency stimulation of somatic nerves, WANG, C., *et al.* 63–69
——, Does propofol supplemented anaesthesia affect neurophysiological outcome following cardiopulmonary bypass? PHILLIPS, A. S., *et al.*, (*ARS*) 484P
——, Effect of fentanyl on [^{3}H]noradrenaline uptake in isolated neuronal cell preparations, ATCHESON, R., *et al.*, (*ARS*) 485P
——, Effects of intrathecal meperidine (MP), fentanyl (FN) and lidocaine (LD) on somatosensory (SSEP) and cortical motor (CMEP) evoked potentials in humans, FERNANDEZ, S., *et al.*, (*ESA*) A.119
——, Effects of morphine and its metabolites on opiate receptor binding and cyclic adenosine-3′,5′-monophosphate (cAMP) formation in human neuroblastoma cells, LAMBERT, D. G., *et al.*, (*ARS*) 475–476P
——, Fentanyl, as pethidine, inhibits post anaesthesia shivering, ALFONSI, P., *et al.*, (*ESA*) A.74

——, Fentanyl or buprenorphine side effects in spinal anaesthesia, FOPPOLI, R., *et al.*, (*ESA*) A.132
——, Intranasal fentanyl for breakthrough cancer pain or incident pain, STRIEBEL, W. H., *et al.*, (*ESA*) A.210
——, Intranasal fentanyl for postoperative pain management in an unselected population, STRIEBEL, W. H., *et al.*, (*ESA*) A.209
——, Patient-controlled extradural analgesia to compare bupivacaine, fentanyl and bupivacaine with fentanyl in the treatment of postoperative pain, COOPER, D. W., *et al.* 503–507
——, Pharmacokinetics of intranasal fentanyl, STRIEBEL, H. W., *et al.*, (*ESA*) A.208
——, Pre-emptive analgesia, DAHL, J. B., *et al.*, (*C*) 379
——, Pre-emptive analgesia, KATZ, J., *et al.*, (*C*) 378
——, Preoxygenation and Sp_{O_2} after induction of anaesthesia with propofol and fentanyl, RITTOO, D. B., *et al.*, (*ARS*) 486P
——, Propofol/fentanyl-anesthesia in patients with highly depressed cardiac function, RAUCH, H., *et al.*, (*ESA*) A.30
——, Relative efficacy and potency of nalmefene, a long-acting opioid antagonist, WATSON, N. A., *et al.*, (*ARS*) 479P
——, Subarachnoid anaesthesia (SAA) and postoperative analgesia with bupivacaine (BV) plus fentanyl (FN) in geriatric patients, FERNANDEZ, D., *et al.*, (*ESA*) A.131
Analgesics opioid, methadone, Ventilatory effects of morphine, pethidine and methadone in children, HAMUNEN, K. 414–418
Analgesics opioid, morphine, Addition of droperidol to patient-controlled analgesia: effect on nausea and vomiting, WILLIAMS, O. A., *et al.*, (*ARS*) 479P
——, Addition of droperidol to PCA morphine: what is the optimal dose? LAMOND, C. T., *et al.*, (*ESA*) A.204
——, Analgesia by wound infiltration before or after surgery in inguinal hernioraphy, HENNART, D., *et al.*, (*ESA*) A.202
——, Effect of morphine on a nociceptive flexion reflex in patients with postoperative pain, CHAUVIN, M., *et al.*, (*ESA*) A.115
——, Effects of morphine and its metabolites on opiate receptor binding and cyclic adenosine-3′,5′-monophosphate (cAMP) formation in human neuroblastoma cells, LAMBERT, D. G., *et al.*, (*ARS*) 475–476P
——, High dose oral morphine in cancer pain management, RADBRUCH, L., *et al.*, (*ESA*) A.212
——, Intra-articular morphine for pain relief after anterior cruciate ligament repair, JOSHI, G. P., *et al.* 87–88
——, Intrathecal pain relief in terminally ill cancer patients at home, WAGEMANS, M. F. M., *et al.*, (*ESA*) A.213
——, Involvement of μ, δ, and κ receptors in the inhibition by intrathecal morphine of a C-fibre evoked reflex in the rat, GUIRIMAND, F., *et al.*, (*ESA*) A.116
——, Ketorolac postoperative analgesia, AL-HASANI, A., (*C*) 112–113
——, Ketorolac postoperative analgesia, KINSELLA, J., (*C*) 113
——, Pain relief after anterior cruciate ligament repair, JOSHI, G. P., (*C*) 600
——, Pain relief for infants undergoing abdominal surgery: comparison of infusions of i.v. morphine and extradural bupivacaine, WOLF, A. R., *et al.* 10–16
——, Postoperative analgesia: a two dosage regimens trial for i.m. morphine after early i.v. titration, BUTSCHER, K., *et al.*, (*ESA*) A.201
——, Postoperative hypoxaemia: comparison of epidural and patient controlled analgesia, SPENCER, A., *et al.*, (*ESA*) A.207
——, Pre-emptive analgesia, DAHL, J. B., *et al.*, (*C*) 379
——, Pre-emptive analgesia, KATZ, J., *et al.*, (*C*) 378
——, Preemptive analgesia with epidural morphine, NÈGRE, I., *et al.*, (*ESA*) A.203
——, Relative efficacy and potency of nalmefene, a long-acting opioid antagonist, WATSON, N. A., *et al.*, (*ARS*) 479P
——, Safety of PCA in elderly, SANTANGELO, E., *et al.*, (*ESA*) A.206
——, The effect of parenteral diclofenac and morphine on efficacy duration and height of blockade during continuous epidural bupivacaine 0.5%, FORBES, D., *et al.*, (*ESA*) A.125
——, Treatment of cancer pain with morphine (MO)—A double blind study of extradural (ED) *versus* intramuscular (im) routes of administration, NATH, S., *et al.*, (*ESA*) A.211
——, Ventilatory effects of morphine, pethidine and methadone in children, HAMUNEN, K. 414–418
Analgesics opioid, morphine-3-glucuronide, Effects of morphine and its metabolites on opiate receptor binding and cyclic adenosine-3′,5′-monophosphate (cAMP) formation in human neuroblastoma cells, LAMBERT, D. G., *et al.*, (*ARS*) 475–476P
Analgesics opioid, morphine-6-glucuronide, Effects of morphine and its metabolites on opiate receptor binding and cyclic adenosine-3′,5′-monophosphate (cAMP) formation in human neuroblastoma cells, LAMBERT, D. G., *et al.*, (*ARS*) 475–476P
——, Morphine-6-glucuronide disposition in renal impairment, HANNA, M. H., *et al.* 511–514
Analgesics opioid, papaveretum, Efficacy of postoperative pain treatment regimens using both buprenorphine and papaveretum sequentially after abdominal hysterectomy, GREEN, D. W., *et al.* 626–630
Analgesics opioid, pethidine, A physiological model for the distribution of injected agents, with special reference to pethidine, DAVIS, N. R., *et al.* 248–258
——, Differential effects of alfentanil, fentanyl, pethidine and lignocaine administered intrathecally on nociceptive responses evoked by low and high frequency stimulation of somatic nerves, WANG, C., *et al.* 63–69
——, Effects of intrathecal meperidine (MP), fentanyl (FN) and lidocaine (LD) on somatosensory (SSEP) and cortical motor (CMEP) evoked potentials in humans, FERNANDEZ, S., *et al.*, (*ESA*) A.119
——, Evaluation of the analgesic effect of metoclopramide after opioid-free analgesia, LISANDER, B. 631–633
——, Fentanyl, as pethidine, inhibits post anaesthesia shivering, ALFONSI, P., *et al.*, (*ESA*) A.74
——, Propofol anaesthesia with spontaneous breathing for extracorporeal shock wave lithotripsy, PASCH, T., *et al.*, (*ESA*) A.153
——, Ventilatory effects of morphine, pethidine and methadone in children, HAMUNEN, K. 414–418
Analgesics opioid, sufentanil, Echocardiographic study of the induction with a low-dose of sufentanil for coronary artery surgery, BROMBERG, N., *et al.*, (*ESA*) A.28
——, Patient controlled epidural analgesia *vs* intermittent injections during labor using 0.125% bupivacaine and sufentanil, BAUDOT, J., *et al.*, (*ESA*) A.170
——, Sufentanil first-pass pulmonary uptake at three different steady state concentrations of the drug, BOER, F., *et al.*, (*ESA*) A.147
——, Sufentanil increases intracranial pressure in patients with head trauma, ALBANESE, J., *et al.*, (*ESA*) A.107
Anatomy, jugular vein, Use of ultrasound to evaluate internal jugular vein anatomy and to facilitate central venous cannulation in paediatric patients, ALDERSON, P. J., *et al.* 145–148
Anesthésie et Analgésie en Obstétrique. Collection d'Anesthésiologie et de Réanimation, Vol. 33, SCHOEFFLER, P., (editor), (*R*) 708
Antacids, metoclopramide, Comparison of ondansetron, metoclopramide and droperidol for the prophylaxis of emetic symptoms after gynecological laparoscopic procedures, GEIGER, C., *et al.*, (*ESA*) A.14
——, Pain on i.v. injection of metoclopramide, WILKINSON, D. J., (*C*) 239
Antagonists benzodiazepine, flumazenil, Flumazenil facilitates intraoperative arousal in scoliosis surgery, KOSCIELNIAK-NIELSEN, Z. J., *et al.*, (*ESA*) A.157
——, Pharmacokinetics of flumazenil and midazolam, JONES, R. D. M., *et al.* 286–292
Antagonists benzodiazepine, Ro 15-4513, Nitrous oxide induced neuronal depression: modification through benzodiazepine receptors, DZOLJIC, M., *et al.*, (*ESA*) A.112
Antagonists miscellaneous, Comparison of ondansetron, metoclopramide and droperidol for the prophylaxis of emetic symptoms after gynecological laparoscopic procedures, GEIGER, C., *et al.*, (*ESA*) A.14
——, Double-blind comparison of ondansetron, droperidol and saline for prevention of nausea & vomiting after orthopaedic surgery, GAN, T. J., *et al.*, (*ESA*) A.13
——, Ondansetron 4 mg *vs* droperidol 1.25 mg in the prophylaxis of postoperative nausea and vomiting after alfentanil-supplemented inhalation anaesthesia, ALON, E., *et al.*, (*ESA*) A.12
——, Partial reversal of the effects of extradural clonidine by oral yohimbine in postoperative patients, LIU, N., *et al.* 515–518
Antagonists neuromuscular block, edrophonium, Neostigmine and edrophonium antagonism of moderate neuromuscular block induced by pancuronium or tubocurarine, SHORTEN, G. D., *et al.* 160–162
Antagonists neuromuscular block, neostigmine, Neostigmine and edrophonium antagonism of moderate neuromuscular block induced by pancuronium or tubocurarine, SHORTEN, G. D., *et al.* 160–162
——, Neostigmine antagonism of neuromuscular blockade induced by mivacurium, vecuronium and atracurium, DERNOVOI, B. S., *et al.*, (*ESA*) A.137

——, Prejunctional action of neostigmine on mouse neuromuscular preparations, BRAGA, M. F. M., *et al.* 405–410
——, Reversal of vecuronium induced neuromuscular blockade: no effects of atropine administration timing, BAURAIN, M. J., *et al.*, (*ESA*) A.134
Antagonists opioid, miscellaneous, Differential effects of specific delta and kappa opioid antagonists on the bidirectionnal effect of naloxone in arthritic rats, CATTANEO, I., *et al.*, (*ESA*) A.114
——, Involvement of μ, δ, and κ receptors in the inhibition by intrathecal morphine of a C-fibre evoked reflex in the rat, GUIRIMAND, F., *et al.*, (*ESA*) A.116
Antagonists opioid, nalmefene, Relative efficacy and potency of nalmefene, a long-acting opioid antagonist, WATSON, N. A., *et al.*, (*ARS*) 479P
Antagonists opioid, naloxone, Differential effects of specific delta and kappa opioid antagonists on the bidirectionnal effect of naloxone in arthritic rats, CATTANEO, I., *et al.*, (*ESA*) A.114
——, Relative efficacy and potency of nalmefene, a long-acting opioid antagonist, WATSON, N. A., *et al.*, (*ARS*) 479P
Antibiotics, External ventricular CSF drains infections, MAHÉ, V., *et al.*, (*ESA*) A.109
Anti-cardiolipin antibody syndrome, Anaesthetic implications of the anti-cardiolipin antibody syndrome, MENON, G., *et al.* 587–590
Arterial pressure, drug effects, Mechanisms of ECG changes during Caesarean section (CS)—a hypothesis, SVANSTRÖM, M., *et al.*, (*ESA*) A.177
Arterial pressure, hypertension, aspirin, Aspirin, bleeding time and central neural block, WILDSMITH, J. A. W., *et al.*, (*C*) 112
Arterial pressure, hypotension, Adrenaline-induced hypotension in neurosurgery, PHILLIPS, S., *et al.* 687–688
——, Prevention and treatment of hypotension during central neural block, MCCRAE, A. F., *et al.* 672–680
Arterial pressure, measurement, Clinical evaluation of the calibration of noninvasive continuous blood pressure measurement devices by means of oscillometric blood pressure measurements, DE JONG, J. R., *et al.*, (*ESA*) A.15
——, Comparison of automatic oscillometric arterial pressure measurement with conventional auscultatory measurement in the labour ward, HASAN, M. A., *et al.* 141–144
Assessment, preanaesthetic, Antepartum assessment for anaesthesia, CODY, M., *et al.*, (*C*) 116
——, Antepartum assessment for anaesthesia, REYNOLDS, F., (*C*) 116
——, Antepartum assessment for anaesthesia, UNCLES, D. R., *et al.*, (*C*) 116
——, Logistic regression analysis of fixed patient factors for postoperative sickness: a model for risk assessment, PALAZZO, M., *et al.* 135–140

Biotransformation (drug), anaesthetics volatile, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
Biotransformation (drug), diazepam, Hepatic elimination of diazepam: interactions with albumin, desflurane and sevoflurane, DALE, O., *et al.* 454–455
Blood, anaesthetic concentration, Determination of a pharmacokinetic model for propofol induction of anaesthesia, VIVIAND, X., *et al.*, (*ESA*) A.150
——, Pharmacokinetics of propofol administered by infusion in dogs undergoing surgery, NOLAN, A., *et al.* 546–551
——, Target-controlled intravenous sedation with propofol, MERGAERT, C., *et al.*, (*ESA*) A.149
Blood, anticoagulants, aspirin, Inhibition of increase of blood thromboxane concentration by acetylsalicylic acid after release of tourniquet in lower extremity operations, OJANEN, R., *et al.*, (*ESA*) A.94
Blood, chemotaxis, Propofol decreases random and chemotactic stimulated locomotion of human neutrophils *in vitro*, JENSEN, A. G., *et al.* 99–100
Blood, coagulation, Anaesthesia affects plasma concentrations of vasopressin, von Willebrand factor and coagulation factor VIII in cardiac surgical patients, KUITUNEN, A., *et al.* 173–180
——, Aprotinin does not decrease surgical bleeding and could promote arterial thrombosis in the pig: a prospective randomized, blind, study, SAMAMA, C. M., *et al.*, (*ESA*) A.100
——, Aspirin, bleeding time and central neural block, WILDSMITH, J. A. W., *et al.*, (*C*) 112
——, Blood requirements reduction in orthotopic liver transplantation with aprotinin, MONEDERO, P., *et al.*, (*ESA*) A.98
——, Haemostasis and thrombelastography: a cautious note, GUPTA, N. K., *et al.*, (*C*) 699
——, Haemostasis and thrombelastography: a cautious note, MALLETT, S. V., *et al.*, (*C*) 699–700
——, High dose aprotinin *versus* desmo-pressin acetate treatment in cardiac surgery, HIDALGO, F., *et al.*, (*ESA*) A.99
——, The combined prophylactic administration of H1 and H2 receptor blockers in the prevention of protamine related haemodynamic effects and the relation between antihistaminics-leucocytes and pulmonary vascular resistance, DURAK, P., *et al.*, (*ESA*) A.95
——, The haemostatic response to surgery and trauma, MURPHY, W. G., *et al.* 205–213
——, The relationship between cardiopulmonary bypass related immunologic effects and complement, thromboxane and leucocyte parameters, DURAK, P., *et al.*, (*ESA*) A.96
——, Use of aprotinine during cytoreductive surgery of ovarian cancer, LEQUEAU, F., *et al.*, (*ESA*) A.97
Blood, erythrocytes, The role of recombinant growth factors in transfusion medicine, GOODNOUGH, L. T. 80–86
Blood, flow, The haemostatic response to surgery and trauma, MURPHY, W. G., *et al.* 205–213
Blood, flow, feto–uteroplacental, Incremental spinal anaesthesia for elective Caesarean section: maternal and fetal haemodynamic effects, ROBSON, S. C., *et al.* 634–638
Blood, flow, forearm, Comparison of the onset of depolarizing *vs* non-depolarizing block after early tourniquet release in the isolated forearm, HOOD, J. R., *et al.*, (*ARS*) 480P
——, Recovery of atracurium and vecuronium neuromuscular block in the isolated forearm, LAW MIN, J.-C., *et al.*, (*ARS*) 480–481P
Blood, flow, skin, Effects of intradermal lignocaine and mepivacaine on human cutaneous circulation in areas with histamine-induced neurogenic inflammation, FRUHSTORFER, H., *et al.* 167–172
Blood, glucose, Neonatal glycemia: does the maternal i.v. fluid regimen during labor make a difference? MENIGAUX, C., *et al.*, (*ESA*) A.175
Blood, haematopoiesis, Effects of recombinant-human erythropoietin on postoperative transfusion requirements in subjects undergoing major orthopaedic surgery, FARIS, P. P., *et al.*, (*ESA*) A.101
——, The role of recombinant growth factors in transfusion medicine, GOODNOUGH, L. T. 80–86
Blood, haemodialysis, Morphine-6-glucuronide disposition in renal impairment, HANNA, M. H., *et al.* 511–514
Blood, haemodilution, Effect of selective cell separation on respiratory function after aortic aneurysm surgery, MCKAVNEY, M., *et al.*, (*ARS*) 475P
——, Perioperative blood loss, APPADU, B., (*C*) 492–493
Blood, haemofiltration, Mortality in ITU patients receiving neuromuscular blocking drugs, HUNTER, J. M., *et al.*, (*C*) 238–239
Blood, haemolysis, Does etomidate cause haemolysis? DOENICKE, A., *et al.*, (*C*) 491
——, Does etomidate cause haemolysis? WERTZ, E., (*C*) 490–491
Blood, leucocytes, Effects of diazepam additives on the mononuclear phagocytic system, CATALÁ, J. C., *et al.*, (*ESA*) A.89
——, Platelet serotonin is a mediator potentially involved in anaphylactic reaction to neuromuscular blocking drugs, BERMEJO, N., *et al.* 322–325
——, The combined prophylactic administration of H1 and H2 receptor blockers in the prevention of protamine related haemodynamic effects and the relation between antihistaminics-leucocytes and pulmonary vascular resistance, DURAK, P., *et al.*, (*ESA*) A.95
——, The relationship between cardiopulmonary bypass related immunologic effects and complement, thromboxane and leucocyte parameters, DURAK, P., *et al.*, (*ESA*) A.96
Blood, loss, Adrenaline-induced hypotension in neurosurgery, PHILLIPS, S., *et al.* 687–688
——, Aprotinin does not decrease surgical bleeding and could promote arterial thrombosis in the pig: a prospective randomized, blind, study, SAMAMA, C. M., *et al.*, (*ESA*) A.100
——, Blood loss during total hip replacement, JONES, N. O., *et al.*, (*C*) 235–236
——, Blood loss during total hip replacement, MCSWINEY, M., (*C*) 236
——, Blood requirements reduction in orthotopic liver transplantation with aprotinin, MONEDERO, P., *et al.*, (*ESA*) A.98
——, High dose aprotinin *versus* desmo-pressin acetate treatment in cardiac surgery, HIDALGO, F., *et al.*, (*ESA*) A.99
——, Perioperative blood loss, APPADU, B., (*C*) 492–493
——, Perioperative blood loss, SMITH, G., (*C*) 493

——, The effects of bupivacaine, mepivacaine and prilocaine on platelet aggregation, BAYHAN, N., *et al.*, (*ESA*) A.123
——, Use of aprotinine during cytoreductive surgery of ovarian cancer, LEQUEAU, F., *et al.*, (*ESA*) A.97
Blood, neutrophils, Benzodiazepines and their solvents influence neutrophil granulocyte function, WEISS, M., *et al.* 317–321
——, Effect of propofol on neutrophil respiratory burst, OGILVY, A. J., *et al.*, (*ARS*) 476P
——, Propofol decreases random and chemotactic stimulated locomotion of human neutrophils *in vitro*, JENSEN, A. G., *et al.* 99–100
Blood, platelets, Acute preoperative plasmapheresis during cardiac surgery, ARMELLIN, G., *et al.*, (*ESA*) A.104
——, Platelet serotonin is a mediator potentially involved in anaphylactic reaction to neuromuscular blocking drugs, BERMEJO, N., *et al.* 322–325
——, The effects of bupivacaine, mepivacaine and prilocaine on platelet aggregation, BAYHAN, N., *et al.*, (*ESA*) A.123
——, The role of recombinant growth factors in transfusion medicine, GOODNOUGH, L. T. 80–86
Blood, replacement, Acute preoperative plasmapheresis during cardiac surgery, ARMELLIN, G., *et al.*, (*ESA*) A.104
——, Blood requirements reduction in orthotopic liver transplantation with aprotinin, MONEDERO, P., *et al.*, (*ESA*) A.98
——, Effects of plasma volume substitution on right ventricle volumes and function using Elohes* and Plasmion*, LEPAGE, J. Y., *et al.*, (*ESA*) A.35
——, Effects of recombinant-human erythropoietin on postoperative transfusion requirements in subjects undergoing major orthopaedic surgery, FARIS, P. P., *et al.*, (*ESA*) A.101
——, High dose aprotinin *versus* desmo-pressin acetate treatment in cardiac surgery, HIDALGO, F., *et al.*, (*ESA*) A.99
——, Hypertonic solutions in acute massive haemorrhage, BRIMACOMBE, J., *et al.*, (*C*) 705
——, Hypertonic solutions in acute massive haemorrhage, PARK, G. R., (*C*) 706
——, Preoperative autotransfusion in emergency surgery for spine trauma, RIOU, B., *et al.*, (*ESA*) A.102
——, Volume replacement with hydroxyethyl starch solution in children, BOLDT, J., *et al.* 661–665
Blood, salvage, Acute preoperative plasmapheresis during cardiac surgery, ARMELLIN, G., *et al.*, (*ESA*) A.104
——, Effects of postoperative auto-transfusion in spine surgery, RIOU, B., *et al.*, (*ESA*) A.103
——, Preoperative autotransfusion in emergency surgery for spine trauma, RIOU, B., *et al.*, (*ESA*) A.102
Blood, transfusion, Blood loss during total hip replacement, JONES, N. O., *et al.*, (*C*) 235–236
——, Blood loss during total hip replacement, MCSWINEY, M., (*C*) 236
——, Hypertonic solutions in acute massive haemorrhage, BRIMACOMBE, J., *et al.*, (*C*) 705
——, Hypertonic solutions in acute massive haemorrhage, PARK, G. R., (*C*) 706
Blood, volume, A comparison between various hemodynamic parameters reflecting preload during graded hemorrhage in ventilated dogs, PREISMAN, S., *et al.*, (*ESA*) A.51
——, Effects of plasma volume substitution on right ventricle volumes and function using Elohes* and Plasmion*, LEPAGE, J. Y., *et al.*, (*ESA*) A.35
——, Glycine and its metabolites during and after intrauterine YAG laser surgery, VAN BOVEN, M. J., *et al.*, (*ESA*) A.87
——, Hypertonic solutions in acute massive haemorrhage, BRIMACOMBE, J., *et al.*, (*C*) 705
——, Hypertonic solutions in acute massive haemorrhage, PARK, G. R., (*C*) 706
——, Prevention and treatment of hypotension during central neural block, MCCRAE, A. F., *et al.* 672–680
——, Prevention of acute tubular necrosis by volume loading in kidney transplantation, MOUQUET, C., *et al.*, (*ESA*) A.82
——, Propofol/fentanyl-anesthesia in patients with highly depressed cardiac function, RAUCH, H., *et al.*, (*ESA*) A.30
——, The systolic pressure variation predicts response to volume loading in patients ventilated after aortic surgery, CORIAT, P., *et al.*, (*ESA*) A.38
——, Use of transoesophageal echocardiography to manage beta-adrenoceptor block and assess left ventricular function in a patient with phaeochromocytoma, RYAN, T., *et al.* 101–103
——, Volume loading and hormonal factors in the prevention of acute tubular necrosis in kidney transplantation, MOUQUET, C., *et al.*, (*ESA*) A.83
——, Volume replacement with hydroxyethyl starch solution in children, BOLDT, J., *et al.* 661–665

Book Reviews
ABC of Transfusion, 2nd Edn, CONTRERAS, M., (editor), (*R*) 495
Adult Respiratory Distress Syndrome, ARTIGAS, A., *et al.*, (editors), (*R*) 117
Anaesthesia Review 9, KAUFMAN, L., (editor), (*R*) 385
Anesthésie et Analgésie en Obstétrique. Collection d'Anesthésiologie et de Réanimation, Vol. 33, SCHOEFFLER, P., (editor), (*R*) 708
British Medical Bulletin: A Series of Expert Reviews. Pain, Mechanisms and Management, WELLS, J. C. D., *et al.*, (editors), (*R*) 495
Collection d'Anesthésiologie et de Réanimation, Volume 30: Monitorage Non-Invasif en Réanimation, ANNAT, G., *et al.*, (editors), (*R*) 117
Conduction Blockade for Postoperative Analgesia: Mechanisms and Management, MCCLURE, J. H., *et al.*, (editors), (*R*) 239
Electrical Trauma: the Pathophysiology, Manifestations and Clinical Management, LEE, R. C., *et al.*, (editors), (*R*) 601
Essay Plans for Anaesthesia Exams, MICHEL, M. Z., *et al.*, (*R*) 709
Handbook of Percutaneous Central Venous Catheterisation, 2nd Edn, ROSEN, M., *et al.*, (editors), (*R*) 601
Hyperalgesia and Allodynia, WILLIS, W., (editor), (*R*) 385
Hypoxia, Metabolic Acidosis and the Circulation, ARIEFF, A. I., (editor), (*R*) 118
Key Topics in Anaesthesia, CRAFT, T. M., *et al.*, (editors), (*R*) 117
Management of Acute Pain: A Practical Guide, READY, L. B., *et al.*, (editors), (*R*) 495
MCQs in Anaesthesia: Basic Sciences, KUMAR, B., (editor), (*R*) 117
Medical Writing: A Prescription for Clarity, GOODMAN, N., *et al.*, (editors), (*R*) 385
Moving to Audit, An Educational Package for Hospital Doctors and General Practitioners, ARNOLD, C., *et al.* 118
Principles and Protocols in Intensive Care, WILLATTS, S. M., *et al.*, (editors), (*R*) 239
Specialty Medical Audit (Medical Audit Series 4), SHAW, C., (*R*) 495
Techniques in Extracorporeal Circulation, 3rd Edn, KAY, P. H., (editor), (*R*) 239–240
The Complete Recovery Room Book, HATFIELD, A., *et al.*, (*R*) 709
The Oxford Textbook of Clinical Pharmacology and Drug Therapy, 2nd Edn, GRAHAM-SMITH, D. G., *et al.*, (*R*) 601
Transesophageal Echocardiography, CLEMENTS, F. M., *et al.*, (editors), (*R*) 708
Ward's Anaesthetic Equipment, 3rd Edn, DAVEY, A., *et al.*, (*R*) 240
Brain, blood flow, Cerebral blood flow velocities (CBFV) during anaesthesia for gynaecological laparoscopic surgery, GRANRY, J. C., *et al.*, (*ESA*) A.32
——, Cerebral perfusion during obstructive sleep apnea (OSA), BÅLFORS, E., *et al.*, (*ESA*) A.62
——, EEG-monitoring during defibrillator-implantation: effects of repetitive cerebral ischemia on electric brain activity, SPIES, C., *et al.*, (*ESA*) A.110
——, Effect of nitrous oxide on cerebral blood flow in normal humans, FIELD, L. M., *et al.* 154–159
——, Midazolam prevents ketamine-induced stimulation of cerebral metabolism, ÅKESON, J., *et al.*, (*ESA*) A.111
——, Sufentanil increases intracranial pressure in patients with head trauma, ALBANESE, J., *et al.*, (*ESA*) A.107
——, The choice of ECM rate could improve the neuroprotection during CPR, IANNUZZI, E., *et al.*, (*ESA*) A.195
——, Transcranial Doppler sonography: effect of propofol and thiopental in patients with brain tumors and brain injuries, SCHREGEL, W., *et al.*, (*ESA*) A.105
Brain, central monoamines, Effects of midazolam and flunitrazepam on the release of dopamine from rat striatum measured by *in vivo* microdialysis, TAKADA, K., *et al.* 181–185
Brain, electroencephalography, Closed-loop feedback controlled administration of alfentanil during alfentanil–nitrous oxide anaesthesia, SCHWILDEN, H., *et al.* 389–393
——, EEG-monitoring during defibrillator-implantation: effects of repetitive cerebral ischemia on electric brain activity, SPIES, C., *et al.*, (*ESA*) A.110
——, Nitrous oxide-mediated activation of the EEG during isoflurane anaesthesia in patients, YLI-HANKALA, A., *et al.* 54–57
Brain, evoked potentials, Accuracy of processed auditory evoked response in predicting movement during cardiac surgery, KUPPE, H., *et al.*, (*ESA*) A.31

——, Effect of nitrous oxide on auditory evoked potentials, JESSOP, J., *et al.*, (*C*) 380
——, Effect of nitrous oxide on auditory evoked potentials, PLOURDE, G., (*C*) 379–380
——, Effects of intrathecal meperidine (MP), fentanyl (FN) and lidocaine (LD) on somatosensory (SSEP) and cortical motor (CMEP) evoked potentials in humans, FERNANDEZ, S., *et al.*, (*ESA*) A.119
——, Nitrous oxide induced neuronal depression: modification through benzodiazepine receptors, DZOLJIC, M., *et al.*, (*ESA*) A.112
——, Validation of coherent frequency of the EEG as a measure of consciousness during anaesthesia, MUNGLANI, R., *et al.*, (*ARS*) 483–484P
Brain, GABA, Dexmedetomidine does not exercise its anesthetic action through GABA, SALONEN, M., *et al.*, (*ESA*) A.113
——, Effects of midazolam and flunitrazepam on the release of dopamine from rat striatum measured by *in vivo* microdialysis, TAKADA, K., *et al.* 181–185
Brain, injury, Transcranial Doppler sonography: effect of propofol and thiopental in patients with brain tumors and brain injuries, SCHREGEL, W., *et al.*, (*ESA*) A.105
Brain, intracranial pressure, Effect of esmolol *versus* lidocaine on intracranial pressure and haemodynamic responses to laryngoscopy and intubation, SAMAHA, T., *et al.*, (*ESA*) A.118
——, Jugular bulb metabolic monitoring during hyperventilation in severe head trauma patients, DE DEYNE, C., *et al.*, (*ESA*) A.106
——, Sufentanil increases intracranial pressure in patients with head trauma, ALBANESE, J., *et al.*, (*ESA*) A.107
Brain, ischaemia, EEG-monitoring during defibrillator-implantation: effects of repetitive cerebral ischemia on electric brain activity, SPIES, C., *et al.*, (*ESA*) A.110
——, Jugular bulb metabolic monitoring during hyperventilation in severe head trauma patients, DE DEYNE, C., *et al.*, (*ESA*) A.106
Brain, metabolism, Midazolam prevents ketamine-induced stimulation of cerebral metabolism, ÅKESON, J., *et al.*, (*ESA*) A.111
Brain, saccadic eye movements, Evaluation of saccadic eye movements as an objective test during recovery from anesthesia, PAUT, O., *et al.*, (*ESA*) A.10
British Medical Bulletin: A Series of Expert Reviews. Pain, Mechanisms and Management, WELLS, J. C. D., *et al.*, (editors), (*R*) 495
Burkitt's lymphoma, Is Burkitt's lymphoma an etiology or a differential diagnosis of malignant hyperthermia? LIENHART, A., *et al.*, (*ESA*) A.93
Burns, Electrode burns during local hyperthermia, STOTT, D. G., *et al.* 370–371

Calcium channel block, nicardipine, Does nicardipine potentiate the neuromuscular block of atracurium? BAZIN, J. E., *et al.*, (*ESA*) A.136
Calcium channel block, nifedipine, Effect of premedication with nifedipine on intraoperative hypothermia, VASSILIEFF, N., *et al.*, (*ESA*) A.71
Calcium channel block, ryanodine, Comparison of *in vitro* contracture testing with ryanodine, halothane and caffeine in malignant hyperthermia and other neuromuscular disorders, HOPKINS, P. M., *et al.* 397–401
Cancer, Electrode burns during local hyperthermia, STOTT, D. G., *et al.* 370–371
——, High dose oral morphine in cancer pain management, RADBRUCH, L., *et al.*, (*ESA*) A.212
——, Intranasal fentanyl for breakthrough cancer pain or incident pain, STRIEBEL, W. H., *et al.*, (*ESA*) A.210
——, Intrathecal pain relief in terminally ill cancer patients at home, WAGEMANS, M. F. M., *et al.*, (*ESA*) A.213
——, Is Burkitt's lymphoma an etiology or a differential diagnosis of malignant hyperthermia? LIENHART, A., *et al.*, (*ESA*) A.93
——, Postoperative hypoxaemia: comparison of epidural and patient controlled analgesia, SPENCER, A., *et al.*, (*ESA*) A.207
——, Transcranial Doppler sonography: effect of propofol and thiopental in patients with brain tumors and brain injuries, SCHREGEL, W., *et al.*, (*ESA*) A.105
——, Treatment of cancer pain with morphine (MO)—A double blind study of extradural (ED) *versus* intramuscular (im) routes of administration, NATH, S., *et al.*, (*ESA*) A.211
——, Use of aprotinine during cytoreductive surgery of ovarian cancer, LEQUEAU, F., *et al.*, (*ESA*) A.97
Carbon dioxide, measurement, Relationship between arterial P_{CO_2} (Pa_{CO_2}) and end tidal CO_2 ($ETCO_2$) recorded through a laryngeal mask (LMA) in children breathing spontaneously, VAN OBBERGH, L. J., *et al.*, (*ESA*) A.164
Carbon dioxide, partial pressure, An alternative method of increasing P_{CO_2} using apnoea and continuous positive airway pressure, KARLSTEN, R., *et al.* 411–413
——, Is correlation of arterial and end-tidal carbon dioxide pressure during inhalation anaesthesia better with laryngeal mask as compared to face mask? IVENS, D., *et al.*, (*ESA*) A.17
——, Relationship between arterial P_{CO_2} (Pa_{CO_2}) and end tidal CO_2 ($ETCO_2$) recorded through a laryngeal mask (LMA) in children breathing spontaneously, VAN OBBERGH, L. J., *et al.*, (*ESA*) A.164
——, Respiratory effects of laparoscopic cholecystectomy (preliminary data), CREA, M. A., *et al.*, (*ESA*) A.63
Carbon dioxide, rebreathing, Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously breathing adults, BARRIE, J. R., *et al.* 468–470
Cardiorespiratory system, effects, Abdominal wall retraction may decrease anaesthesiological risks of laparoscopic cholecystectomy, VERECZKEY, Z., *et al.*, (*ESA*) A.64
——, Diaphragmatic function after bupivacaine cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.65
——, Pulmonary and systemic vascular effects of isoproterenol, nitroglycerin and prostaglandin E1 early after cardiac operations in patients with pulmonary hypertension, ALVAREZ, J., *et al.*, (*ESA*) A.27
——, Respiratory effects of laparoscopic cholecystectomy (preliminary data), CREA, M. A., *et al.*, (*ESA*) A.63
——, The combined prophylactic administration of H1 and H2 receptor blockers in the prevention of protamine related haemodynamic effects and the relation between antihistaminics-leucocytes and pulmonary vascular resistance, DURAK, P., *et al.*, (*ESA*) A.95
Cardiovascular system, effects, Cardiovascular effects of a pancuronium–vecuronium mixture, DOYLE, M., *et al.*, (*ARS*) 486–487P
——, Cardiovascular effects of i.v. induction in children: comparison between propofol and thiopentone, AUN, C. S. T., *et al.* 647–653
——, Does exogenous dopamine reverse cardiovascular depression induced by isoflurane during thoracic epidural blockade? RANER, C., *et al.*, (*ESA*) A.49
——, Effects of nitrous oxide (N_2O) on systemic haemodynamics, regional left ventricular (LV) function and incidence of myocardial ischaemia (MI) in vascular surgical patients with coronary artery disease (CAD), HOHNER, P., *et al.*, (*ESA*) A.41
——, Local *versus* neurogenic vasodilator effects of desflurane and isoflurane in the small intestine, SUNDEMAN, H., *et al.*, (*ESA*) A.50
Cardiovascular system, responses, Anaesthesia affects plasma concentrations of vasopressin, von Willebrand factor and coagulation factor VIII in cardiac surgical patients, KUITUNEN, A., *et al.* 173–180
——, Comparison of dobutamine with enoximone following open heart surgery in small children, INNES, P., *et al.*, (*ESA*) A.167
——, Differential effects of alfentanil, fentanyl, pethidine and lignocaine administered intrathecally on nociceptive responses evoked by low and high frequency stimulation of somatic nerves, WANG, C., *et al.* 63–69
——, Dose dependent effects of oral medication with midazolam, BIRO, P., *et al.*, (*ESA*) A.156
——, Echocardiographic study of the induction with a low-dose of sufentanil for coronary artery surgery, BROMBERG, N., *et al.*, (*ESA*) A.28
——, Effect of esmolol *versus* lidocaine on intracranial pressure and haemodynamic responses to laryngoscopy and intubation, SAMAHA, T., *et al.*, (*ESA*) A.118
——, Effects of oral preoperative guanfacine on anesthetics requirements, ENGELMAN, E., *et al.*, (*ESA*) A.144
——, Evaluation of cardiac function in ICU: right heart catheterization *vs* transesophageal echocardiography. Preliminary results, VIVIEN, B., *et al.*, (*ESA*) A.183
——, Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation: comparison between propofol and thiopentone, LINDGREN, L., *et al.* 306–310
——, Haemodynamic and metabolic consequences of aortic occlusion during abdominal aortic surgery, WHALLEY, D. G., *et al.* 96–98
——, Haemodynamic changes in patients undergoing laparoscopic cholecystectomy: measurement by transthoracic electrical bioimpedance, CRITCHLEY, L. A. H., *et al.* 681–683

——, Haemodynamic changes produced by inhalation anaesthetics in the presence of phosphodiesterase inhibition, MOLTER, G., *et al.* 428–433
——, Influence of pneumoperitoneum and posture on hemodynamic and stress responses during anaesthesia for laparoscopic surgery, ODEBERG, S., *et al.*, (*ESA*) A.34
——, Metabolic effects of propofol and flunitrazepam given for sedation after aortic surgery, MORITZ, F., *et al.* 451–453
——, Prevention of acute tubular necrosis by volume loading in kidney transplantation, MOUQUET, C., *et al.*, (*ESA*) A.82
——, Propofol and alfentanil or thiopentone and suxamethonium for tracheal intubation, BECK, G. N., *et al.*, (*ARS*) 483P
——, The pressor response to venous cannulation: attenuation by prior infiltration with local anaesthetic, LANGHAM, B. T., *et al.* 519–521
——, Tolerance of preoperative transesophageal echocardiography in patients scheduled for aortic surgery, GOSGNACH, M., *et al.*, (*ESA*) A.21
——, Use of alfentanil with propofol for nasotracheal intubation without neuromuscular block, COGHLAN, S. F. E., *et al.* 89–91
Cat, Does etomidate cause haemolysis? DOENICKE, A., *et al.*, (*C*) 491
——, Does etomidate cause haemolysis? WERTZ, E., (*C*) 490–491
——, Local *versus* neurogenic vasodilator effects of desflurane and isoflurane in the small intestine, SUNDEMAN, H., *et al.*, (*ESA*) A.50
——, Veterinary use of "Xylocaine" spray, TAYLOR, P. M., (*C*) 113
Cerebrospinal fluid, External ventricular CSF drains infections, MAHÉ, V., *et al.*, (*ESA*) A.109
Children, Clonidine in paediatric caudal anaesthesia, JAMALI, S., *et al.*, (*ESA*) A.160
——, Comparison of dobutamine with enoximone following open heart surgery in small children, INNES, P., *et al.*, (*ESA*) A.167
——, Comparison of recovery from anaesthesia induced in children with either propofol or thiopentone, RUNCIE, C. J., *et al.* 192–195
——, Continuous monitoring of Sp_{O_2} during total intravenous anaesthesia with ketamine and spontaneous ventilation, JOLY, L.-M., *et al.*, (*ESA*) A.58
——, Evaluation of the efficacy of forced-air warmer (Bair Hugger) during spinal surgery in children, MURAT, I., *et al.*, (*ESA*) A.165
——, I.v. anaesthesia with propofol using a target-controlled infusion system: comparison with inhalation anaesthesia for general surgical procedures in children, DOYLE, E., *et al.* 542–555
——, Metabolic effects of corrective surgery in infants and children with congenital heart defects, PUHAKKA, K., *et al.* 149–153
——, Neuromuscular blockade following mivacurium in children during N_2O–halothane, ORLIAGUET, G., *et al.*, (*ESA*) A.163
——, Pharmacokinetics of flumazenil and midazolam, JONES, R. D. M., *et al.* 286–292
——, Plasma concentrations of midazolam after i.v., nasal or rectal administration in children, MALINOVSKY, J.-M., *et al.* 617–620
——, Postoperative analgesia in children, FELL, D., (*E*) 4–5
——, Preoperative drinking and gastric contents, MATHER, C., (*C*) 702
——, Preoperative drinking and gastric contents, STRUNIN, L., (*C*) 702
——, Propofol for tracheal intubation in paediatric outpatient anaesthesia, MONTASSER, A. M., (*ESA*) A.161
——, Relationship between arterial P_{CO_2} (Pa_{CO_2}) and end tidal CO_2 ($ETco_2$) recorded through a laryngeal mask (LMA) in children breathing spontaneously, VAN OBBERGH, L. J., *et al.*, (*ESA*) A.164
——, The laryngeal mask airway in paediatric practice, WILSON, I. G., (*E*) 124–125
——, The pharmacokinetics of rocuronium in pediatric patients: a pooled data analysis, MEISTELMAN, C., *et al.*, (*ESA*) A.138
——, Use of thoracic epidural block for perioperative analgesia in children, ENTRESS, A. H., *et al.*, (*ESA*) A.158
——, Ventilatory effects of morphine, pethidine and methadone in children, HAMUNEN, K. 414–418
——, Volume replacement with hydroxyethyl starch solution in children, BOLDT, J., *et al.* 661–665
Collection d'Anesthésiologie et de Réanimation, Volume 30: Monitorage Non-Invasif en Réanimation, ANNAT, G., *et al.*, (editors), (*R*) 117
Complications, accidents, Evaluation of systematic TEE in patients suspected of blunt chest trauma, CATOIRE, P., *et al.*, (*ESA*) A.192
——, Jugular bulb metabolic monitoring during hyperventilation in severe head trauma patients, DE DEYNE, C., *et al.*, (*ESA*) A.106
——, Sufentanil increases intracranial pressure in patients with head trauma, ALBANESE, J., *et al.*, (*ESA*) A.107
——, The part of rescue helicopters in large accidents and disasters, WENKER, O., (*ESA*) A.197
Complications, acetonaemia, Accumulation of acetone in blood during long-term anaesthesia with closed systems, STRAUß, J. M., *et al.* 363–364
Complications, adult respiratory distress syndrome, Adult respiratory distress syndrome after attempted strangulation, MURPHY, P. G., *et al.* 583–586
——, Histology aspects of pulmonary barotrauma in critically ill patients with acute respiratory failure, ROUBY, J. J., *et al.*, (*ESA*) A.181
——, IVOX, SKOYLES, J., *et al.*, (*E*) 603–604
——, Non invasive monitoring of CO_2 in patients with septic shock, BODIN, L., *et al.*, (*ESA*) A.191
——, Surfactant and adult respiratory distress syndrome, JACOBSON, W., *et al.* 522–526
Complications, alcohol abuse, Carbohydrate deficient transferrin: a new copredictor of alcoholism related postoperative complications? HEIL, T., *et al.*, (*ESA*) A.88
——, Delayed presentation of an extradural abscess in a patient with alcohol abuse, NORDSTRÖM, O., *et al.* 368–369
Complications, anaphylaxis, Platelet serotonin is a mediator potentially involved in anaphylactic reaction to neuromuscular blocking drugs, BERMEJO, N., *et al.* 322–325
Complications, aneurysm, Cardiac function in aneurysmal subarachnoid haemorrhage, MOULAY, N., *et al.*, (*ESA*) A.108
——, Helicopter transportation of patients with symptomatic aortic aneurysms, FELLEITER, P., *et al.*, (*ESA*) A.196
Complications, anti-cardiolipin antibody syndrome, Anaesthetic implications of the anti-cardiolipin antibody syndrome, MENON, G., *et al.* 587–590
Complications, aortic rupture, Diagnosis of aortic rupture by transesophageal echocardiography (TEE), GOARIN, J. P., *et al.*, (*ESA*) A.193
Complications, arthritis, Differential effects of specific delta and kappa opioid antagonists on the bidirectionnal effect of naloxone in arthritic rats, CATTANEO, I., *et al.*, (*ESA*) A.114
Complications, arytenoid dislocation, Spontaneous reposition of a dislocated arytenoid cartilage, GAUSS, A., *et al.* 591–592
Complications, asphyxia, Adult respiratory distress syndrome after attempted strangulation, MURPHY, P. G., *et al.* 583–586
Complications, aspiration, How long should patients fast before surgery? Time for new guidelines, STRUNIN, L., (*E*) 1–3
——, Preoperative drinking and gastric contents, LEVY, D. M., *et al.*, (*C*) 701–702
——, Preoperative drinking and gastric contents, STRUNIN, L., (*C*) 702
——, Preoperative drinking does not affect gastric contents, PHILLIPS, S., *et al.* 6–9
Complications, atelectasis, Recruitment of atelectasis during general anaesthesia: a CT-study, ROTHEN, H. U., *et al.*, (*ESA*) A.53
Complications, backache, Long-term backache after extradural or general anaesthesia for manual removal of placenta: preliminary report, VICKERS, R. J., *et al.* 214–215
——, Lumbovertebral syndrome after extradural blood patch, SEEBERGER, M. D., *et al.*, (*C*) 489
——, Lumbovertebral syndrome after extradural blood patch, STRIDE, P. C., (*C*) 489
Complications, barotrauma, Histology aspects of pulmonary barotrauma in critically ill patients with acute respiratory failure, ROUBY, J. J., *et al.*, (*ESA*) A.181
Complications, Burkitt's lymphoma, Is Burkitt's lymphoma an etiology or a differential diagnosis of malignant hyperthermia? LIENHART, A., *et al.*, (*ESA*) A.93
Complications, burns, Electrode burns during local hyperthermia, STOTT, D. G., *et al.*, 370–371
Complications, coagulopathy, The haemostatic response to surgery and trauma, MURPHY, W. G., *et al.* 205–213
Complications, colitis, Measurement of sigmoid intramural pH during orthotopic liver transplantation, AUROY, Y., *et al.*, (*ESA*) A.76
Complications, death, A national database for intensive care medicine in Sweden, KARLING, M., (*ESA*) A.8

——, Death certification, BASKETT, P. J. F., (*C*) 112
——, Death certification, SKINNER, A. C., (*C*) 112
——, Editorial II—the National Confidential Enquiry into Perioperative Deaths, LUNN, J. N., *et al.*, (*C*) 382
——, Mortality in ITU patients receiving neuromuscular blocking drugs, HUNTER, J. M., *et al.*, (*C*) 238–239
Complications, diabetes, Muscular paralysis and ventilatory failure caused by hyperkalaemia, FREEMAN, S. J., *et al.* 226–227
Complications, dural puncture, A continuous subdural block, COLLIER, C. B., *et al.* 462–465
——, Lumbovertebral syndrome after extradural blood patch, SEEBERGER, M. D., *et al.*, (*C*) 489
——, Lumbovertebral syndrome after extradural blood patch, STRIDE, P. C., (*C*) 489
——, Subdural catheterization and cord damage, COLLIER, C. B., (*C*) 384
——, Subdural catheterization and cord damage, MCMENEMIN, I., (*C*) 384
Complications, embolism, Inhibition of increase of blood thromboxane concentration by acetylsalicylic acid after release of tourniquet in lower extremity operations, OJANEN, R., *et al.*, (*ESA*) A.94
——, Possible venous air embolism with a new water jet dissector, SMITH, J. A. S. 466–467
——, Reassessment of bronchoalveolar lavage in the diagnosis of post traumatic pulmonary fat embolism, MIMOZ, O., *et al.*, (*ESA*) A.180
——, Systemic gas embolism in pulmonary contusion diagnosed by transesophageal echocardiography, SAADA, M., *et al.*, (*ESA*) A.194
Complications, endocardial endothelium damage, Endocardial endothelium modulates *in vivo* left ventricular performance, DE HERT, S. G., *et al.*, (*ESA*) A.47
Complications, extradural abscess, Delayed presentation of an extradural abscess in a patient with alcohol abuse, NORDSTRÖM, O., *et al.* 368–369
——, Extradural abscess after central nerve block, WILDSMITH, J. A. W., (*E*) 387–388
——, Extradural abscess in the postpartum period, KITCHING, A. J., *et al.*, (*C*) 703
——, Extradural abscess in the postpartum period, NGAN KEE, W. D., (*C*) 704
——, Extradural abscess in the postpartum period, VASDEV, G. M. S., *et al.*, (*C*) 703–704
——, Lumbovertebral syndrome after extradural blood patch, SEEBERGER, M. D., *et al.*, (*C*) 489
——, Lumbovertebral syndrome after extradural blood patch, STRIDE, P. C., (*C*) 489
——, Spinal extradural abscess: pursuit of vigilance, BROMAGE, P. R. 471–473
Complications, haemolysis, Does etomidate cause haemolysis? DOENICKE, A., *et al.*, (*C*) 491
——, Does etomidate cause haemolysis? WERTZ, E., (*C*) 490–491
Complications, haemorrhage, Cardiac function in aneurysmal subarachnoid haemorrhage, MOULAY, N., *et al.*, (*ESA*) A.108
Complications, head injury, Jugular bulb metabolic monitoring during hyperventilation in severe head trauma patients, DE DEYNE, C., *et al.*, (*ESA*) A.106
——, Sufentanil increases intracranial pressure in patients with head trauma, ALBANESE, J., *et al.*, (*ESA*) A.107
Complications, headache, Best Quincke point needle for Caesarean section, LYONS, G., (*ESA*) A.174
——, Epidural blood patch for treatment of postdural puncture headache, ROSENBERG, P. H., *et al.*, (*ESA*) A.129
——, Headache—new needles and spinal anaesthesia for C. section, THORMANN, F., *et al.*, (*ESA*) A.173
——, Incidence of post dural puncture headache in young adults by the use of the Sprôtte needle: 300 patients, DESCRAQUES, C., *et al.*, (*ESA*) A.127
——, Lumbovertebral syndrome after extradural blood patch, SEEBERGER, M. D., *et al.*, (*C*) 489
——, Lumbovertebral syndrome after extradural blood patch, STRIDE, P. C., (*C*) 489
——, Nine years of clinical experience with 29 gauge spinal needles, DITTMANN, M., *et al.*, (*ESA*) A.126
——, Postdural puncture headaches are not related to the duration of spinal catheter placement, LIU, N., *et al.*, (*ESA*) A.128
——, Visualization of extradural blood patch for post lumbar puncture headache by magnetic resonance imaging, GRIFFITHS, A. G., *et al.* 223–225
Complications, hyperkalaemia, Muscular paralysis and ventilatory failure caused by hyperkalaemia, FREEMAN, S. J., *et al.* 226–227
Complications, hypertension, Is the vasoconstrictive effect of cyclosporine mediated by endothelin in kidney transplantation? MOUQUET, C., *et al.*, (*ESA*) A.84
——, The pressor response to venous cannulation: attenuation by prior infiltration with local anaesthetic, LANGHAM, B. T., *et al.* 519–521
Complications, hyperthermia, Exercise and malignant hyperthermia: family investigations, KOZAK RIBBENS, G., *et al.*, (*ESA*) A.92
——, Is Burkitt's lymphoma an etiology or a differential diagnosis of malignant hyperthermia? LIENHART, A., *et al.*, (*ESA*) A.93
Complications, hypoglycaemia, Neonatal glycemia: does the maternal i.v. fluid regimen during labor make a difference? MENIGAUX, C., *et al.*, (*ESA*) A.175
Complications, hypotension, Adrenaline-induced hypotension in neurosurgery, PHILLIPS, S., *et al.* 687–688
——, Influence of chronic angiotensin converting enzyme inhibition on systolic pressure variation during anesthetic induction, PUYBASSET, L., *et al.*, (*ESA*) A.39
——, Ketamine does not prevent hypotension caused by induction of anaesthesia with propofol in elderly patients, BLOCKMANS, D., *et al.*, (*ESA*) A.40
——, Mechanisms of ECG changes during Caesarean section (CS)—a hypothesis, SVANSTRÖM, M., *et al.*, (*ESA*) A.177
——, Prevention and treatment of hypotension during central neural block, MCCRAE, A. F., *et al.* 672–680
——, Spinal anesthesia for C section: addition of phenylephrine to ephedrine for prevention of maternal hypotension, THIRION, A.-V., *et al.*, (*ESA*) A.172
Complications, hypothermia, An investigation into the effect of passive and active cutaneous warming devices on intraoperative body temperature in elderly patients, BENNET, J., *et al.*, (*ESA*) A.73
——, Effect of premedication with nifedipine on intraoperative hypothermia, VASSILIEFF, N., *et al.*, (*ESA*) A.71
——, Evaluation of the efficacy of forced-air warmer (Bair Hugger) during spinal surgery in children, MURAT, I., *et al.*, (*ESA*) A.165
——, Preoperative skin-surface warming reduces intraoperative hypothermia, CAMUS, Y., *et al.*, (*ESA*) A.72
Complications, hypovolaemia, A comparison between various hemodynamic parameters reflecting preload during graded hemorrhage in ventilated dogs, PREISMAN, S., *et al.*, (*ESA*) A.51
——, Determinants of systolic pressure variation in patients ventilated after vascular surgery, BEAUSSIER, M., *et al.*, (*ESA*) A.37
——, Effects of plasma volume substitution on right ventricle volumes and function using Elohes® and Plasmion®, LEPAGE, J. Y., *et al.*, (*ESA*) A.35
——, Evaluation of cardiac function in ICU: right heart catheterization *vs* transesophageal echocardiography. Preliminary results, VIVIEN, B., *et al.*, (*ESA*) A.183
——, Hypertonic solutions in acute massive haemorrhage, BRIMACOMBE, J., *et al.*, (*C*) 705
——, Hypertonic solutions in acute massive haemorrhage, PARK, G. R., (*C*) 706
——, Influence of chronic angiotensin converting enzyme inhibition on systolic pressure variation during anesthetic induction, PUYBASSET, L., *et al.*, (*ESA*) A.39
——, The systolic pressure variation predicts response to volume loading in patients ventilated after aortic surgery, CORIAT, P., *et al.*, (*ESA*) A.38
Complications, hypoxaemia, Continuous monitoring of Sp_{O_2} during total intravenous anaesthesia with ketamine and spontaneous ventilation, JOLY, L.-M., *et al.*, (*ESA*) A.58
——, Hypoxic events after general anaesthesia in the recovery room, DEGASPERI, D., *et al.*, (*ESA*) A.59
——, Influence of anaesthesia on post-operative hypoxaemia, GEORGIOU, L., *et al.*, (*ESA*) A.60
——, Postoperative hypoxaemia: comparison of epidural and patient controlled analgesia, SPENCER, A., *et al.*, (*ESA*) A.207
Complications, infections, External ventricular CSF drains infections, MAHÉ, V., *et al.*, (*ESA*) A.109
Complications, intubation endobronchial, Continuous spirometry for detection of double-lumen endobronchial tube displacement, BARDOCZKY, G. I., *et al.* 499–502
Complications, intubation tracheal, Mathematical analysis of the upper respiratory tract from an anthropometric study, JANVIER, G., *et al.* 186–191
Complications, laryngotracheo-oesophageal cleft, A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.* 696–698
Complications, liver disease, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348

Complications, mucosal damage, Pressure exerted by the laryngeal mask airway cuff upon the pharyngeal mucosa, MARJOT, R. 25–29
Complications, myocardial infarction, Effects of nitrous oxide (N_2O) on systemic haemodynamics, regional left ventricular (LV) function and incidence of myocardial ischaemia (MI) in vascular surgical patients with coronary artery disease (CAD), HOHNER, P., *et al.*, (*ESA*) A.41
Complications, myolysis, Exercise and malignant hyperthermia: family investigations, KOZAK RIBBENS, G., *et al.*, (*ESA*) A.92
Complications, neurological, Explaining risk to patients, CHAMBERS, W. A., (*C*) 381–382
——, Explaining risk to patients, POTTER, F. A., (*C*) 381
——, Flumazenil facilitates intraoperative arousal in scoliosis surgery, KOSCIELNIAK-NIELSEN, Z. J., *et al.*, (*ESA*) A.157
——, Spinal extradural abscess: pursuit of vigilance, BROMAGE, P. R. 471–473
——, Subdural catheterization and cord damage, COLLIER, C. B., (*C*) 384
——, Subdural catheterization and cord damage, MCMENEMIN, I., (*C*) 384
Complications, obesity, Perioperative management of the obese patient, SHENKMAN, Z., *et al.* 349–359
——, The respiratory compliance in normal and obese subjects during anaesthesia, MULAZZI, D., *et al.*, (*ESA*) A.54
Complications, obstructive airways disease, Effects of PEEP on dynamic hyperinflation in patients with airflow limitation, TAN, I. K. S., *et al.* 267–272
Complications, osteoarthrosis, Diaphragmatic function after bupivacaine cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.65
Complications, paralysis, Muscular paralysis and ventilatory failure caused by hyperkalaemia, FREEMAN, S. J., *et al.* 226–227
——, Spinal extradural abscess: pursuit of vigilance, BROMAGE, P. R. 471–473
Complications, phaeochromocytoma, Use of transoesophageal echocardiography to manage beta-adrenoceptor block and assess left ventricular function in a patient with phaeochromocytoma, RYAN, T., *et al.* 101–103
Complications, poisoning, The management of acute poisoning, COLLFE, G. G., *et al.* 562–573
Complications, porphyria, Xylometazoline and porphyria, PLATT, N. D., (*C*) 491
Complications, pulmonary, Reassessment of bronchoalveolar lavage in the diagnosis of post traumatic pulmonary fat embolism, MIMOZ, O., *et al.*, (*ESA*) A.180
——, Septic shock: effect of a goal-directed therapy on oxygen metabolism and serum cytokine levels, MARTIN, C., *et al.*, (*ESA*) A.189
Complications, pulmonary oedema, neurogenic, Adult respiratory distress syndrome after attempted strangulation, MURPHY, P. G., *et al.* 583–586
Complications, regurgitation, Preoperative drinking does not affect gastric contents, PHILLIPS, S., *et al.* 6–9
——, Regurgitation and the laryngeal mask airway, BRIMACOMBE, J., *et al.*, (*C*) 381
——, Regurgitation and the laryngeal mask airway, VANNER, R. G., (*C*) 380–381
Complications, renal, Outcome for patients in intensive care with acute renal failure requiring dialysis, EJLERSEN, E., *et al.*, (*ESA*) A.7
——, Prevention of acute tubular necrosis by volume loading in kidney transplantation, MOUQUET, C., *et al.*, (*ESA*) A.82
——, Volume loading and hormonal factors in the prevention of acute tubular necrosis in kidney transplantation, MOUQUET, C., *et al.*, (*ESA*) A.83
Complications, respiratory, Continuous spirometry: an aid in the intraoperative respiratory monitoring—case reports, BARDOCZKY, G., *et al.*, (*ESA*) A.55
Complications, respiratory depression, A comparison of midazolam and midazolam plus fentanyl for colonoscopy, DUPONT, H., *et al.*, (*ESA*) A.9
Complications, septicaemia, Comparison of thoracic electrical bioimpedance and thermodilution for the measurement of cardiac index in patients with severe sepsis, YOUNG, J. D., *et al.* 58–62
——, Comparison of two therapeutic strategies of septic shock, MARTIN, C., *et al.*, (*ESA*) A.190
——, Influence of N-acetylcysteine on O_2 consumption and gastric intramucosal pH in septic patients, SPIES, C., *et al.*, (*ESA*) A.186
——, Influence of norepinephrine therapy on the oxygen supply and lactate extraction rate of the liver in the septic pig, SCHÄFER, R., *et al.*, (*ESA*) A.184
——, Molecular mediators and post-bacteraemic phase, MARTÍNEZ URIONABARRENETXEA, K., *et al.*, (*ESA*) A.187
——, Non invasive monitoring of CO_2 in patients with septic shock, BODIN, L., *et al.*, (*ESA*) A.191
——, Septic shock: effect of a goal-directed therapy on oxygen metabolism and serum cytokine levels, MARTIN, C., *et al.*, (*ESA*) A.189
——, The effect of dobutamine and norepinephrine on global and splanchnic O_2 consumption, MEIER-HELLMANN, A., *et al.*, (*ESA*) A.185
Complications, shivering, Effect of radiant heat on the metabolic cost of postoperative shivering, SHARKEY, A., *et al.* 449–450
——, Fentanyl, as pethidine, inhibits post anaesthesia shivering, ALFONSI, P., *et al.*, (*ESA*) A.74
Complications, sinusitis, Incidence of bacterial maxillary sinusitis in critically ill patients with radiologic maxillary sinusitis, BODIN, L., *et al.*, (*ESA*) A.179
Complications, smokers, Effect of stopping smoking on upper airway reflexes, ERSKINE, R. J., *et al.*, (*ARS*) 478P
Complications, spontaneous excitatory movements, Spontaneous excitatory movements during recovery from propofol anaesthesia in an infant: EEG evaluation, BORGEAT, A., *et al.* 459–461
Complications, stenosis, Dipyridamole-TEE and 24 h Holter-ECG as preoperative screening tests for coronary artery disease in patients with abdominal aortic aneurysm, ÖSTMAN, M., *et al.*, (*ESA*) A.22
——, Does routine preoperative coronary angiography modify outcome after aortic surgery? GOSGNACH, M., *et al.*, (*ESA*) A.6
——, Evaluation of haemodynamic indices of myocardial ischaemia in patients with coronary artery disease (CAD), HOHNER, P., *et al.*, (*ESA*) A.23
——, Indications for coronary revascularisation in vascular surgical patients, GOSGNACH, M., *et al.*, (*ESA*) A.5
——, Pulmonary and systemic vascular effects of isoproterenol, nitroglycerin and prostaglandin E1 early after cardiac operations in patients with pulmonary hypertension, ALVAREZ, J., *et al.*, (*ESA*) A.27
——, Sensitivity and specificity of mechanical and electrocardiographic myocardial ischaemia (MI) monitoring techniques, HOHNER, P., *et al.*, (*ESA*) A.26
——, The use of the CUSUM plot for determination of myocardial ischaemia threshold during atrial pacing in patients with coronary artery disease, REIZ, S., *et al.*, (*ESA*) A.24
Complications, systemic lupus erythematosus, Anaesthetic implications of the anti-cardiolipin antibody syndrome, MENON, G., *et al.* 587–590
Complications, thrombosis, Anaesthetic implications of the anti-cardiolipin antibody syndrome, MENON, G., *et al.* 587–590
——, Aprotinin does not decrease surgical bleeding and could promote arterial thrombosis in the pig: a prospective randomized, blind, study, SAMAMA, C. M., *et al.*, (*ESA*) A.100
——, Inhibition of increase of blood thromboxane concentration by acetylsalicylic acid after release of tourniquet in lower extremity operations, OJANEN, R., *et al.*, (*ESA*) A.94
Complications, trauma, Diagnosis of aortic rupture by transesophageal echocardiography (TEE), GOARIN, J. P., *et al.*, (*ESA*) A.193
——, Evaluation of systematic TEE in patients suspected of blunt chest trauma, CATOIRE, P., *et al.*, (*ESA*) A.192
——, Jugular bulb metabolic monitoring during hyperventilation in severe head trauma patients, DE DEYNE, C., *et al.*, (*ESA*) A.106
——, Reassessment of bronchoalveolar lavage in the diagnosis of post traumatic pulmonary fat embolism, MIMOZ, O., *et al.*, (*ESA*) A.180
——, Sufentanil increases intracranial pressure in patients with head trauma, ALBANESE, J., *et al.*, (*ESA*) A.107
——, Systemic gas embolism in pulmonary contusion diagnosed by transesophageal echocardiography, SAADA, M., *et al.*, (*ESA*) A.194
——, The haemostatic response to surgery and trauma, MURPHY, W. G., *et al.* 205–213
Complications, ultrasound, Endocardial endothelium modulates *in vivo* left ventricular performance, DE HERT, S. G., *et al.*, (*ESA*) A.47
Computers, A national database for intensive care medicine in Sweden, KARLING, M., (*ESA*) A.8
Conduction Blockade for Postoperative Analgesia: Mechanisms and Management, MCCLURE, J. H., *et al.*, (editors), (*R*) 239
Cough, Postoperative laryngeal function assessed by tussometry, LAMB, J. M., *et al.*, (*ARS*) 478–479P

Diabetes, Muscular paralysis and ventilatory failure caused by hyperkalaemia, FREEMAN, S. J., *et al.* 226–227
Dimethylthiourea, Anaesthetic properties of dimethylthiourea, KOBLIN, D. D., *et al.* 456–458
Dog, A comparison between various hemodynamic parameters reflecting preload during graded hemorrhage in ventilated dogs, PREISMAN, S., *et al.*, (*ESA*) A.51
——, Acute haemodynamic effect of sodium bicarbonate in canine respiratory or metabolic acidosis, NISHIKAWA, T. 196–200
——, Does exogenous dopamine reverse cardiovascular depression induced by isoflurane during thoracic epidural blockade? RANER, C., *et al.*, (*ESA*) A.49
——, Endocardial endothelium modulates *in vivo* left ventricular performance, DE HERT, S. G., *et al.*, (*ESA*) A.47
——, Lemakalim reverses ventricular conduction impairment induced by a large dose of bupivacaine in anesthetized dogs, DE LA COUSSAYE, J. E., *et al.*, (*ESA*) A.121
——, Pharmacokinetics of propofol administered by infusion in dogs undergoing surgery, NOLAN, A., *et al.* 546–551
Donors, organ transplantation, Effects of desmopressin (DDAVP) supplementation in brain dead organ donors (BDOD) on early recipient renal function, GUESDE, R., *et al.*, (*ESA*) A.79
——, Fiberoptic bronchoscopy in brain dead organ donors, RIOU, B., *et al.*, (*ESA*) A.80
Drug delivery, Blended anaesthesia in pediatric major surgery: top-up *vs* epidural continuous infusion, SAVOIA, G., *et al.*, (*ESA*) A.159
——, Tetanic fade during recovery from vecuronium block: comparison of systemic and isolated forearm administration, CAMPKIN, N. T. A., *et al.* 581–582
——, Treatment of cancer pain with morphine (MO)—A double blind study of extradural (ED) *versus* intramuscular (im) routes of administration, NATH, S., *et al.*, (*ESA*) A.211
Drug delivery, bolus, Influence of cardiac output, injection time and injection volume on the initial mixing of drugs with venous blood after i.v. bolus administration to sheep, UPTON, R. N., *et al.* 333–338
——, Prediction of infusion rate of vecuronium to maintain steady state using the bolus test dose technique, MORGAN, R. J., *et al.*, (*ARS*) 481P
Drug delivery, computerized, Closed-loop feedback controlled administration of alfentanil during alfentanil–nitrous oxide anaesthesia, SCHWILDEN, H., *et al.* 389–393
——, Comparison of midazolam with propofol for sedation in outpatient bronchoscopy, CRAWFORD, M., *et al.* 419–422
——, Computer-controlled syringe pump improves safety of pharmacokinetic models, DURANTEAU, R., *et al.*, (*ESA*) A.148
——, Determination of a pharmacokinetic model for propofol induction of anaesthesia, VIVIAND, X., *et al.*, (*ESA*) A.150
——, Target-controlled intravenous sedation with propofol, MERGAERT, C., *et al.*, (*ESA*) A.149
Drug delivery, infusion, Prediction of infusion rate of vecuronium to maintain steady state using the bolus test dose technique, MORGAN, R. J., *et al.*, (*ARS*) 481P
Drug delivery, injection speed, Comparison of infusion rates of three i.v. anaesthetic agents for induction in elderly patients, BERTHOUD, M. C., *et al.* 423–427
——, Different rates of injection of propofol, GOODMAN, N. W., (*C*) 383
——, Different rates of injection of propofol, PEACOCK, J. E., *et al.*, (*C*) 383–384
——, Influence of cardiac output, injection time and injection volume on the initial mixing of drugs with venous blood after i.v. bolus administration to sheep, UPTON, R. N., *et al.* 333–338
Drug delivery, nasal, Comparison of nasal cannulae with face mask for oxygen administration to postoperative patients, NOLAN, K. M., *et al.* 440–442
——, Intranasal fentanyl for breakthrough cancer pain or incident pain, STRIEBEL, W. H., *et al.*, (*ESA*) A.210
——, Intranasal fentanyl for postoperative pain management in an unselected population, STRIEBEL, W. H., *et al.*, (*ESA*) A.209
——, Pharmacokinetics of intranasal fentanyl, STRIEBEL, H. W., *et al.*, (*ESA*) A.208
——, Plasma concentrations of midazolam after i.v., nasal or rectal administration in children, MALINOVSKY, J.-M., *et al.* 617–620
Drug delivery, oral, Dose dependent effects of oral medication with midazolam, BIRO, P., *et al.*, (*ESA*) A.156
——, High dose oral morphine in cancer pain management, RADBRUCH, L., *et al.*, (*ESA*) A.212
Drug delivery, rectal, Plasma concentrations of midazolam after i.v., nasal or rectal administration in children, MALINOVSKY, J.-M., *et al.* 617–620
Drug delivery, transdermal, Pharmacokinetic behaviour of transdermal fentanyl, VAN BASTELAERE, M., *et al.*, (*ESA*) A.146

Education, junior staff, Nine years of clinical experience with 29 gauge spinal needles, DITTMANN, M., *et al.*, (*ESA*) A.126
Electrical systems, burns, Electrode burns during local hyperthermia, STOTT, D. G., *et al.* 370–371
Electrical Trauma: the Pathophysiology, Manifestations and Clinical Management, LEE, R. C., *et al.*, (editors), (*R*) 601
Embolism, air, Possible venous air embolism with a new water jet dissector, SMITH, J. A. S. 466–467
——, Systemic gas embolism in pulmonary contusion diagnosed by transesophageal echocardiography, SAADA, M., *et al.*, (*ESA*) A.194
Embolism, fat, Reassessment of bronchoalveolar lavage in the diagnosis of post traumatic pulmonary fat embolism, MIMOZ, O., *et al.*, (*ESA*) A.180
Enzymes, acetyl cholinesterase, Prejunctional action of neostigmine on mouse neuromuscular preparations, BRAGA, M. F. M., *et al.* 405–410
Enzymes, angiotensin converting, inhibition, Does captopril modify the arterial response to vasopressor substances? LE PELLEY, E., *et al.*, (*ESA*) A.48
——, Influence of chronic angiotensin converting enzyme inhibition on systolic pressure variation during anesthetic induction, PUYBASSET, L., *et al.*, (*ESA*) A.39
Enzymes, cholinesterase, Pharmacokinetics of the isomers of mivacurium chloride in the healthy adult, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 487P
——, Prejunctional action of neostigmine on mouse neuromuscular preparations, BRAGA, M. F. M., *et al.* 405–410
Enzymes, creatine kinase, Cardiac function in aneurysmal subarachnoid haemorrhage, MOULAY, N., *et al.*, (*ESA*) A.108
Enzymes, phosphodiesterase, inhibition, Haemodynamic changes produced by inhalation anaesthetics in the presence of phosphodiesterase inhibition, MOLTER, G., *et al.* 428–433
Equipment, airway, Comparison of the reinforced laryngeal mask airway and tracheal intubation for adenotonsillectomy, WILLIAMS, P. J., *et al.* 30–33
——, Cricoid pressure and the laryngeal mask airway, BLOGG, C. E., *et al.*, (*C*) 596–597
——, Cricoid pressure and the laryngeal mask airway, BRIMACOMBE, J., *et al.*, (*C*) 596
——, Cricoid pressure and the laryngeal mask airway, HEATH, M. L., *et al.*, (*C*) 596
——, Extra inspiratory work of breathing imposed by cricothyrotomy devices, OOI, R., *et al.* 17–21
——, Is correlation of arterial and end-tidal carbon dioxide pressure during inhalation anaesthesia better with laryngeal mask as compared to face mask? IVENS, D., *et al.*, (*ESA*) A.17
——, Pressure exerted by the laryngeal mask airway cuff upon the pharyngeal mucosa, MARJOT, R. 25–29
——, Regurgitation and the laryngeal mask airway, BRIMACOMBE, J., *et al.*, (*C*) 381
——, Regurgitation and the laryngeal mask airway, VANNER, R. G., (*C*) 380–381
——, Relationship between arterial P_{CO_2} (Pa_{CO_2}) and end tidal CO_2 ($ETco_2$) recorded through a laryngeal mask (LMA) in children breathing spontaneously, VAN OBBERGH, L. J., *et al.*, (*ESA*) A.164
——, The airway decides the anaesthetic approach before tracheal intubation, WILLIAMSON, R., (*C*) 600
——, The laryngeal mask airway in paediatric practice, WILSON, I. G., (*E*) 124–125
——, The laryngeal mask and intraocular surgery, RIPART, J., *et al.*, (*C*) 704
——, Use of the laryngeal mask and face mask by inexperienced personnel, TIGHE, S. Q. M., (*C*) 114–115
——, Use of the laryngeal mask and face mask by inexperienced personnel, TOLLEY, P., *et al.*, (*C*) 115
——, Use of the laryngeal mask and face mask by inexperienced personnel, WALKER, M. B., *et al.*, (*C*) 114
——, Ventilation with halothane is less affected in children with laryngeal mask airway than with endotracheal tube, REIGNIER, J., *et al.*, (*ESA*) A.162
Equipment, blankets, Preoperative skin-surface warming reduces intraoperative hypothermia, CAMUS, Y., *et al.*, (*ESA*) A.72
Equipment, blankets reflective, An investigation into the effect of passive and active cutaneous warming devices on

intraoperative body temperature in elderly patients, BENNET, J., *et al.*, (*ESA*) A.73
Equipment, breathing systems, Accumulation of acetone in blood during long-term anaesthesia with closed systems, STRAUß, J. M., *et al.* 363–364
——, Fractional utilization of fresh gas by breathing systems without carbon dioxide absorption, BEATTY, P. C. W., *et al.*, (*C*) 707
——, Fractional utilization of fresh gas by breathing systems without carbon dioxide absorption, RAVISHANKAR, M., *et al.*, (*C*) 706–707
——, Frequency of damaged coaxial breathing systems, ROBINSON, D. L., (*C*) 384
——, Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously breathing adults, BARRIE, J. R., *et al.* 468–470
Equipment, calibration, Clinical evaluation of the calibration of noninvasive continuous blood pressure measurement devices by means of oscillometric blood pressure measurements, DE JONG, J. R., *et al.*, (*ESA*) A.15
Equipment, cannulae intravascular, Extra inspiratory work of breathing imposed by cricothyrotomy devices, OOI, R., *et al.* 17–21
Equipment, cannulae nasal, Comparison of nasal cannulae with face mask for oxygen administration to postoperative patients, NOLAN, K. M., *et al.* 440–442
Equipment, catheters subarachnoid, Postdural puncture headaches are not related to the duration of spinal catheter placement, LIU, N., *et al.*, (*ESA*) A.128
Equipment, Cell Saver, Preoperative autotransfusion in emergency surgery for spine trauma, RIOU, B., *et al.*, (*ESA*) A.102
Equipment, computers, Computer-controlled syringe pump improves safety of pharmacokinetic models, DURANTEAU, R., *et al.*, (*ESA*) A.148
——, Determination of a pharmacokinetic model for propofol induction of anaesthesia, VIVIAND, X., *et al.*, (*ESA*) A.150
——, Target-controlled intravenous sedation with propofol, MERGAERT, C., *et al.*, (*ESA*) A.149
Equipment, cuffs endobronchial, Endobronchial cuff pressures, COBLEY, M., *et al.* 576–578
Equipment, cuffs tracheal, Pressure exerted by the laryngeal mask airway cuff upon the pharyngeal mucosa, MARJOT, R. 25–29
——, Tracheal tube cuff inflation as an aid to blind nasotracheal intubation, VAN ELSTRAETE, A. C., *et al.* 691–693
Equipment, Dinamap, Comparison of automatic oscillometric arterial pressure measurement with conventional auscultatory measurement in the labour ward, HASAN, M. A., *et al.* 141–144
Equipment, electrodes, Electrode burns during local hyperthermia, STOTT, D. G., *et al.* 370–371
Equipment, gas analysers, Evaluation of the Rascal II monitor, PALAYIWA, E., *et al.*, (*ARS*) 485P
Equipment, gas exchangers, i.v., IVOX, SKOYLES, J., *et al.*, (*E*) 603–604
Equipment, heat exchangers, oesophageal, Clinical evaluation of the oesophageal heat exchanger in the prevention of perioperative hypothermia, KULKARNI, P., *et al.* 216–218
Equipment, heat–moisture exchangers, Bacterial retention properties of heat and moisture exchange filters, FOX, D., (*C*) 382
——, Bacterial retention properties of heat and moisture exchange filters, LEE, M. G., (*C*) 382
——, Preservation of humidity and heat of respiratory gases in patients with minute ventilation > 10 l/min, MARTIN, C., *et al.*, (*ESA*) A.20
Equipment, helicopters, Helicopter transportation of patients with symptomatic aortic aneurysms, FELLEITER, P., *et al.*, (*ESA*) A.196
——, The part of rescue helicopters in large accidents and disasters, WENKER, O., (*ESA*) A.197
Equipment, humidifiers, Effectiveness of core warming on net transfer of body heat across the skin, KULKARNI, P., *et al.*, (*ESA*) A.70
——, Preservation of humidity and heat of respiratory gases in patients with minute ventilation > 10 l/min, MARTIN, C., *et al.*, (*ESA*) A.20
Equipment, infusion systems, Computer-controlled syringe pump improves safety of pharmacokinetic models, DURANTEAU, R., *et al.*, (*ESA*) A.148
——, Determination of a pharmacokinetic model for propofol induction of anaesthesia, VIVIAND, X., *et al.*, (*ESA*) A.150
——, Target-controlled intravenous sedation with propofol, MERGAERT, C., *et al.*, (*ESA*) A.149
Equipment, masks anaesthesia, Comparison of nasal cannulae with face mask for oxygen administration to postoperative patients, NOLAN, K. M., *et al.* 440–442
——, Comparison of the reinforced laryngeal mask airway and tracheal intubation for adenotonsillectomy, WILLIAMS, P. J., *et al.* 30–33
——, Cricoid pressure and the laryngeal mask airway, BLOGG, C. E., *et al.*, (*C*) 596–597
——, Cricoid pressure and the laryngeal mask airway, BRIMACOMBE, J., *et al.*, (*C*) 596
——, Cricoid pressure and the laryngeal mask airway, HEATH, M. L., *et al.*, (*C*) 596
——, Is correlation of arterial and end-tidal carbon dioxide pressure during inhalation anaesthesia better with laryngeal mask as compared to face mask? IVENS, D., *et al.*, (*ESA*) A.17
——, Nitrous oxide administration via oxygen therapy devices, GODDARD, J. M., (*C*) 238
——, Nitrous oxide administration via oxygen therapy devices, JOSHI, P., *et al.*, (*C*) 238
——, Pressure exerted by the laryngeal mask airway cuff upon the pharyngeal mucosa, MARJOT, R. 25–29
——, Regurgitation and the laryngeal mask airway, BRIMACOMBE, J., *et al.*, (*C*) 381
——, Regurgitation and the laryngeal mask airway, VANNER, R. G., (*C*) 380–381
——, Routine preoxygenation: how long before mask anaesthesia? HEAD-RAPSON, A. G., *et al.*, (*ARS*) 488P
——, The laryngeal mask airway in paediatric practice, WILSON, I. G., (*E*) 124–125
——, The laryngeal mask and intraocular surgery, RIPART, J., *et al.*, (*C*) 704
——, Use of the laryngeal mask and face mask by inexperienced personnel, TIGHE, S. Q. M., (*C*) 114–115
——, Use of the laryngeal mask and face mask by inexperienced personnel, TOLLEY, P., *et al.*, (*C*) 115
——, Use of the laryngeal mask and face mask by inexperienced personnel, WALKER, M. B., *et al.*, (*C*) 114
Equipment, masks surgical, Face masks and spinal anaesthesia, O'KELLY, S. W., *et al.*, (*C*) 239
——, Face masks and spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 239
Equipment, needles, Best Quincke point needle for Caesarean section, LYONS, G., (*ESA*) A.174
——, "Concorde nose" in Whitacre spinal needles, MCLEOD, G. A., *et al.*, (*C*) 593
——, Headache—new needles and spinal anaesthesia for C. section, THORMANN, F., *et al.*, (*ESA*) A.173
——, Incidence of post dural puncture headache in young adults by the use of the Sprôtte needle: 300 patients, DESCRAQUES, C., *et al.*, (*ESA*) A.127
——, Metal particle generation caused by the combined spinal–extradural technique, HARGREAVES, J., (*C*) 706
——, Nine years of clinical experience with 29 gauge spinal needles, DITTMANN, M., *et al.*, (*ESA*) A.126
——, Peripheral nerve damage and regional anaesthesia, BARANOWSKI, A. P., *et al.*, (*C*) 593–594
——, Peripheral nerve damage and regional anaesthesia, GENTILI, M. E., *et al.*, (*C*) 594
——, Peripheral nerve damage and regional anaesthesia, RICE, A. S. C., *et al.*, (*C*) 594
Equipment, retractors, Abdominal wall retraction may decrease anaesthesiological risks of laparoscopic cholecystectomy, VERECZKEY, Z., *et al.*, (*ESA*) A.64
Equipment, sensors, Influence of posture on the respiratory mechanics during anaesthesia, ENGELMAN, E., *et al.*, (*ESA*) A.56
Equipment, temperature conservation, Effect of radiant heat on the metabolic cost of postoperative shivering, SHARKEY, A., *et al.* 449–450
Equipment, tourniquets, Inhibition of increase of blood thromboxane concentration by acetylsalicylic acid after release of tourniquet in lower extremity operations, OJANEN, R., *et al.*, (*ESA*) A.94
Equipment, tubes double-lumen, A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.* 696–698
——, Continuous spirometry for detection of double-lumen endobronchial tube displacement, BARDOCZKY, G. I., *et al.* 499–502
——, Double-lumen tubes, VAUGHAN, R. S., (*E*) 497–498
——, Endobronchial cuff pressures, COBLEY, M., *et al.* 576–578
Equipment, tubes endobronchial, A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.* 696–698
——, Continuous spirometry for detection of double-lumen endobronchial tube displacement, BARDOCZKY, G. I., *et al.* 499–502
——, Double-lumen tubes, VAUGHAN, R. S., (*E*) 497–498
——, Endobronchial cuff pressures, COBLEY, M., *et al.* 576–578

Equipment, tubes tracheal, Evidence for dynamic phenomena in residual tracheal tube biofilm, INGLIS, T. J. J. 22–24
——, Mathematical analysis of the upper respiratory tract from an anthropometric study, JANVIER, G., *et al.* 186–191
Equipment, tubes tracheal, biofilm, Penetration of an aerosol, produced by film atomization, through the carinal bifurcation, INGLIS, T. J. J., *et al.* 527–531
Equipment, tubes tracheostomy, Extra inspiratory work of breathing imposed by cricothyrotomy devices, OOI, R., *et al.* 17–21
Equipment, ventilators, Comparison of portable emergency ventilators using a lung model, ATTEBO, L., *et al.* 372–377
——, Comparison of pressure support ventilation provided by two ICU ventilators, KALFON, P., *et al.*, (*ESA*) A.182
Equipment, warming devices, An investigation into the effect of passive and active cutaneous warming devices on intraoperative body temperature in elderly patients, BENNET, J., *et al.*, (*ESA*) A.73
——, Effectiveness of core warming on net transfer of body heat across the skin, KULKARNI, P., *et al.*, (*ESA*) A.70
——, Evaluation of a forced-air warmer (Bair-Hugger) in maintaining body temperature in infants during cleft palate surgery, MURAT, I., *et al.*, (*ESA*) A.166
——, Evaluation of the efficacy of forced-air warmer (Bair Hugger) during spinal surgery in children, MURAT, I., *et al.*, (*ESA*) A.165
——, Preoperative skin-surface warming reduces intraoperative hypothermia, CAMUS, Y., *et al.*, (*ESA*) A.72
Equipment, water jet dissector, Possible venous air embolism with a new water jet dissector, SMITH, J. A. S. 466–467
Errata, A physiological model for the distribution of injected agents, with special reference to pethidine, DAVIS, N. R., *et al.* 711
——, Extra inspiratory work of breathing imposed by cricothyrotomy devices, OOI, R., *et al.* 494
——, Haemodynamic effects of periodic ventilation: abolition with supplementary oxygen, REEDER, M. K., *et al.* 119
——, *MCQ for the Higher Examination in Clinical Pharmacology*, MCCARTHY, G., *et al.*, (*R*) 241
——, Postoperative hypoxaemia after major abdominal vascular surgery, REEDER, M. K., *et al.* 119
——, Postoperative myocardial ischaemia: temporal association with nocturnal hypoxaemia, REEDER, M. K., *et al.* 119
——, Pressure exerted by the laryngeal mask airway cuff upon the pharyngeal mucosa, MARJOT, R. 711
Essay Plans for Anaesthesia Exams, MICHEL, M. Z., *et al.*, (*R*) 709
Ethics, Explaining risk to patients, CHAMBERS, W. A., (*C*) 381–382
——, Explaining risk to patients, POTTER, F. A., (*C*) 381
——, Spinal extradural abscess: pursuit of vigilance, BROMAGE, P. R. 471–473
Eye, cataract, Pharmacokinetics and effects of i.m. alfentanil as premedication for outpatient cataract surgery, ALI-MELKKILÄ, T., *et al.*, (*ESA*) A.145
Eye, orbicularis oculi, Monitoring the onset of neuromuscular blockade at the orbicularis oculi can predict good intubating conditions when using $2 \times ED_{95}$ of atracurium, DEBAENE, B., *et al.*, (*ESA*) A.142

Fatigue, Laparoscopic *vs* open cholecystectomy, JAKEWAYS, M. S. R., *et al.*, (*C*) 597
Fetus, Incremental spinal anaesthesia for elective Caesarean section: maternal and fetal haemodynamic effects, ROBSON, S. C., *et al.* 634–638
——, Intermittent *vs* continuous extradural infusion of bupivacaine during labour, EDDLESTON, J. M., (*C*) 490
——, Intermittent *vs* continuous extradural infusion of bupivacaine during labour, LAISHLEY, R. S., (*C*) 490
Fluid balance, Effects of desmopressin (DDAVP) supplementation in brain dead organ donors (BDOD) on early recipient renal function, GUESDE, R., *et al.*, (*ESA*) A.79
——, Ultrasound measurement of muscle thickness in the estimation of fat free mass, WATT, T., *et al.*, (*ARS*) 477P
Fluids, irrigating, Glycine and its metabolites during and after intrauterine YAG laser surgery, VAN BOVEN, M. J., *et al.*, (*ESA*) A.87
Fluids, i.v., Neonatal glycemia: does the maternal i.v. fluid regimen during labor make a difference? MENIGAUX, C., *et al.*, (*ESA*) A.175
Fluids, oral, How long should patients fast before surgery? Time for new guidelines, STRUNIN, L., (*E*) 1–3
——, Preoperative drinking and gastric contents, LEVY, D. M., *et al.*, (*C*) 701–702
——, Preoperative drinking and gastric contents, MATHER, C., (*C*) 702
——, Preoperative drinking and gastric contents, PHILLIPS, S., *et al.*, (*C*) 702–703
——, Preoperative drinking and gastric contents, READ, M. S., *et al.*, (*C*) 701
——, Preoperative drinking and gastric contents, STRUNIN, L., (*C*) 702
——, Preoperative drinking does not affect gastric contents, PHILLIPS, S., *et al.* 6–9
Forensic medicine, Midazolam premedication: a forensic approach to pharmacokinetics and amnesia, MOTSCH, J., *et al.*, (*ESA*) A.155
Formulations, bupivacaine, Epidural administration of liposomal bupivacaine for the management of postsurgical pain, BOOGAERTS, J., *et al.*, (*ESA*) A.200
Formulations, diazepam, Effects of diazepam additives on the mononuclear phagocytic system, CATALÁ, J. C., *et al.*, (*ESA*) A.89
Formulations, diluents, Benzodiazepines and their solvents influence neutrophil granulocyte function, WEISS, M., *et al.* 317–321
——, Does etomidate cause haemolysis? DOENICKE, A., *et al.*, (*C*) 491
——, Does etomidate cause haemolysis? WERTZ, E., (*C*) 490–491
——, Effects of diazepam additives on the mononuclear phagocytic system, CATALÁ, J. C., *et al.*, (*ESA*) A.89
Formulations, emulsifiers, Propofol decreases random and chemotactic stimulated locomotion of human neutrophils *in vitro*, JENSEN, A. G., *et al.* 99–100
Formulations, etomidate, Adrenocortical function: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.90
——, Quality of induction: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.154
Formulations, liposomes, Epidural administration of liposomal bupivacaine for the management of postsurgical pain, BOOGAERTS, J., *et al.*, (*ESA*) A.200
——, Motor blockade and absence of local nerve toxicity induced by liposomal bupivacaine injected into the axillary brachial plexus of rabbits, LEGROS, F. J., *et al.*, (*ESA*) A.122
Formulations, pH, Slow-release effect of pH-adjusted bupivacaine: pharmacokinetic demonstration, BENHAMOU, D., *et al.*, (*ESA*) A.120

Gases non-anaesthetic, Asymmetry of uptake and washout of inert gases—lessons learnt in an anaesthetic department, FLOOK, V., (*ARS*) 487–488P
——, Effect on lung volumes of oxygen concentration when breathing is restricted, BAKER, A. B., *et al.* 259–266
——, Hyperbaric decompression bubble formation—building on the Mapleson model of gas dynamics, FLOOK, V., *et al.*, (*ARS*) 474–475P
Gastrointestinal tract, gastroscopy, Studies of gastric content: comparison of two methods, SØREIDE, E., *et al.* 360–362
Gastrointestinal tract, intestine, Local *versus* neurogenic vasodilator effects of desflurane and isoflurane in the small intestine, SUNDEMAN, H., *et al.*, (*ESA*) A.50
Gastrointestinal tract, lower oesophageal sphincter, Regurgitation and the laryngeal mask airway, BRIMACOMBE, J., *et al.*, (*C*) 381
——, Regurgitation and the laryngeal mask airway, VANNER, R. G., (*C*) 380–381
Gastrointestinal tract, mucosal perfusion, Gastric mucosal perfusion is better preserved during cardiac surgery when isoflurane rather than enflurane or propofol is used to maintain anaesthesia, MYTHEN, M., *et al.*, (*ESA*) A.29
——, Influence of N-acetylcysteine on O_2 consumption and gastric intramucosal pH in septic patients, SPIES, C., *et al.*, (*ESA*) A.186
——, Measurement of sigmoid intramural pH during orthotopic liver transplantation, AUROY, Y., *et al.*, (*ESA*) A.76
Gastrointestinal tract, pH, How long should patients fast before surgery? Time for new guidelines, STRUNIN, L., (*E*) 1–3
——, Preoperative drinking and gastric contents, LEVY, D. M., *et al.*, (*C*) 701–702
——, Preoperative drinking and gastric contents, MATHER, C., (*C*) 702
——, Preoperative drinking and gastric contents, READ, M. S., *et al.*, (*C*) 701
——, Preoperative drinking does not affect gastric contents, PHILLIPS, S., *et al.* 6–9
——, Studies of gastric content: comparison of two methods, SØREIDE, E., *et al.* 360–362

Gastrointestinal tract, volume, How long should patients fast before surgery? Time for new guidelines, STRUNIN, L., (*E*) 1–3
——, Preoperative drinking and gastric contents, LEVY, D. M., *et al.*, (*C*) 701–702
——, Preoperative drinking and gastric contents, MATHER, C., (*C*) 702
——, Preoperative drinking and gastric contents, READ, M. S., *et al.*, (*C*) 701
——, Preoperative drinking does not affect gastric contents, PHILLIPS, S., *et al.* 6–9
——, Studies of gastric content: comparison of two methods, SØREIDE, E., *et al.* 360–362
Genetic factors, Clonal variation in response to enflurane anaesthesia with *Daphnia magna*, MYLES, A. P., *et al.*, (*ARS*) 476–477P
Genetic factors, hyperthermia, Combined caffeine–halothane test for malignant hyperthermia, ELLIS, F. R., *et al.*, (*C*) 598
——, Combined caffeine–halothane test for malignant hyperthermia, NELSON, T. E., (*C*) 597–598
——, Comparison of *in vitro* contracture testing with ryanodine, halothane and caffeine in malignant hyperthermia and other neuromuscular disorders, HOPKINS, P. M., *et al.* 397–401
——, Exercise and malignant hyperthermia: family investigations, KOZAK RIBBENS, G., *et al.*, (*ESA*) A.92
——, Genetic linkage analysis of chromosome 19 markers in malignant hyperthermia, BALL, S. P., *et al.* 70–75

Handbook of Percutaneous Central Venous Catheterisation, 2nd Edn, ROSEN, M., *et al.*, (editors), (*R*) 601
Heart, arrhythmia, bradycardia, Cardiovascular effects of a pancuronium–vecuronium mixture, DOYLE, M., *et al.*, (*ARS*) 486–487P
Heart, arrhythmia, fibrillation, Pre- and intraoperative prevention by β-blockers, propranolol and esmolol, of ischaemia-induced ventricular fibrillation, FREYSZ, M., *et al.*, (*ESA*) A.46
——, Use of lignocaine in ventricular defibrillation? BASKETT, P. J. F., (*C*) 380
——, Use of lignocaine in ventricular defibrillation? QUINEY, N. F., *et al.*, (*C*) 380
Heart, blood flow, myocardial, Effects of hypertonic saline on coronary blood flow and myocardial performance of a blood-perfused, isolated rabbit heart, DELAYANCE, S., *et al.*, (*ESA*) A.45
Heart, cardiac massage, The choice of ECM rate could improve the neuroprotection during CPR, IANNUZZI, E., *et al.*, (*ESA*) A.195
Heart, cardiac output, Alternating right to left ventricular ejection; the case of occult cardiac tamponade, SKOURTIS, C., *et al.*, (*ESA*) A.36
——, Cardiac output (CO) measurement: comparison of esophageal Doppler (ED) *vs* thermodilution (TD), LEFRANT, J. Y., *et al.*, (*ESA*) A.18
——, Cardiac output determined from pulmonary gas exchange, ÖSTERLUND, B., *et al.*, (*ESA*) A.19
——, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, PRICE, M., (*C*) 116
——, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, WILLIAMS, E. L., (*C*) 115
——, Comparison of thoracic electrical bioimpedance and thermodilution for the measurement of cardiac index in patients with severe sepsis, YOUNG, J. D., *et al.* 58–62
——, Determinants of systolic pressure variation in patients ventilated after vascular surgery, BEAUSSIER, M., *et al.*, (*ESA*) A.37
——, Evaluation in intensive care of the fraction area change obtained by automatic border detection, LIU, N., *et al.*, (*ESA*) A.25
——, Influence of cardiac output, injection time and injection volume on the initial mixing of drugs with venous blood after i.v. bolus administration to sheep, UPTON, R. N., *et al.* 333–338
——, Statistical assessment of two methods of clinical measurement, BERRIDGE, J. C., (*C*) 595
——, Statistical assessment of two methods of clinical measurement, RUNCIE, C. J., (*C*) 595
——, The choice of ECM rate could improve the neuroprotection during CPR, IANNUZZI, E., *et al.*, (*ESA*) A.195
Heart, cardiopulmonary bypass, Acute preoperative plasmapheresis during cardiac surgery, ARMELLIN, G., *et al.*, (*ESA*) A.104
——, Comparison of dobutamine with enoximone following open heart surgery in small children, INNES, P., *et al.*, (*ESA*) A.167
——, High dose aprotinin *versus* desmo-pressin acetate treatment in cardiac surgery, HIDALGO, F., *et al.*, (*ESA*) A.99
——, The relationship between cardiopulmonary bypass related immunologic effects and complement, thromboxane and leucocyte parameters, DURAK, P., *et al.*, (*ESA*) A.96
Heart, catheterization, Evaluation of cardiac function in ICU: right heart catheterization *vs* transesophageal echocardiography. Preliminary results, VIVIEN, B., *et al.*, (*ESA*) A.183
Heart, conduction, Lemakalim reverses ventricular conduction impairment induced by a large dose of bupivacaine in anesthetized dogs, DE LA COUSSAYE, J. E., *et al.*, (*ESA*) A.121
Heart, congenital defects, Extracorporeal membrane oxygenation for postoperative cardiac support in newborn infants: first clinical data, MARCASSA, A., *et al.*, (*ESA*) A.168
——, Metabolic effects of corrective surgery in infants and children with congenital heart defects, PUHAKKA, K., *et al.* 149–153
Heart, coronary artery bypass, Core–peripheral temperature difference in early *vs* later extubation after coronary artery surgery, KNAPIK, P., *et al.*, (*ESA*) A.69
——, Does propofol supplemented anaesthesia affect neurophysiological outcome following cardiopulmonary bypass? PHILLIPS, A. S., *et al.*, (*ARS*) 484P
——, Does routine preoperative coronary angiography modify outcome after aortic surgery? GOSGNACH, M., *et al.*, (*ESA*) A.6
——, Early postperfusion assessment of gas exchange and postoperative extubation outcome following coronary artery surgery, KNAPIK, P., *et al.*, (*ESA*) A.61
——, Echocardiographic study of the induction with a low-dose of sufentanil for coronary artery surgery, BROMBERG, N., *et al.*, (*ESA*) A.28
——, Effects of lorazepam on oxygen saturation before cardiac surgery, POLLOCK, J. S. S., *et al.* 219–220
——, Gastric mucosal perfusion is better preserved during cardiac surgery when isoflurane rather than enflurane or propofol is used to maintain anaesthesia, MYTHEN, M., *et al.*, (*ESA*) A.29
——, Indications for coronary revascularisation in vascular surgical patients, GOSGNACH, M., *et al.*, (*ESA*) A.5
——, Preoperative clonidine improves postoperative renal function in CABG patients, KULKA, P. J., *et al.*, (*ESA*) A.143
Heart, coronary occlusion, Effects of nitrous oxide (N_2O) on systemic haemodynamics, regional left ventricular (LV) function and incidence of myocardial ischaemia (MI) in vascular surgical patients with coronary artery disease (CAD), HOHNER, P., *et al.*, (*ESA*) A.41
Heart, dobutamine, Comparison of dobutamine with enoximone following open heart surgery in small children, INNES, P., *et al.*, (*ESA*) A.167
Heart, enoximone, Comparison of dobutamine with enoximone following open heart surgery in small children, INNES, P., *et al.*, (*ESA*) A.167
——, Haemodynamic changes produced by inhalation anaesthetics in the presence of phosphodiesterase inhibition, MOLTER, G., *et al.* 428–433
Heart, esmolol, Pre- and intraoperative prevention by β-blockers, propranolol and esmolol, of ischaemia-induced ventricular fibrillation, FREYSZ, M., *et al.*, (*ESA*) A.46
——, Use of esmolol in the postbypass management of hypertrophic obstructive cardiomyopathy, OOI, L. G., *et al.* 104–106
——, Use of transoesophageal echocardiography to manage beta-adrenoceptor block and assess left ventricular function in a patient with phaeochromocytoma, RYAN, T., *et al.* 101–103
Heart, heart rate, Effects of surgical stimulation on autonomic reflex function: assessment by changes in heart rate variability, LATSON, T. W., *et al.* 301–305
——, Pre- and intraoperative prevention by β-blockers, propranolol and esmolol, of ischaemia-induced ventricular fibrillation, FREYSZ, M., *et al.*, (*ESA*) A.46
Heart, inotropism, Haemodynamic changes produced by inhalation anaesthetics in the presence of phosphodiesterase inhibition, MOLTER, G., *et al.* 428–433
Heart, ischaemia, Dipyridamole-TEE and 24 h Holter-ECG as preoperative screening tests for coronary artery disease in patients with abdominal aortic aneurysm, ÖSTMAN, M., *et al.*, (*ESA*) A.22
——, Effects of nitrous oxide (N_2O) on systemic haemodynamics, regional left ventricular (LV) function

and incidence of myocardial ischaemia (MI) in vascular surgical patients with coronary artery disease (CAD), HOHNER, P., *et al.*, (*ESA*) A.41
——, Epidural clonidine and myocardial ischaemia after abdominal aortic surgery, FULGENCIO, J. P., *et al.*, (*ESA*) A.42
——, Evaluation of haemodynamic indices of myocardial ischaemia in patients with coronary artery disease (CAD), HOHNER, P., *et al.*, (*ESA*) A.23
——, Functional recovery after 24 h preservation of rabbit hearts in University Wisconsin solution, FELLAHI, J. L., *et al.*, (*ESA*) A.44
——, Influence of cervicothoracic epidural anaesthesia (C-TEA) on left ventricular (LV) contractility—an experimental study in pigs with autonomous blockade, REIZ, S., *et al.*, (*ESA*) A.52
——, Influence of positive pressure ventilation on myocardial ischaemia after abdominal aortic aneurysm repair, MCCOY, D., *et al.*, (*ESA*) A.43
——, Pre- and intraoperative prevention by β-blockers, propranolol and esmolol, of ischaemia-induced ventricular fibrillation, FREYSZ, M., *et al.*, (*ESA*) A.46
——, Sensitivity and specificity of mechanical and electrocardiographic myocardial ischaemia (MI) monitoring techniques, HOHNER, P., *et al.*, (*ESA*) A.26
——, The use of the CUSUM plot for determination of myocardial ischaemia threshold during atrial pacing in patients with coronary artery disease, REIZ, S., *et al.*, (*ESA*) A.24
——, Tolerance of preoperative transesophageal echocardiography in patients scheduled for aortic surgery, GOSGNACH, M., *et al.*, (*ESA*) A.21
Heart, isolated preparation, Effects of hypertonic saline on coronary blood flow and myocardial performance of a blood-perfused, isolated rabbit heart, DELAYANCE, S., *et al.*, (*ESA*) A.45
——, Functional recovery after 24 h preservation of rabbit hearts in University Wisconsin solution, FELLAHI, J. L., *et al.*, (*ESA*) A.44
Heart, isoprenaline, Pulmonary and systemic vascular effects of isoproterenol, nitroglycerin and prostaglandin E1 early after cardiac operations in patients with pulmonary hypertension, ALVAREZ, J., *et al.*, (*ESA*) A.27
Heart, myocardial function, Cardiac function in aneurysmal subarachnoid haemorrhage, MOULAY, N., *et al.*, (*ESA*) A.108
——, Effects of hypertonic saline on coronary blood flow and myocardial performance of a blood-perfused, isolated rabbit heart, DELAYANCE, S., *et al.*, (*ESA*) A.45
——, Evaluation of cardiac function in ICU: right heart catheterization *vs* transesophageal echocardiography. Preliminary results, VIVIEN, B., *et al.*, (*ESA*) A.183
——, Evaluation of haemodynamic indices of myocardial ischaemia in patients with coronary artery disease (CAD), HOHNER, P., *et al.*, (*ESA*) A.23
——, Functional recovery after 24 h preservation of rabbit hearts in University Wisconsin solution, FELLAHI, J. L., *et al.*, (*ESA*) A.44
——, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: relationships between myocardial pharmacokinetics and pharmacodynamics, HUANG, Y. F., *et al.* 556–561
——, Propofol/fentanyl-anesthesia in patients with highly depressed cardiac function, RAUCH, H., *et al.*, (*ESA*) A.30
——, Tolerance of preoperative transesophageal echocardiography in patients scheduled for aortic surgery, GOSGNACH, M., *et al.*, (*ESA*) A.21
——, Transoesophageal echocardiographic assessment of haemodynamic function during laparoscopic cholecystectomy, CUNNINGHAM, A. J., *et al.* 621–625
Heart, myopathy, Use of esmolol in the postbypass management of hypertrophic obstructive cardiomyopathy, OOI, L. G., *et al.* 104–106
Heart, nitroglycerin, Pulmonary and systemic vascular effects of isoproterenol, nitroglycerin and prostaglandin E1 early after cardiac operations in patients with pulmonary hypertension, ALVAREZ, J., *et al.*, (*ESA*) A.27
Heart, pacemakers artificial, EEG-monitoring during defibrillator-implantation: effects of repetitive cerebral ischemia on electric brain activity, SPIES, C., *et al.*, (*ESA*) A.110
Heart, preservation, Functional recovery after 24 h preservation of rabbit hearts in University Wisconsin solution, FELLAHI, J. L., *et al.*, (*ESA*) A.44
Heart, propranolol, Pre- and intraoperative prevention by β-blockers, propranolol and esmolol, of ischaemia-induced ventricular fibrillation, FREYSZ, M., *et al.*, (*ESA*) A.46
Heart, resuscitation, Death certification, BASKETT, P. J. F., (*C*) 112
——, Death certification, SKINNER, A. C., (*C*) 112
——, The choice of ECM rate could improve the neuroprotection during CPR, IANNUZZI, E., *et al.*, (*ESA*) A.195
——, Use of lignocaine in ventricular defibrillation? BASKETT, P. J. F., (*C*) 380
——, Use of lignocaine in ventricular defibrillation? QUINEY, N. F., *et al.*, (*C*) 380
——, Use of the laryngeal mask and face mask by inexperienced personnel, TIGHE, S. Q. M., (*C*) 114–115
——, Use of the laryngeal mask and face mask by inexperienced personnel, TOLLEY, P., *et al.*, (*C*) 115
——, Use of the laryngeal mask and face mask by inexperienced personnel, WALKER, M. B., *et al.*, (*C*) 114
Heart, tamponade, Alternating right to left ventricular ejection; the case of occult cardiac tamponade, SKOURTIS, C., *et al.*, (*ESA*) A.36
Heart, transplantation, Functional recovery after 24 h preservation of rabbit hearts in University Wisconsin solution, FELLAHI, J. L., *et al.*, (*ESA*) A.44
Heart, vascular pressures, A comparison between various hemodynamic parameters reflecting preload during graded hemorrhage in ventilated dogs, PREISMAN, S., *et al.*, (*ESA*) A.51
——, Alternating right to left ventricular ejection; the case of occult cardiac tamponade, SKOURTIS, C., *et al.*, (*ESA*) A.36
——, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, PRICE, M., (*C*) 116
——, Changes in haemodynamic variables with thiopentone, methohexitone, propofol and etomidate, WILLIAMS, E. L., (*C*) 115
——, Determinants of systolic pressure variation in patients ventilated after vascular surgery, BEAUSSIER, M., *et al.*, (*ESA*) A.37
——, Evaluation of haemodynamic indices of myocardial ischaemia in patients with coronary artery disease (CAD), HOHNER, P., *et al.*, (*ESA*) A.23
——, Haemodynamic and metabolic consequences of aortic occlusion during abdominal aortic surgery, WHALLEY, D. G., *et al.* 96–98
——, Influence of chronic angiotensin converting enzyme inhibition on systolic pressure variation during anesthetic induction, PUYBASSET, L., *et al.*, (*ESA*) A.39
——, Shunt flow and caval pressure gradient during veno–venous bypass in human orthotopic liver transplantation, SCHERER, R. U., *et al.* 689–690
——, The systolic pressure variation predicts response to volume loading in patients ventilated after aortic surgery, CORIAT, P., *et al.*, (*ESA*) A.38
Heart, ventricles, Effects of nitrous oxide (N_2O) on systemic haemodynamics, regional left ventricular (LV) function and incidence of myocardial ischaemia (MI) in vascular surgical patients with coronary artery disease (CAD), HOHNER, P., *et al.*, (*ESA*) A.41
——, Effects of plasma volume substitution on right ventricle volumes and function using Elohes® and Plasmion®, LEPAGE, J. Y., *et al.*, (*ESA*) A.35
——, Endocardial endothelium modulates *in vivo* left ventricular performance, DE HERT, S. G., *et al.*, (*ESA*) A.47
——, Influence of cervicothoracic epidural anaesthesia (C-TEA) on left ventricular (LV) contractility—an experimental study in pigs with autonomous blockade, REIZ, S., *et al.*, (*ESA*) A.52
——, Influence of chronic angiotensin converting enzyme inhibition on systolic pressure variation during anesthetic induction, PUYBASSET, L., *et al.*, (*ESA*) A.39
——, The systolic pressure variation predicts response to volume loading in patients ventilated after aortic surgery, CORIAT, P., *et al.*, (*ESA*) A.38
——, Use of transoesophageal echocardiography to manage beta-adrenoceptor block and assess left ventricular function in a patient with phaeochromocytoma, RYAN, T., *et al.* 101–103
Histamine, Anq 9040: effect of twice the ED_{95} dose, MUNDAY, I. T., *et al.*, (*ARS*) 480P
——, Platelet serotonin is a mediator potentially involved in anaphylactic reaction to neuromuscular blocking drugs, BERMEJO, N., *et al.* 322–325
Histamine, antihistamines, The combined prophylactic administration of H1 and H2 receptor blockers in the prevention of protamine related haemodynamic effects and the relation between antihistaminics-leucocytes and

pulmonary vascular resistance, DURAK, P., *et al.*, (*ESA*) A.95
History, diethyl ether, John Henry Hill Lewellin: The first etherist in Glasgow, MACDONALD, A. G. 228–234
History, Lewellin, John Henry Hill, John Henry Hill Lewellin: The first etherist in Glasgow, MACDONALD, A. G. 228–234
Hormones, adrenal, Adrenocortical function: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.90
Hormones, adrenocorticotrophic, Adrenocortical function: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.90
Hormones, aldosterone, Modification of the renin–aldosterone axis during orthotopic liver transplantation, DE LOS RÍOS, J., *et al.*, (*ESA*) A.75
Hormones, antidiuretic, Anaesthesia affects plasma concentrations of vasopressin, von Willebrand factor and coagulation factor VIII in cardiac surgical patients, KUITUNEN, A., *et al.* 173–180
——, Effects of desmopressin (DDAVP) supplementation in brain dead organ donors (BDOD) on early recipient renal function, GUESDE, R., *et al.*, (*ESA*) A.79
——, High dose aprotinin *versus* desmo-pressin acetate treatment in cardiac surgery, HIDALGO, F., *et al.*, (*ESA*) A.99
Hormones, corticosteroid, Diaphragmatic function after bupivacaine cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.65
Hormones, glucocorticoid, Effects of etomidate on the adrenocortical and metabolic adaptation of the neonate, CROZIER, T. A., *et al.* 47–53
Hormones, growth, Effect of recombinant human growth hormone (HGH) on protein metabolism in surgical patients, CARLI, F., *et al.*, (*ESA*) A.86
——, The role of recombinant growth factors in transfusion medicine, GOODNOUGH, L. T. 80–86
Hormones, insulin, Effects of midazolam on insulin secretion from isolated rat pancreatic islets of Langerhans, DESBOROUGH, J. P., *et al.* 221–222
——, Isoflurane inhibits Ca^{2+}-induced insulin secretion from electrically permeabilised islets of Langerhans, DESBOROUGH, J. P., *et al.*, (*ESA*) A.91
Hormones, messenger, Effects of morphine and its metabolites on opiate receptor binding and cyclic adenosine-3′,5′-monophosphate (cAMP) formation in human neuroblastoma cells, LAMBERT, D. G., *et al.*, (*ARS*) 475–476P
——, Halothane enhances forskolin stimulated cyclic adenosine-3′,5′-monophosphate formation in human neuroblastoma cells, HIRST, R. A., *et al.*, (*ARS*) 486P
Hormones, progesterone, Adrenocortical function: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.90
Hormones, prostaglandins, Pulmonary and systemic vascular effects of isoproterenol, nitroglycerin and prostaglandin E1 early after cardiac operations in patients with pulmonary hypertension, ALVAREZ, J., *et al.*, (*ESA*) A.27
Hormones, renin, Adrenocortical function: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.90
——, Modification of the renin–aldosterone axis during orthotopic liver transplantation, DE LOS RÍOS, J., *et al.*, (*ESA*) A.75
Hyperalgesia and Allodynia, WILLIS, W., (editor), (*R*) 385
Hyperbaria, pressure reversal, Asymmetry of uptake and washout of inert gases—lessons learnt in an anaesthetic department, FLOOK, V., (*ARS*) 487–488P
——, Hyperbaric decompression bubble formation—building on the Mapleson model of gas dynamics, FLOOK, V., *et al.*, (*ARS*) 474–475P
Hyperhidrosis, Transthoracic endoscopic sympathectomy, GILLIGAN, S., *et al.*, (*C*) 491
——, Transthoracic endoscopic sympathectomy, JEDEIKEN, R., *et al.*, (*C*) 491–492
——, Transthoracic endoscopic sympathectomy, PLASTOW, S. E., *et al.*, (*C*) 492
Hyperthermia, diathermy, Electrode burns during local hyperthermia, STOTT, D. G., *et al.* 370–371
Hypertrophic obstructive cardiomyopathy, Use of esmolol in the postbypass management of hypertrophic obstructive cardiomyopathy, OOI, L. G., *et al.* 104–106
Hypnotics benzodiazepine, diazepam, Benzodiazepines and their solvents influence neutrophil granulocyte function, WEISS, M., *et al.* 317–321
——, Effect of oral diazepam on the sensitivity of upper airway reflexes, MURPHY, P. J., *et al.* 131–134
——, Effects of diazepam additives on the mononuclear phagocytic system, CATALÁ, J. C., *et al.*, (*ESA*) A.89
——, Hepatic elimination of diazepam: interactions with albumin, desflurane and sevoflurane, DALE, O., *et al.* 454–455
Hypnotics benzodiazepine, flunitrazepam, Effects of midazolam and flunitrazepam on the release of dopamine from rat striatum measured by *in vivo* microdialysis, TAKADA, K., *et al.* 181–185
——, Metabolic effects of propofol and flunitrazepam given for sedation after aortic surgery, MORITZ, F., *et al.* 451–453
Hypnotics benzodiazepine, lorazepam, Effects of lorazepam on oxygen saturation before cardiac surgery, POLLOCK, J. S. S., *et al.* 219–220
Hypnotics benzodiazepine, midazolam, A comparison of midazolam and midazolam plus fentanyl for colonoscopy, DUPONT, H., *et al.*, (*ESA*) A.9
——, Benzodiazepines and their solvents influence neutrophil granulocyte function, WEISS, M., *et al.* 317–321
——, Comparison of midazolam with propofol for sedation in outpatient bronchoscopy, CRAWFORD, M., *et al.* 419–422
——, Comparison of the sedative and amnesic effects of midazolam and propofol, POLSTER, M. R., *et al.* 612–616
——, Dexmedetomidine does not exercise its anesthetic action through GABA, SALONEN, M., *et al.*, (*ESA*) A.113
——, Direct spinal effect of intrathecal and extradural midazolam on visceral noxious stimulation in rabbits, CRAWFORD, M. E., *et al.* 642–646
——, Dose dependent effects of oral medication with midazolam, BIRO, P., *et al.*, (*ESA*) A.156
——, Effects of midazolam and flunitrazepam on the release of dopamine from rat striatum measured by *in vivo* microdialysis, TAKADA, K., *et al.* 181–185
——, Effects of midazolam on insulin secretion from isolated rat pancreatic islets of Langerhans, DESBOROUGH, J. P., *et al.* 221–222
——, Midazolam–alfentanil: an anaesthetic? An investigation using the isolated forearm technique, RUSSELL, I. F. 42–46
——, Midazolam premedication: a forensic approach to pharmacokinetics and amnesia, MOTSCH, J., *et al.*, (*ESA*) A.155
——, Midazolam prevents ketamine-induced stimulation of cerebral metabolism, ÅKESON, J., *et al.*, (*ESA*) A.111
——, Pharmacokinetics of flumazenil and midazolam, JONES, R. D. M., *et al.* 286–292
——, Plasma concentrations of midazolam after i.v., nasal or rectal administration in children, MALINOVSKY, J.-M., *et al.* 617–620
——, Prolonged (> 1 week) sedation with midazolam in ICU patients: efficacy, safety and pharmacokinetics, HEYTENS, L., *et al.*, (*ESA*) A.178
Hypnotics butyrophenone, droperidol, Addition of droperidol to patient-controlled analgesia: effect on nausea and vomiting, WILLIAMS, O. A., *et al.*, (*ARS*) 479P
Hypothermia, Clinical evaluation of the oesophageal heat exchanger in the prevention of perioperative hypothermia, KULKARNI, P., *et al.* 216–218
——, Effect of radiant heat on the metabolic cost of postoperative shivering, SHARKEY, A., *et al.* 449–450
Hypoxaemia, Continuous monitoring of Sp_{O_2} during total intravenous anaesthesia with ketamine and spontaneous ventilation, JOLY, L.-M., *et al.*, (*ESA*) A.58
——, Hypoxic events after general anaesthesia in the recovery room, DEGASPERI, D., *et al.*, (*ESA*) A.59
——, Influence of anaesthesia on post-operative hypoxaemia, GEORGIOU, L., *et al.*, (*ESA*) A.60
——, Postoperative hypoxaemia: comparison of epidural and patient controlled analgesia, SPENCER, A., *et al.*, (*ESA*) A.207
Hypoxia, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
Hypoxia, Metabolic Acidosis and the Circulation, ARIEFF, A. I., (editor), (*R*) 118

Immune response, Anaesthetic implications of the anti-cardiolipin antibody syndrome, MENON, G., *et al.* 587–590
——, Effect of propofol on neutrophil respiratory burst, OGILVY, A. J., *et al.*, (*ARS*) 476P
——, Propofol decreases random and chemotactic stimulated locomotion of human neutrophils *in vitro*, JENSEN, A. G., *et al.* 99–100
——, The relationship between cardiopulmonary bypass related immunologic effects and complement, thromboxane and leucocyte parameters, DURAK, P., *et al.*, (*ESA*) A.96
Immune response, post-anaesthetic hepatitis, Halothane, metabolite-induced antibodies and hepatotoxicity, KENNA, J. G., *et al.*, (*ARS*) 484–485P

——, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
Immune response, suppression, Effects of diazepam additives on the mononuclear phagocytic system, CATALÁ, J. C., *et al.*, (*ESA*) A.89
——, Is the vasoconstrictive effect of cyclosporine mediated by endothelin in kidney transplantation? MOUQUET, C., *et al.*, (*ESA*) A.84
Induction, anaesthesia, Cardiovascular effects of i.v. induction in children: comparison between propofol and thiopentone, AUN, C. S. T., *et al.* 647–653
——, Echocardiographic study of the induction with a low-dose of sufentanil for coronary artery surgery, BROMBERG, N., *et al.*, (*ESA*) A.28
——, Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation: comparison between propofol and thiopentone, LINDGREN, L., *et al.* 306–310
——, Influence of chronic angiotensin converting enzyme inhibition on systolic pressure variation during anesthetic induction, PUYBASSET, L., *et al.*, (*ESA*) A.39
——, Ketamine does not prevent hypotension caused by induction of anaesthesia with propofol in elderly patients, BLOCKMANS, D., *et al.*, (*ESA*) A.40
——, Preoxygenation and Sp_{O_2} after induction of anaesthesia with propofol and fentanyl, RITTOO, D. B., *et al.*, (*ARS*) 486P
Infants, Comparison of dobutamine with enoximone following open heart surgery in small children, INNES, P., *et al.*, (*ESA*) A.167
——, Effect of extradural analgesia on stress responses to abdominal surgery in infants, WOLF, A. R., *et al.* 654–660
——, Evaluation of a forced-air warmer (Bair-Hugger) in maintaining body temperature in infants during cleft palate surgery, MURAT, I., *et al.*, (*ESA*) A.166
——, Metabolic effects of corrective surgery in infants and children with congenital heart defects, PUHAKKA, K., *et al.* 149–153
——, Pain relief for infants undergoing abdominal surgery: comparison of infusions of i.v. morphine and extradural bupivacaine, WOLF, A. R., *et al.* 10–16
——, The pharmacokinetics of rocuronium in pediatric patients: a pooled data analysis, MEISTELMAN, C., *et al.*, (*ESA*) A.138
——, Use of thoracic epidural block for perioperative analgesia in children, ENTRESS, A. H., *et al.*, (*ESA*) A.158
——, Use of ultrasound to evaluate internal jugular vein anatomy and to facilitate central venous cannulation in paediatric patients, ALDERSON, P. J., *et al.* 145–148
——, Ventilation with halothane is less affected in children with laryngeal mask airway than with endotracheal tube, REIGNIER, J., *et al.*, (*ESA*) A.162
——, Volume replacement with hydroxyethyl starch solution in children, BOLDT, J., *et al.* 661–665
Infection, bacterial, Bacterial retention properties of heat and moisture exchange filters, FOX, D., (*C*) 382
——, Bacterial retention properties of heat and moisture exchange filters, LEE, M. G., (*C*) 382
——, Evidence for dynamic phenomena in residual tracheal tube biofilm, INGLIS, T. J. J. 22–24
——, Extradural abscess in the postpartum period, NGAN KEE, W. D., (*C*) 704
——, Extradural abscess in the postpartum period, VASDEV, G. M. S., *et al.*, (*C*) 703–704
——, Face masks and spinal anaesthesia, O'KELLY, S. W., *et al.*, (*C*) 239
——, Face masks and spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 239
——, Incidence of bacterial maxillary sinusitis in critically ill patients with radiologic maxillary sinusitis, BODIN, L., *et al.*, (*ESA*) A.179
——, Molecular mediators and cardiac surgery, PÉREZ ARANCÓN, J. L., *et al.*, (*ESA*) A.188
——, Molecular mediators and post-bacteraemic phase, MARTÍNEZ URIONABARRENETXEA, K., *et al.*, (*ESA*) A.187
Infection, central nervous system, External ventricular CSF drains infections, MAHÉ, V., *et al.*, (*ESA*) A.109
Infection, control, Face masks and spinal anaesthesia, O'KELLY, S. W., *et al.*, (*C*) 239
——, Face masks and spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 239
Infection, nosocomial, Evidence for dynamic phenomena in residual tracheal tube biofilm, INGLIS, T. J. J. 22–24
——, External ventricular CSF drains infections, MAHÉ, V., *et al.*, (*ESA*) A.109
——, Extradural abscess in the postpartum period, NGAN KEE, W. D., (*C*) 704
——, Extradural abscess in the postpartum period, VASDEV, G. M. S., *et al.*, (*C*) 703–704
——, Face masks and spinal anaesthesia, O'KELLY, S. W., *et al.*, (*C*) 239
——, Face masks and spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 239
——, Incidence of bacterial maxillary sinusitis in critically ill patients with radiologic maxillary sinusitis, BODIN, L., *et al.*, (*ESA*) A.179
——, Penetration of an aerosol, produced by film atomization, through the carinal bifurcation, INGLIS, T. J. J., *et al.* 527–531
Infection, tetanus, Prolonged use of isoflurane in a patient with tetanus, STEVENS, J. J. W. M., *et al.* 107–109
Intensive care, Cardiac output (CO) measurement: comparison of esophageal Doppler (ED) *vs* thermodilution (TD), LEFRANT, J. Y., *et al.*, (*ESA*) A.18
——, Comparison of portable emergency ventilators using a lung model, ATTEBO, L., *et al.* 372–377
——, Comparison of pressure support ventilation provided by two ICU ventilators, KALFON, P., *et al.*, (*ESA*) A.182
——, Comparison of two therapeutic strategies of septic shock, MARTIN, C., *et al.*, (*ESA*) A.190
——, Continuous monitoring of the ventilatory mechanics during anaesthesia & intensive care, PY, C., *et al.*, (*ESA*) A.57
——, Evaluation in intensive care of the fraction area change obtained by automatic border detection, LIU, N., *et al.*, (*ESA*) A.25
——, Evaluation of cardiac function in ICU: right heart catheterization *vs* transesophageal echocardiography. Preliminary results, VIVIEN, B., *et al.*, (*ESA*) A.183
——, Histology aspects of pulmonary barotrauma in critically ill patients with acute respiratory failure, ROUBY, J. J., *et al.*, (*ESA*) A.181
——, Influence of N-acetylcysteine on O_2 consumption and gastric intramucosal pH in septic patients, SPIES, C., *et al.*, (*ESA*) A.186
——, Molecular mediators and cardiac surgery, PÉREZ ARANCÓN, J. L., *et al.*, (*ESA*) A.188
——, Mortality in ITU patients receiving neuromuscular blocking drugs, HUNTER, J. M., *et al.*, (*C*) 238–239
——, Non invasive monitoring of CO_2 in patients with septic shock, BODIN, L., *et al.*, (*ESA*) A.191
——, Outcome for patients in intensive care with acute renal failure requiring dialysis, EJLERSEN, E., *et al.*, (*ESA*) A.7
——, Preservation of humidity and heat of respiratory gases in patients with minute ventilation > 10 l/min, MARTIN, C., *et al.*, (*ESA*) A.20
——, Septic shock: effect of a goal-directed therapy on oxygen metabolism and serum cytokine levels, MARTIN, C., *et al.*, (*ESA*) A.189
——, Technical aspects of jugular bulb oximetry, DE DEYNE, C., *et al.*, (*ESA*) A.16
——, The management of acute poisoning, COLLEE, G. G., *et al.* 562–573
Intensive care, alcohol withdrawal, Carbohydrate deficient transferrin: a new copredictor of alcoholism related postoperative complications? HEIL, T., *et al.*, (*ESA*) A.88
Intensive care, audit, A national database for intensive care medicine in Sweden, KARLING, M., (*ESA*) A.8
Intensive care, infections, Evidence for dynamic phenomena in residual tracheal tube biofilm, INGLIS, T. J. J. 22–24
——, Incidence of bacterial maxillary sinusitis in critically ill patients with radiologic maxillary sinusitis, BODIN, L., *et al.*, (*ESA*) A.179
——, Molecular mediators and post-bacteraemic phase, MARTÍNEZ URIONABARRENETXEA, K., *et al.*, (*ESA*) A.187
Intensive care, sedation, Prolonged (> 1 week) sedation with midazolam in ICU patients: efficacy, safety and pharmacokinetics, HEYTENS, L., *et al.*, (*ESA*) A.178
Interactions (drug), Cardiovascular effects of a pancuronium–vecuronium mixture, DOYLE, M., *et al.*, (*ARS*) 486–487P
——, Does nicardipine potentiate the neuromuscular block of atracurium? BAZIN, J. E., *et al.*, (*ESA*) A.136
——, Efficacy of postoperative pain treatment regimens using both buprenorphine and papaveretum sequentially after abdominal hysterectomy, GREEN, D. W., *et al.* 626–630
——, Haemodynamic changes produced by inhalation anaesthetics in the presence of phosphodiesterase inhibition, MOLTER, G., *et al.* 428–433
——, Hepatic elimination of diazepam: interactions with albumin, desflurane and sevoflurane, DALE, O., *et al.* 454–455
——, Isoproterenol reverses the MAC decreasing effect of esmolol in rats, PEREL, A., *et al.*, (*ESA*) A.117

——, Midazolam prevents ketamine-induced stimulation of cerebral metabolism, ÅKESON, J., *et al.*, (*ESA*) A.111
——, Nitrous oxide-mediated activation of the EEG during isoflurane anaesthesia in patients, YLI-HANKALA, A., *et al.* 54–57
——, Partial reversal of the effects of extradural clonidine by oral yohimbine in postoperative patients. LIU, N., *et al.* 515–518
——, Pipecuronium-induced prolongation of vecuronium neuromuscular block, SMITH, I., *et al.* 446–448
——, Synergy and isoboles, CALVEY, T. N., (*E*) 246–247
——, The effect of parenteral diclofenac and morphine on efficacy duration and height of blockade during continuous epidural bupivacaine 0.5%, FORBES, D., *et al.*, (*ESA*) A.125
Intubation endobronchial, A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.* 696–698
——, Double-lumen tubes, VAUGHAN, R. S., (*E*) 497–498
——, Endobronchial cuff pressures, COBLEY, M., *et al.* 576–578
Intubation endobronchial, complications, Continuous spirometry for detection of double-lumen endobronchial tube displacement, BARDOCZKY, G. I., *et al.* 499–502
Intubation nasotracheal, technique, Comparison of alfentanil with suxamethonium in facilitating nasotracheal intubation in day-case anaesthesia, ALCOCK, R., *et al.* 34–37
——, Tracheal tube cuff inflation as an aid to blind nasotracheal intubation, VAN ELSTRAETE, A. C., *et al.* 691–693
——, Use of alfentanil with propofol for nasotracheal intubation without neuromuscular block, COGHLAN, S. F. E., *et al.* 89–91
Intubation tracheal, Comparison of the reinforced laryngeal mask airway and tracheal intubation for adenotonsillectomy, WILLIAMS, P. J., *et al.* 30–33
——, Monitoring the onset of neuromuscular blockade at the orbicularis oculi can predict good intubating conditions when using $2 \times ED_{95}$ of atracurium, DEBAENE, B., *et al.*, (*ESA*) A.142
——, Propofol and alfentanil or thiopentone and suxamethonium for tracheal intubation, BECK, G. N., *et al.*, (*ARS*) 483P
——, Propofol for tracheal intubation in paediatric outpatient anaesthesia, MONTASSER, A. M., (*ESA*) A.161
Intubation tracheal, complications, Spontaneous reposition of a dislocated arytenoid cartilage, GAUSS, A., *et al.* 591–592
Intubation tracheal, difficult, A new clinical score to predict difficult intubation, ARNÉ, J., *et al.*, (*ESA*) A.1
——, The airway decides the anaesthetic approach before tracheal intubation, VAUGHAN, R. S., *et al.*, (*C*) 600
——, The airway decides the anaesthetic approach before tracheal intubation, WILLIAMSON, R., (*C*) 600
Intubation tracheal, extubation, Core–peripheral temperature difference in early *vs* later extubation after coronary artery surgery, KNAPIK, P., *et al.*, (*ESA*) A.69
——, Early postperfusion assessment of gas exchange and postoperative extubation outcome following coronary artery surgery, KNAPIK, P., *et al.*, (*ESA*) A.61
Intubation tracheal, responses, Effect of esmolol *versus* lidocaine on intracranial pressure and haemodynamic responses to laryngoscopy and intubation, SAMAHA, T., *et al.*, (*ESA*) A.118
——, Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation: comparison between propofol and thiopentone, LINDGREN, L., *et al.* 306–310
Intubation tracheal, technique, Cricoid pressure and the laryngeal mask airway, BLOGG, C. E., *et al.*, (*C*) 596–597
——, Cricoid pressure and the laryngeal mask airway, BRIMACOMBE, J., *et al.*, (*C*) 596
——, Cricoid pressure and the laryngeal mask airway, HEATH, M. L., *et al.*, (*C*) 596
——, The airway decides the anaesthetic approach before tracheal intubation, WILLIAMSON, R., (*C*) 600
——, Tracheal intubation after induction of anaesthesia with propofol, alfentanil and i.v. lignocaine, DAVIDSON, J. A. H., *et al.* 163–166
——, Veterinary use of "Xylocaine" spray, TAYLOR, P. M., (*C*) 113
Ions, calcium, Isoflurane inhibits Ca^{2+}-induced insulin secretion from electrically permeabilised islets of Langerhans, DESBOROUGH, J. P., *et al.*, (*ESA*) A.91
Ions, fluoride, Prolonged use of isoflurane in a patient with tetanus, STEVENS, J. J. W. M., *et al.* 107–109
Ions, magnesium, Priming of atracurium with magnesium, LAMPL, E., *et al.*, (*ESA*) A.139
Ions, sodium, Effects of hypertonic saline on coronary blood flow and myocardial performance of a blood-perfused, isolated rabbit heart, DELAYANCE, S., *et al.*, (*ESA*) A.45
——, Modification of the renin–aldosterone axis during orthotopic liver transplantation, DE LOS RÍOS, J., *et al.*, (*ESA*) A.75

Key Topics in Anaesthesia, CRAFT, T. M., *et al.*, (editors), (*R*) 117
Kidney, blood flow, Renal blood flow and function relationship in recent renal transplantation in man, JACOB, L., *et al.*, (*ESA*) A.85
Kidney, failure, Is the vasoconstrictive effect of cyclosporine mediated by endothelin in kidney transplantation? MOUQUET, C., *et al.*, (*ESA*) A.84
——, Morphine-6-glucuronide disposition in renal impairment, HANNA, M. H., *et al.* 511–514
——, Outcome for patients in intensive care with acute renal failure requiring dialysis, EJLERSEN, E., *et al.*, (*ESA*) A.7
——, Pharmacokinetics of propofol and its conjugates after continuous infusion in normal and renal failure patients, NATHAN, N., *et al.*, (*ESA*) A.151
——, Pharmacokinetics of rocuronium (Org 9426) in patients with and without impaired renal function, COOPER, R., *et al.*, (*ARS*) 482P
——, Prevention of acute tubular necrosis by volume loading in kidney transplantation, MOUQUET, C., *et al.*, (*ESA*) A.82
——, Volume loading and hormonal factors in the prevention of acute tubular necrosis in kidney transplantation, MOUQUET, C., *et al.*, (*ESA*) A.83
Kidney, function, Effects of desmopressin (DDAVP) supplementation in brain dead organ donors (BDOD) on early recipient renal function, GUESDE, R., *et al.*, (*ESA*) A.79
——, Preoperative clonidine improves postoperative renal function in CABG patients, KULKA, P. J., *et al.*, (*ESA*) A.143
——, Prolonged use of isoflurane in a patient with tetanus, STEVENS, J. J. W. M., *et al.* 107–109
——, Renal blood flow and function relationship in recent renal transplantation in man, JACOB, L., *et al.*, (*ESA*) A.85
Kidney, lithotripsy, Propofol anaesthesia with spontaneous breathing for extracorporeal shock wave lithotripsy, PASCH, T., *et al.*, (*ESA*) A.153
Kidney, transplantation, Effects of desmopressin (DDAVP) supplementation in brain dead organ donors (BDOD) on early recipient renal function, GUESDE, R., *et al.*, (*ESA*) A.79
——, Is the vasoconstrictive effect of cyclosporine mediated by endothelin in kidney transplantation? MOUQUET, C., *et al.*, (*ESA*) A.84
——, Morphine-6-glucuronide disposition in renal impairment, HANNA, M. H., *et al.* 511–514
——, Prevention of acute tubular necrosis by volume loading in kidney transplantation, MOUQUET, C., *et al.*, (*ESA*) A.82
——, Renal blood flow and function relationship in recent renal transplantation in man, JACOB, L., *et al.*, (*ESA*) A.85
——, Total intravenous anaesthesia (TIVA) with propofol and alfentanil for renal transplantation, KIRVELÄ, M., *et al.*, (*ESA*) A.81
——, Volume loading and hormonal factors in the prevention of acute tubular necrosis in kidney transplantation, MOUQUET, C., *et al.*, (*ESA*) A.83
Kidney, urine metabolites, Modification of the renin–aldosterone axis during orthotopic liver transplantation, DE LOS RÍOS, J., *et al.*, (*ESA*) A.75

Larynx, cricoid pressure, Cricoid pressure and the laryngeal mask airway, BLOGG, C. E., *et al.*, (*C*) 596–597
——, Cricoid pressure and the laryngeal mask airway, BRIMACOMBE, J., *et al.*, (*C*) 596
——, Cricoid pressure and the laryngeal mask airway, HEATH, M. L., *et al.*, (*C*) 596
Larynx, damage, Day 0 or day 3 laryngoscopy after thyroidectomy? LACOSTE, L., *et al.*, (*ESA*) A.67
——, Direct, indirect or flexible laryngoscopy after thyroidectomy? LACOSTE, L., *et al.*, (*ESA*) A.66
——, Postoperative laryngeal function assessed by tussometry, LAMB, J. M., *et al.*, (*ARS*) 478–479P
Larynx, laryngoscopy, Day 0 or day 3 laryngoscopy after thyroidectomy? LACOSTE, L., *et al.*, (*ESA*) A.67
——, Direct, indirect or flexible laryngoscopy after thyroidectomy? LACOSTE, L., *et al.*, (*ESA*) A.66
——, Effect of esmolol *versus* lidocaine on intracranial pressure and haemodynamic responses to laryngoscopy and intubation, SAMAHA, T., *et al.*, (*ESA*) A.118

——, Laryngeal function as assessed by tussometry following topical anaesthesia, MAHAJAN, R. P., *et al.*, (*ESA*) A.68
Larynx, laryngoscopy fibreoptic, Direct, indirect or flexible laryngoscopy after thyroidectomy? LACOSTE, L., *et al.*, (*ESA*) A.66
Larynx, vocal cords, Concentration–effect relationship at the vocal cords and the adductor pollicis following rocuronium administration, PLAUD, B., *et al.*, (*ESA*) A.141
——, Laryngeal function as assessed by tussometry following topical anaesthesia, MAHAJAN, R. P., *et al.*, (*ESA*) A.68
Liver, blood flow, The effect of dobutamine and norepinephrine on global and splanchnic O_2 consumption, MEIER-HELLMANN, A., *et al.*, (*ESA*) A.185
Liver, cirrhosis, Modification of the renin–aldosterone axis during orthotopic liver transplantation, DE LOS RÍOS, J., *et al.*, (*ESA*) A.75
——, Oxygen consumption is dependent upon oxygen delivery in cirrhotics undergoing liver transplantation, PICCINNI, P., *et al.*, (*ESA*) A.78
Liver, hepatotoxicity, Halothane, metabolite-induced antibodies and hepatotoxicity, KENNA, J. G., *et al.*, (*ARS*) 484–485P
——, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
Liver, metabolism, Hepatic elimination of diazepam: interactions with albumin, desflurane and sevoflurane, DALE, O., *et al.* 454–455
——, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
——, Influence of norepinephrine therapy on the oxygen supply and lactate extraction rate of the liver in the septic pig, SCHÄFER, R., *et al.*, (*ESA*) A.184
Liver, microsomes, Halothane, metabolite-induced antibodies and hepatotoxicity, KENNA, J. G., *et al.*, (*ARS*) 484–485P
Liver, oxygen consumption, The effect of dobutamine and norepinephrine on global and splanchnic O_2 consumption, MEIER-HELLMANN, A., *et al.*, (*ESA*) A.185
Liver, transplantation, Blood requirements reduction in orthotopic liver transplantation with aprotinin, MONEDERO, P., *et al.*, (*ESA*) A.98
——, Changes in blood lactate, total body oxygen delivery and consumption during liver transplantation, CARRERA, J., *et al.*, (*ESA*) A.77
——, Measurement of sigmoid intramural pH during orthotopic liver transplantation, AUROY, Y., *et al.*, (*ESA*) A.76
——, Modification of the renin–aldosterone axis during orthotopic liver transplantation, DE LOS RÍOS, J., *et al.*, (*ESA*) A.75
——, Oxygen consumption is dependent upon oxygen delivery in cirrhotics undergoing liver transplantation, PICCINNI, P., *et al.*, (*ESA*) A.78
——, Shunt flow and caval pressure gradient during veno–venous bypass in human orthotopic liver transplantation, SCHERER, R. U., *et al.* 689–690
Lung, adult respiratory distress syndrome, Adult respiratory distress syndrome after attempted strangulation, MURPHY, P. G., *et al.* 583–586
——, Surfactant and adult respiratory distress syndrome, JACOBSON, W., *et al.* 522–526
Lung, atelectasis, Effect on lung volumes of oxygen concentration when breathing is restricted, BAKER, A. B., *et al.* 259–266
——, Recruitment of atelectasis during general anaesthesia: a CT-study, ROTHEN, H. U., *et al.*, (*ESA*) A.53
Lung, compliance, Comparison of portable emergency ventilators using a lung model, ATTEBO, L., *et al.* 372–377
——, Influence of posture on the respiratory mechanics during anesthesia, ENGELMAN, E., *et al.*, (*ESA*) A.56
——, The respiratory compliance in normal and obese subjects during anaesthesia, MULAZZI, D., *et al.*, (*ESA*) A.54
Lung, damage, Adult respiratory distress syndrome after attempted strangulation, MURPHY, P. G., *et al.* 583–586
——, Histology aspects of pulmonary barotrauma in critically ill patients with acute respiratory failure, ROUBY, J. J., *et al.*, (*ESA*) A.181
——, Systemic gas embolism in pulmonary contusion diagnosed by transesophageal echocardiography, SAADA, M., *et al.*, (*ESA*) A.194
Lung, function, Fiberoptic bronchoscopy in brain dead organ donors, RIOU, B., *et al.*, (*ESA*) A.80
——, Lung function after vecuronium pretreatment in elderly patients, MAHAJAN, R. P., *et al.*, (*ARS*) 482–483P
Lung, functional residual capacity, Effect of selective cell separation on respiratory function after aortic aneurysm surgery, MCKAVNEY, M., *et al.*, (*ARS*) 475P
——, Effect of three different surgical prone positions on lung volumes in healthy, awake volunteers, HENNESSY, N., *et al.*, (*ARS*) 475P
——, Effect on lung volumes of oxygen concentration when breathing is restricted, BAKER, A. B., *et al.* 259–266
Lung, gas exchange, Cardiac output determined from pulmonary gas exchange, ÖSTERLUND, B., *et al.*, (*ESA*) A.19
——, Effect of selective cell separation on respiratory function after aortic aneurysm surgery, MCKAVNEY, M., *et al.*, (*ARS*) 475P
Lung, intravascular pressures, Pulmonary and systemic vascular effects of isoproterenol, nitroglycerin and prostaglandin E1 early after cardiac operations in patients with pulmonary hypertension, ALVAREZ, J., *et al.*, (*ESA*) A.27
Lung, lavage, Reassessment of bronchoalveolar lavage in the diagnosis of post traumatic pulmonary fat embolism, MIMOZ, O., *et al.*, (*ESA*) A.180
Lung, model, Comparison of portable emergency ventilators using a lung model, ATTEBO, L., *et al.* 372–377
Lung, respiratory resistance, Comparison of portable emergency ventilators using a lung model, ATTEBO, L., *et al.* 372–377
Lung, surfactant, Surfactant and adult respiratory distress syndrome, JACOBSON, W., *et al.* 522–526
Lung, tidal volume, Comparison of spontaneous sighs and manual inflations in anaesthetized patients breathing air and oxygen, DOW, A. C., *et al.*, (*ARS*) 474P
Lung, transplantation, Fiberoptic bronchoscopy in brain dead organ donors, RIOU, B., *et al.*, (*ESA*) A.80
Lung, volume, Effect of selective cell separation on respiratory function after aortic aneurysm surgery, MCKAVNEY, M., *et al.*, (*ARS*) 475P
——, Effect of three different surgical prone positions on lung volumes in healthy, awake volunteers, HENNESSY, N., *et al.*, (*ARS*) 475P
——, Routine preoxygenation: how long before mask anaesthesia? HEAD-RAPSON, A. G., *et al.*, (*ARS*) 488P

Malignant hyperthermia, Combined caffeine–halothane test for malignant hyperthermia, ELLIS, F. R., *et al.*, (*C*) 598
——, Combined caffeine–halothane test for malignant hyperthermia, NELSON, T. E., (*C*) 597–598
——, Comparison of *in vitro* contracture testing with ryanodine, halothane and caffeine in malignant hyperthermia and other neuromuscular disorders, HOPKINS, P. M., *et al.* 397–401
——, Exercise and malignant hyperthermia: family investigations, KOZAK RIBBENS, G., *et al.*, (*ESA*) A.92
——, Genetic linkage analysis of chromosome 19 markers in malignant hyperthermia, BALL, S. P., *et al.* 70–75
——, *In vitro* effect of ephedrine, adrenaline, noradrenaline and isoprenaline on halothane-induced contractures in skeletal muscle from patients potentially susceptible to malignant hyperthermia, URWYLER, A., *et al.* 76–79
——, Is Burkitt's lymphoma an etiology or a differential diagnosis of malignant hyperthermia? LIENHART, A., *et al.*, (*ESA*) A.93
——, Spin resonance spectroscopy to detect malignant hyperthermia susceptibility, BUCKMASTER, H. A., *et al.*, (*C*) 598–599
——, Spin resonance spectroscopy to detect malignant hyperthermia susceptibility, HALSALL, P. J., *et al.*, (*C*) 599
Management of Acute Pain: A Practical Guide, READY, L. B., *et al.*, (editors), (*R*) 495
MCQ for the Higher Examination in Clinical Pharmacology, MCCARTHY, G., *et al.*, (*R*) 241
MCQs in Anaesthesia: Basic Sciences, KUMAR, B., (editor), (*R*) 117
Measurement techniques, airway reflexes, Effect of oral diazepam on the sensitivity of upper airway reflexes, MURPHY, P. J., *et al.* 131–134
——, Measurement of the sensitivity of upper airway reflexes, LANGTON, J. A., *et al.* 126–130
Measurement techniques, arterial pressure, Clinical evaluation of the calibration of noninvasive continuous blood pressure measurement devices by means of oscillometric blood pressure measurements, DE JONG, J. R., *et al.*, (*ESA*) A.15
——, Comparison of automatic oscillometric arterial pressure measurement with conventional auscultatory measurement in the labour ward, HASAN, M. A., *et al.* 141–144
Measurement techniques, carbon dioxide, Non invasive monitoring of CO_2 in patients with septic shock, BODIN, L., *et al.*, (*ESA*) A.191
Measurement techniques, cardiac output, Cardiac output (CO) measurement: comparison of esophageal Doppler

(ED) *vs* thermodilution (TD), LEFRANT, J. Y., *et al.*, (*ESA*) A.18
——, Cardiac output determined from pulmonary gas exchange, ÖSTERLUND, B., *et al.*, (*ESA*) A.19
——, Cardiovascular effects of i.v. induction in children: comparison between propofol and thiopentone, AUN, C. S. T., *et al.* 647–653
Measurement techniques, chemoluminescence, Benzodiazepines and their solvents influence neutrophil granulocyte function, WEISS, M., *et al.* 317–321
Measurement techniques, contracture test for MH, Combined caffeine–halothane test for malignant hyperthermia, ELLIS, F. R., *et al.*, (*C*) 598
——, Combined caffeine–halothane test for malignant hyperthermia, NELSON, T. E., (*C*) 597–598
——, Comparison of *in vitro* contracture testing with ryanodine, halothane and caffeine in malignant hyperthermia and other neuromuscular disorders, HOPKINS, P. M., *et al.* 397–401
——, *In vitro* effect of ephedrine, adrenaline, noradrenaline and isoprenaline on halothane-induced contractures in skeletal muscle from patients potentially susceptible to malignant hyperthermia, URWYLER, A., *et al.* 76–79
Measurement techniques, Doppler echocardiography, Cardiac output (CO) measurement: comparison of esophageal Doppler (ED) *vs* thermodilution (TD), LEFRANT, J. Y., *et al.*, (*ESA*) A.18
——, Cardiovascular effects of i.v. induction in children: comparison between propofol and thiopentone, AUN, C. S. T., *et al.* 647–653
——, Incremental spinal anaesthesia for elective Caesarean section: maternal and fetal haemodynamic effects, ROBSON, S. C., *et al.* 634–638
Measurement techniques, drug concentration, *In vivo* determination of concentration–effect curves of local anaesthetics in man, WIESEMES, R., *et al.* 552–555
Measurement techniques, electron spin resonance, Spin resonance spectroscopy to detect malignant hyperthermia susceptibility, BUCKMASTER, H. A., *et al.*, (*C*) 598–599
——, Spin resonance spectroscopy to detect malignant hyperthermia susceptibility, HALSALL, P. J., *et al.*, (*C*) 599
Measurement techniques, endoscopy, Studies of gastric content: comparison of two methods, SØREIDE, E., *et al.* 360–362
Measurement techniques, flowmetry, Effects of intradermal lignocaine and mepivacaine on human cutaneous circulation in areas with histamine-induced neurogenic inflammation, FRUHSTORFER, H., *et al.* 167–172
Measurement techniques, mechanomyography, Tetanic fade during recovery from vecuronium block: comparison of systemic and isolated forearm administration, CAMPKIN, N. T. A., *et al.* 581–582
Measurement techniques, microdialysis, Effects of midazolam and flunitrazepam on the release of dopamine from rat striatum measured by *in vivo* microdialysis, TAKADA, K., *et al.* 181–185
Measurement techniques, neuromuscular block, Comparison between double-burst stimulation and 50, 100 Hz tetanic fade during spontaneous recovery of vecuronium induced neuromuscular blockade, BAURAIN, M. J., *et al.*, (*ESA*) A.133
——, Potency estimation of mivacurium: comparison of two different modes of nerve stimulation, MADDINENI, V. R., *et al.* 694–695
——, Recoveries of post-tetanic twitch and train-of-four responses after administration of vecuronium with different inhalation anaesthetics and neuroleptanaesthesia, SAITOH, Y., *et al.* 402–404
Measurement techniques, nuclear magnetic resonance, Visualization of extradural blood patch for post lumbar puncture headache by magnetic resonance imaging, GRIFFITHS, A. G., *et al.* 223–225
Measurement techniques, oximeters, Preoxygenation and Sp_{O_2} after induction of anaesthesia with propofol and fentanyl, RITTOO, D. B., *et al.*, (*ARS*) 486P
——, Technical aspects of jugular bulb oximetry, DE DEYNE, C., *et al.*, (*ESA*) A.16
Measurement techniques, plethysmography, The effects of epidural and spinal anesthesia on the changes in the plethysmographic signal in the lower and upper limbs, PREISMAN, S., *et al.*, (*ESA*) A.124
Measurement techniques, spectral analysis, Accuracy of processed auditory evoked response in predicting movement during cardiac surgery, KUPPE, H., *et al.*, (*ESA*) A.31
Measurement techniques, thermodilution, Cardiac output (CO) measurement: comparison of esophageal Doppler (ED) *vs* thermodilution (TD), LEFRANT, J. Y., *et al.*, (*ESA*) A.18
——, Cardiac output determined from pulmonary gas exchange, ÖSTERLUND, B., *et al.*, (*ESA*) A.19
——, Comparison of thoracic electrical bioimpedance and thermodilution for the measurement of cardiac index in patients with severe sepsis, YOUNG, J. D., *et al.* 58–62
Measurement techniques, thoracic impedance cardiography, Comparison of thoracic electrical bioimpedance and thermodilution for the measurement of cardiac index in patients with severe sepsis, YOUNG, J. D., *et al.* 58–62
Measurement techniques, thrombelastography, Haemostasis and thrombelastography: a cautious note, GUPTA, N. K., *et al.*, (*C*) 699
——, Haemostasis and thrombelastography: a cautious note, MALLETT, S. V., *et al.*, (*C*) 699–700
Measurement techniques, tomography, Clinical and radiological comparison of perivascular and transarterial techniques of axillary brachial plexus block, PERE, P., *et al.* 276–279
Measurement techniques, transthoracic electrical impedance, Haemodynamic changes in patients undergoing laparoscopic cholecystectomy: measurement by transthoracic electrical bioimpedance, CRITCHLEY, L. A. H., *et al.* 681–683
Measurement techniques, tussometry, Laryngeal function as assessed by tussometry following topical anaesthesia, MAHAJAN, R. P., *et al.*, (*ESA*) A.68
——, Postoperative laryngeal function assessed by tussometry, LAMB, J. M., *et al.*, (*ARS*) 478–479P
Measurement techniques, ultrasound, Cerebral blood flow velocities (CBFV) during anaesthesia for gynaecological laparoscopic surgery, GRANRY, J. C., *et al.*, (*ESA*) A.32
——, Effect of nitrous oxide on cerebral blood flow in normal humans, FIELD, L. M., *et al.* 154–159
——, Hyperbaric decompression bubble formation—building on the Mapleson model of gas dynamics, FLOOK, V., *et al.*, (*ARS*) 474–475P
——, Incremental spinal anaesthesia for elective Caesarean section: maternal and fetal haemodynamic effects, ROBSON, S. C., *et al.* 634–638
——, Renal blood flow and function relationship in recent renal transplantation in man, JACOB, L., *et al.*, (*ESA*) A.85
——, Transcranial Doppler sonography: effect of propofol and thiopental in patients with brain tumors and brain injuries, SCHREGEL, W., *et al.*, (*ESA*) A.105
——, Ultrasound measurement of muscle thickness in the estimation of fat free mass, WATT, T., *et al.*, (*ARS*) 477P
——, Use of ultrasound to evaluate internal jugular vein anatomy and to facilitate central venous cannulation in paediatric patients, ALDERSON, P. J., *et al.* 145–148
Medical Writing: A Prescription for Clarity, GOODMAN, N., *et al.*, (editors), (*R*) 385
Medico–legal, Death certification, BASKETT, P. J. F., (*C*) 112
——, Death certification, SKINNER, A. C., (*C*) 112
——, Spinal extradural abscess: pursuit of vigilance, BROMAGE, P. R. 471–473
Membrane, erythrocyte, Membrane action of volatile anaesthetics: effect of halothane on microviscosity, APPADU, B., *et al.*, (*ARS*) 477P
——, Spin resonance spectroscopy to detect malignant hyperthermia susceptibility, BUCKMASTER, H. A., *et al.*, (*C*) 598–599
——, Spin resonance spectroscopy to detect malignant hyperthermia susceptibility, HALSALL, P. J., *et al.*, (*C*) 599
Membrane, lipid bilayers, Membrane action of volatile anaesthetics: effect of halothane on microviscosity, APPADU, B., *et al.*, (*ARS*) 477P
Membrane, nerve, Nitrous oxide induced neuronal depression: modification through benzodiazepine receptors, DZOLJIC, M., *et al.*, (*ESA*) A.112
Memory, Comparison of the sedative and amnesic effects of midazolam and propofol, POLSTER, M. R., *et al.* 612–616
——, Flumazenil facilitates intraoperative arousal in scoliosis surgery, KOSCIELNIAK-NIELSEN, Z. J., *et al.*, (*ESA*) A.157
——, Midazolam premedication: a forensic approach to pharmacokinetics and amnesia, MOTSCH, J., *et al.*, (*ESA*) A.155
——, Midazolam–alfentanil: an anaesthetic? An investigation using the isolated forearm technique, RUSSELL, I. F. 42–46
——, Validation of coherent frequency of the EEG as a measure of consciousness during anaesthesia, MUNGLANI, R., *et al.*, (*ARS*) 483–484P
Metabolism, energy expenditure, Metabolic effects of dobutamine, CAMPBELL, I. T., *et al.*, (*C*) 236
——, Metabolic effects of dobutamine, OH, T. E., *et al.*, (*C*) 237–238
——, Metabolic effects of dobutamine, SMITH, D. C., *et al.*, (*C*) 236–237

Metabolism, fasting, How long should patients fast before surgery? Time for new guidelines, STRUNIN, L., (*E*) 1–3
——, Preoperative drinking and gastric contents, LEVY, D. M., *et al.*, (*C*) 701–702
——, Preoperative drinking and gastric contents, MATHER, C., (*C*) 702
——, Preoperative drinking and gastric contents, PHILLIPS, S., *et al.*, (*C*) 702–703
——, Preoperative drinking and gastric contents, READ, M. S., *et al.*, (*C*) 701
——, Preoperative drinking and gastric contents, STRUNIN, L., (*C*) 702
——, Preoperative drinking does not affect gastric contents, PHILLIPS, S., *et al.* 6–9
Metabolism, fluoride, Prolonged use of isoflurane in a patient with tetanus, STEVENS, J. J. W. M., *et al.* 107–109
Metabolism, free radicals, Anaesthetic properties of dimethylthiourea, KOBLIN, D. D., *et al.* 456–458
——, Propofol (2,6 diisopropylphenol) as an antioxidant *in-vitro*: a dose response study, BENNETT, S., *et al.*, (*ESA*) A.152
Metabolism, glucose, Effects of etomidate on the adrenocortical and metabolic adaptation of the neonate, CROZIER, T. A., *et al.* 47–53
——, Isoflurane inhibits Ca^{2+}-induced insulin secretion from electrically permeabilised islets of Langerhans, DESBOROUGH, J. P., *et al.*, (*ESA*) A.91
——, Neonatal glycemia: does the maternal i.v. fluid regimen during labor make a difference? MENIGAUX, C., *et al.*, (*ESA*) A.175
Metabolism, glycine, Glycine and its metabolites during and after intrauterine YAG laser surgery, VAN BOVEN, M. J., *et al.*, (*ESA*) A.87
Metabolism, isoflurane, Prolonged use of isoflurane in a patient with tetanus, STEVENS, J. J. W. M., *et al.* 107–109
Metabolism, lactate, Changes in blood lactate, total body oxygen delivery and consumption during liver transplantation, CARRERA, J., *et al.*, (*ESA*) A.77
——, Influence of norepinephrine therapy on the oxygen supply and lactate extraction rate of the liver in the septic pig, SCHÄFER, R., *et al.*, (*ESA*) A.184
——, Jugular bulb metabolic monitoring during hyperventilation in severe head trauma patients, DE DEYNE, C., *et al.*, (*ESA*) A.106
——, Sensitivity and specificity of mechanical and electrocardiographic myocardial ischaemia (MI) monitoring techniques, HOHNER, P., *et al.*, (*ESA*) A.26
——, The use of the CUSUM plot for determination of myocardial ischaemia threshold during atrial pacing in patients with coronary artery disease, REIZ, S., *et al.*, (*ESA*) A.24
Metabolism, metabolites, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
——, Lipid solubility of pancuronium and vecuronium determined by n-octanol/water partitioning, WEINDLMAYR-GOETTEL, M., *et al.* 579–580
Metabolism, midazolam, Midazolam premedication: a forensic approach to pharmacokinetics and amnesia, MOTSCH, J., *et al.*, (*ESA*) A.155
Metabolism, oxygen consumption, Effect of radiant heat on the metabolic cost of postoperative shivering, SHARKEY, A., *et al.* 449–450
——, Influence of norepinephrine therapy on the oxygen supply and lactate extraction rate of the liver in the septic pig, SCHÄFER, R., *et al.*, (*ESA*) A.184
——, Metabolic effects of corrective surgery in infants and children with congenital heart defects, PUHAKKA, K., *et al.* 149–153
——, Metabolic effects of dobutamine, CAMPBELL, I. T., *et al.*, (*C*) 236
——, Metabolic effects of dobutamine, OH, T. E., *et al.*, (*C*) 237–238
——, Metabolic effects of dobutamine, SMITH, D. C., *et al.*, (*C*) 236–237
——, Metabolic effects of propofol and flunitrazepam given for sedation after aortic surgery, MORITZ, F., *et al.* 451–453
Metabolism, protein, Effect of recombinant human growth hormone (HGH) on protein metabolism in surgical patients, CARLI, F., *et al.*, (*ESA*) A.86
Metabolism, protein, acute phase, Laparoscopic *vs* open cholecystectomy, JAKEWAYS, M. S. R., *et al.*, (*C*) 597
——, Metabolic effects of cholecystectomy, JORIS, J., (*C*) 494
——, Metabolic effects of cholecystectomy, MCMAHON, A. J., *et al.*, (*C*) 493–494
Microcirculation, Influence of N-acetylcysteine on O_2 consumption and gastric intramucosal pH in septic patients, SPIES, C., *et al.*, (*ESA*) A.186
Model, acute pain service, Organization of acute pain services—a low-cost model, RAWAL, N., (*ESA*) A.199
Model, computer simulation, Brain partial pressures of isoflurane and nitrous oxide, PETERSEN-FELIX, S., *et al.*, (*C*) 704–705
——, Brain partial pressures of isoflurane and nitrous oxide, THORNTON, C., *et al.*, (*C*) 705
——, Computer-controlled syringe pump improves safety of pharmacokinetic models, DURANTEAU, R., *et al.*, (*ESA*) A.148
Model, gas dynamics, Hyperbaric decompression bubble formation—building on the Mapleson model of gas dynamics, FLOOK, V., *et al.*, (*ARS*) 474–475P
Model, liver, Hepatic elimination of diazepam: interactions with albumin, desflurane and sevoflurane, DALE, O., *et al.* 454–455
Model, lung, Extra inspiratory work of breathing imposed by cricothyrotomy devices, OOI, R., *et al.* 17–21
Model, mathematical, Evaluation in intensive care of the fraction area change obtained by automatic border detection, LIU, N., *et al.*, (*ESA*) A.25
——, Logistic regression analysis of fixed patient factors for postoperative sickness: a model for risk assessment, PALAZZO, M., *et al.* 135–140
——, Mathematical analysis of the upper respiratory tract from an anthropometric study, JANVIER, G., *et al.* 186–191
——, The use of the CUSUM plot for determination of myocardial ischaemia threshold during atrial pacing in patients with coronary artery disease, REIZ, S., *et al.*, (*ESA*) A.24
Model, membrane, Membrane action of volatile anaesthetics: effect of halothane on microviscosity, APPADU, B., *et al.*, (*ARS*) 477P
Model, neuroblastoma cells, Effect of fentanyl on [^{3}H]noradrenaline uptake in isolated neuronal cell preparations, ATCHESON, R., *et al.*, (*ARS*) 485P
——, Effects of morphine and its metabolites on opiate receptor binding and cyclic adenosine-3′,5′-monophosphate (cAMP) formation in human neuroblastoma cells, LAMBERT, D. G., *et al.*, (*ARS*) 475–476P
——, Halothane enhances forskolin stimulated cyclic adenosine-3′,5′-monophosphate formation in human neuroblastoma cells, HIRST, R. A., *et al.*, (*ARS*) 486P
Model, pharmacodynamic, Pharmacokinetic/pharmacodynamic modelling of atracurium, BEEMER, G. H., *et al.*, (*C*) 111
——, Pharmacokinetic/pharmacodynamic modelling of atracurium, FISHER, D. M., (*C*) 110–111
——, Pharmacokinetic/pharmacodynamic modelling of atracurium, PARKER, C. J. R., *et al.*, (*C*) 111–112
Model, pharmacokinetic, Brain partial pressures of isoflurane and nitrous oxide, PETERSEN-FELIX, S., *et al.*, (*C*) 704–705
——, Brain partial pressures of isoflurane and nitrous oxide, THORNTON, C., *et al.*, (*C*) 705
——, Computer-controlled syringe pump improves safety of pharmacokinetic models, DURANTEAU, R., *et al.*, (*ESA*) A.148
——, Determination of a pharmacokinetic model for propofol induction of anaesthesia, VIVIAND, X., *et al.*, (*ESA*) A.150
——, Pharmacokinetic/pharmacodynamic modelling of atracurium, BEEMER, G. H., *et al.*, (*C*) 111
——, Pharmacokinetic/pharmacodynamic modelling of atracurium, FISHER, D. M., (*C*) 110–111
——, Pharmacokinetic/pharmacodynamic modelling of atracurium, PARKER, C. J. R., *et al.*, (*C*) 111–112
Model, pharmaco-physiological, A physiological model for the distribution of injected agents, with special reference to pethidine, DAVIS, N. R., *et al.* 248–258
——, Why not model physiologically? SEAR, J. W., (*E*) 243–245
Model, rat, Hepatic elimination of diazepam: interactions with albumin, desflurane and sevoflurane, DALE, O., *et al.* 454–455
Model, water flea, Clonal variation in response to enflurane anaesthesia with *Daphnia magna*, MYLES, A. P., *et al.*, (*ARS*) 476–477P
Monitoring, angiography, Dipyridamole-TEE and 24 h Holter-ECG as preoperative screening tests for coronary artery disease in patients with abdominal aortic aneurysm, ÖSTMAN, M., *et al.*, (*ESA*) A.22
——, Does routine preoperative coronary angiography modify outcome after aortic surgery? GOSGNACH, M., *et al.*, (*ESA*) A.6
——, Indications for coronary revascularisation in vascular surgical patients, GOSGNACH, M., *et al.*, (*ESA*) A.5
Monitoring, body mass, Ultrasound measurement of muscle thickness in the estimation of fat free mass, WATT, T., *et al.*, (*ARS*) 477P
Monitoring, carbon dioxide, Non invasive monitoring of

CO_2 in patients with septic shock, BODIN, L., *et al.*, (*ESA*) A.191
Monitoring, cardiopulmonary, Comparison of thoracic electrical bioimpedance and thermodilution for the measurement of cardiac index in patients with severe sepsis, YOUNG, J. D., *et al.* 58–62
Monitoring, computerized, Continuous monitoring of the ventilatory mechanics during anaesthesia & intensive care, PY, C., *et al.*, (*ESA*) A.57
——, Evaluation in intensive care of the fraction area change obtained by automatic border detection, LIU, N., *et al.*, (*ESA*) A.25
——, Sensitivity and specificity of mechanical and electrocardiographic myocardial ischaemia (MI) monitoring techniques, HOHNER, P., *et al.*, (*ESA*) A.26
——, The use of the CUSUM plot for determination of myocardial ischaemia threshold during atrial pacing in patients with coronary artery disease, REIZ, S., *et al.*, (*ESA*) A.24
Monitoring, cuff pressure, Endobronchial cuff pressures, COBLEY, M., *et al.* 576–578
Monitoring, depth of anaesthesia, Accuracy of processed auditory evoked response in predicting movement during cardiac surgery, KUPPE, H., *et al.*, (*ESA*) A.31
——, Effect of nitrous oxide on auditory evoked potentials, JESSOP, J., *et al.*, (*C*) 380
——, Effect of nitrous oxide on auditory evoked potentials, PLOURDE, G., (*C*) 379–380
——, Midazolam–alfentanil: an anaesthetic? An investigation using the isolated forearm technique, RUSSELL, I. F. 42–46
——, Validation of coherent frequency of the EEG as a measure of consciousness during anaesthesia, MUNGLANI, R., *et al.*, (*ARS*) 483–484P
Monitoring, echocardiography, Cardiac function in aneurysmal subarachnoid haemorrhage, MOULAY, N., *et al.*, (*ESA*) A.108
——, Determinants of systolic pressure variation in patients ventilated after vascular surgery, BEAUSSIER, M., *et al.*, (*ESA*) A.37
——, Diagnosis of aortic rupture by transesophageal echocardiography (TEE), GOARIN, J. P., *et al.*, (*ESA*) A.193
——, Dipyridamole-TEE and 24 h Holter-ECG as preoperative screening tests for coronary artery disease in patients with abdominal aortic aneurysm, ÖSTMAN, M., *et al.*, (*ESA*) A.22
——, Echocardiographic study of the induction with a low-dose of sufentanil for coronary artery surgery, BROMBERG, N., *et al.*, (*ESA*) A.28
——, Evaluation in intensive care of the fraction area change obtained by automatic border detection, LIU, N., *et al.*, (*ESA*) A.25
——, Evaluation of cardiac function in ICU: right heart catheterization *vs* transesophageal echocardiography. Preliminary results, VIVIEN, B., *et al.*, (*ESA*) A.183
——, Evaluation of systematic TEE in patients suspected of blunt chest trauma, CATOIRE, P., *et al.*, (*ESA*) A.192
——, Sensitivity and specificity of mechanical and electrocardiographic myocardial ischaemia (MI) monitoring techniques, HOHNER, P., *et al.*, (*ESA*) A.26
——, Systemic gas embolism in pulmonary contusion diagnosed by transesophageal echocardiography, SAADA, M., *et al.*, (*ESA*) A.194
——, Tolerance of preoperative transesophageal echocardiography in patients scheduled for aortic surgery, GOSGNACH, M., *et al.*, (*ESA*) A.21
——, Transoesophageal echocardiographic assessment of haemodynamic function during laparoscopic cholecystectomy, CUNNINGHAM, A. J., *et al.* 621–625
——, Use of transoesophageal echocardiography to manage beta-adrenoceptor block and assess left ventricular function in a patient with phaeochromocytoma, RYAN, T., *et al.* 101–103
Monitoring, electrocardiography, Cardiac function in aneurysmal subarachnoid haemorrhage, MOULAY, N., *et al.*, (*ESA*) A.108
——, Dipyridamole-TEE and 24 h Holter-ECG as preoperative screening tests for coronary artery disease in patients with abdominal aortic aneurysm, ÖSTMAN, M., *et al.*, (*ESA*) A.22
——, Mechanisms of ECG changes during Caesarean section (CS)—a hypothesis, SVANSTRÖM, M., *et al.*, (*ESA*) A.177
——, Sensitivity and specificity of mechanical and electrocardiographic myocardial ischaemia (MI) monitoring techniques, HOHNER, P., *et al.*, (*ESA*) A.26
Monitoring, electroencephalography, EEG-monitoring during defibrillator-implantation: effects of repetitive cerebral ischemia on electric brain activity, SPIES, C., *et al.*, (*ESA*) A.110
——, Spontaneous excitatory movements during recovery from propofol anaesthesia in an infant: EEG evaluation, BORGEAT, A., *et al.* 459–461
——, Validation of coherent frequency of the EEG as a measure of consciousness during anaesthesia, MUNGLANI, R., *et al.*, (*ARS*) 483–484P
Monitoring, electro-oculogram, Evaluation of saccadic eye movements as an objective test during recovery from anesthesia, PAUT, O., *et al.*, (*ESA*) A.10
Monitoring, evoked potentials, Accuracy of processed auditory evoked response in predicting movement during cardiac surgery, KUPPE, H., *et al.*, (*ESA*) A.31
——, Effect of isometric thumb preload on the evoked compound muscle action potential, KALLI, I. 92–93
——, Effect of nitrous oxide on auditory evoked potentials, JESSOP, J., *et al.*, (*C*) 380
——, Effect of nitrous oxide on auditory evoked potentials, PLOURDE, G., (*C*) 379–380
——, Validation of coherent frequency of the EEG as a measure of consciousness during anaesthesia, MUNGLANI, R., *et al.*, (*ARS*) 483–484P
Monitoring, oxygen, Continuous monitoring of Sp_{O_2} during total intravenous anaesthesia with ketamine and spontaneous ventilation, JOLY, L.-M., *et al.*, (*ESA*) A.58
——, Hypoxic events after general anaesthesia in the recovery room, DEGASPERI, D., *et al.*, (*ESA*) A.59
——, Technical aspects of jugular bulb oximetry, DE DEYNE, C., *et al.*, (*ESA*) A.16
Monitoring, spirometry, Continuous spirometry: an aid in the intraoperative respiratory monitoring—case reports, BARDOCZKY, G., *et al.*, (*ESA*) A.55
——, Continuous spirometry for detection of double-lumen endobronchial tube displacement, BARDOCZKY, G. I., *et al.* 499–502
Monitoring, sympathetic block, The effects of epidural and spinal anesthesia on the changes in the plethysmographic signal in the lower and upper limbs, PREISMAN, S., *et al.*, (*ESA*) A.124
Monitoring, ultrasound, Use of ultrasound to evaluate internal jugular vein anatomy and to facilitate central venous cannulation in paediatric patients, ALDERSON, P. J., *et al.* 145–148
Monitoring, vectorcardiography, Sensitivity and specificity of mechanical and electrocardiographic myocardial ischaemia (MI) monitoring techniques, HOHNER, P., *et al.*, (*ESA*) A.26
——, The use of the CUSUM plot for determination of myocardial ischaemia threshold during atrial pacing in patients with coronary artery disease, REIZ, S., *et al.*, (*ESA*) A.24
Monitoring, ventilation, Continuous monitoring of the ventilatory mechanics during anaesthesia & intensive care, PY, C., *et al.*, (*ESA*) A.57
Mouse, Anaesthetic properties of dimethylthiourea, KOBLIN, D. D., *et al.* 456–458
——, Prejunctional action of neostigmine on mouse neuromuscular preparations, BRAGA, M. F. M., *et al.* 405–410
Muscle cardiac, contractility, Endocardial endothelium modulates *in vivo* left ventricular performance, DE HERT, S. G., *et al.*, (*ESA*) A.47
——, Influence of cervicothoracic epidural anaesthesia (C-TEA) on left ventricular (LV) contractility—an experimental study in pigs with autonomous blockade, REIZ, S., *et al.*, (*ESA*) A.52
Muscle skeletal, Ultrasound measurement of muscle thickness in the estimation of fat free mass, WATT, T., *et al.*, (*ARS*) 477P
Muscle skeletal, contractility, *In vitro* effect of ephedrine, adrenaline, noradrenaline and isoprenaline on halothane-induced contractures in skeletal muscle from patients potentially susceptible to malignant hyperthermia, URWYLER, A., *et al.* 76–79
Muscle skeletal, diaphragm, Diaphragmatic function after bupivacaine cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.65

Neonates, A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.* 696–698
——, Effects of etomidate on the adrenocortical and metabolic adaptation of the neonate, CROZIER, T. A., *et al.* 47–53
——, Extracorporeal membrane oxygenation for postoperative cardiac support in newborn infants: first clinical data, MARCASSA, A., *et al.*, (*ESA*) A.168
——, Neonatal glycemia: does the maternal i.v. fluid regimen during labor make a difference? MENIGAUX, C., *et al.*, (*ESA*) A.175
——, Plasma catecholamines and neonatal condition after

induction of anaesthesia with propofol or thiopentone at Caesarean section, GIN, T., *et al.* 311–316
——, Use of ultrasound to evaluate internal jugular vein anatomy and to facilitate central venous cannulation in paediatric patients, ALDERSON, P. J., *et al.* 145–148
Nerve, damage (postoperative), Peripheral nerve damage and regional anaesthesia, BARANOWSKI, A. P., *et al.*, (*C*) 593–594
——, Peripheral nerve damage and regional anaesthesia, GENTILI, M. E., *et al.*, (*C*) 594
——, Peripheral nerve damage and regional anaesthesia, RICE, A. S. C., *et al.*, (*C*) 594
Nerve, differential block, Differential effects of alfentanil, fentanyl, pethidine and lignocaine administered intrathecally on nociceptive responses evoked by low and high frequency stimulation of somatic nerves, WANG, C., *et al.* 63–69
Nerve, membrane, Nitrous oxide induced neuronal depression: modification through benzodiazepine receptors, DZOLJIC, M., *et al.*, (*ESA*) A.112
Nerve–muscle preparations, Prejunctional action of neostigmine on mouse neuromuscular preparations, BRAGA, M. F. M., *et al.* 405–410
Neuromuscular block, allergy, Platelet serotonin is a mediator potentially involved in anaphylactic reaction to neuromuscular blocking drugs, BERMEJO, N., *et al.* 322–325
Neuromuscular block, Anq 9040, Anq 9040: effect of twice the ED_{95} dose, MUNDAY, I. T., *et al.*, (*ARS*) 480P
Neuromuscular block, antagonism, Neostigmine and edrophonium antagonism of moderate neuromuscular block induced by pancuronium or tubocurarine, SHORTEN, G. D., *et al.* 160–162
——, Prejunctional action of neostigmine on mouse neuromuscular preparations, BRAGA, M. F. M., *et al.* 405–410
——, Reversal of vecuronium induced neuromuscular blockade: no effects of atropine administration timing, BAURAIN, M. J., *et al.*, (*ESA*) A.134
Neuromuscular block, atracurium, Comparison of the onset of depolarizing *vs* non-depolarizing block after early tourniquet release in the isolated forearm, HOOD, J. R., *et al.*, (*ARS*) 480P
——, Does nicardipine potentiate the neuromuscular block of atracurium? BAZIN, J. E., *et al.*, (*ESA*) A.136
——, Effect of age, gender and anaesthetic technique on the pharmacodynamics of atracurium, PARKER, C. J. R., *et al.* 38–41
——, Monitoring the onset of neuromuscular blockade at the orbicularis oculi can predict good intubating conditions when using $2 \times ED_{95}$ of atracurium, DEBAENE, B., *et al.*, (*ESA*) A.142
——, Mortality in ITU patients receiving neuromuscular blocking drugs, HUNTER, J. M., *et al.*, (*C*) 238–239
——, Neostigmine antagonism of neuromuscular blockade induced by mivacurium, vecuronium and atracurium, DERNOVOI, B. S., *et al.*, (*ESA*) A.137
——, Priming of atracurium with magnesium, LAMPL, E., *et al.*, (*ESA*) A.139
——, Recovery of atracurium and vecuronium neuromuscular block in the isolated forearm, LAW MIN, J.-C., *et al.*, (*ARS*) 480–481P
——, Relationship between volume of distribution of atracurium and body weight, PARKER, C. J. R., *et al.* 443–445
——, Supra-additivity between atracurium and vecuronium, MERETOJA, O. A., *et al.*, (*ESA*) A.140
Neuromuscular block, decamethonium, Comparison of the onset of depolarizing *vs* non-depolarizing block after early tourniquet release in the isolated forearm, HOOD, J. R., *et al.*, (*ARS*) 480P
Neuromuscular block, measurement of response, Can repetition of high frequencies stimuli alter the value of 50 and 100 Hz tetanic fade during vecuronium induced neuromuscular blockade? BAURAIN, M. J., *et al.*, (*ESA*) A.135
——, Comparison between double-burst stimulation and 50, 100 Hz tetanic fade during spontaneous recovery of vecuronium induced neuromuscular blockade, BAURAIN, M. J., *et al.*, (*ESA*) A.133
——, Monitoring the onset of neuromuscular blockade at the orbicularis oculi can predict good intubating conditions when using $2 \times ED_{95}$ of atracurium, DEBAENE, B., *et al.*, (*ESA*) A.142
——, Potency estimation of mivacurium: comparison of two different modes of nerve stimulation, MADDINENI, V. R., *et al.* 694–695
Neuromuscular block, mivacurium, Neostigmine antagonism of neuromuscular blockade induced by mivacurium, vecuronium and atracurium, DERNOVOI, B. S., *et al.*, (*ESA*) A.137
——, Neuromuscular blockade following mivacurium in children during N_2O–halothane, ORLIAGUET, G., *et al.*, (*ESA*) A.163
——, Pharmacokinetics of the isomers of mivacurium chloride in the healthy adult, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 487P
——, Potency estimation of mivacurium: comparison of two different modes of nerve stimulation, MADDINENI, V. R., *et al.* 694–695
Neuromuscular block, pancuronium, Cardiovascular effects of a pancuronium–vecuronium mixture, DOYLE, M., *et al.*, (*ARS*) 486–487P
——, Lipid solubility of pancuronium and vecuronium determined by n-octanol/water partitioning, WEINDLMAYR-GOETTEL, M., *et al.* 579–580
——, Neostigmine and edrophonium antagonism of moderate neuromuscular block induced by pancuronium or tubocurarine, SHORTEN, G. D., *et al.* 160–162
Neuromuscular block, pipecuronium, Pipecuronium-induced prolongation of vecuronium neuromuscular block, SMITH, I., *et al.* 446–448
Neuromuscular block, potentiation, Does nicardipine potentiate the neuromuscular block of atracurium? BAZIN, J. E., *et al.*, (*ESA*) A.136
——, Pipecuronium-induced prolongation of vecuronium neuromuscular block, SMITH, I., *et al.* 446–448
——, Recoveries of post-tetanic twitch and train-of-four responses after administration of vecuronium with different inhalation anaesthetics and neuroleptanaesthesia, SAITOH, Y., *et al.* 402–404
Neuromuscular block, priming, Onset of action of a small dose of vecuronium, NATHANSON, M. H., *et al.*, (*ARS*) 481–482P
——, Priming of atracurium with magnesium, LAMPL, E., *et al.*, (*ESA*) A.139
Neuromuscular block, recovery, Can repetition of high frequencies stimuli alter the value of 50 and 100 Hz tetanic fade during vecuronium induced neuromuscular blockade? BAURAIN, M. J., *et al.*, (*ESA*) A.135
——, Comparison between double-burst stimulation and 50, 100 Hz tetanic fade during spontaneous recovery of vecuronium induced neuromuscular blockade, BAURAIN, M. J., *et al.*, (*ESA*) A.133
——, Neostigmine antagonism of neuromuscular blockade induced by mivacurium, vecuronium and atracurium, DERNOVOI, B. S., *et al.*, (*ESA*) A.137
——, Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? LIPPMANN, M., *et al.*, (*C*) 235
——, Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? MIRAKHUR, R. K., *et al.*, (*C*) 235
——, Recoveries of post-tetanic twitch and train-of-four responses after administration of vecuronium with different inhalation anaesthetics and neuroleptanaesthesia, SAITOH, Y., *et al.* 402–404
——, Recovery of atracurium and vecuronium neuromuscular block in the isolated forearm, LAW MIN, J.-C., *et al.*, (*ARS*) 480–481P
——, Tetanic fade during recovery from vecuronium block: comparison of systemic and isolated forearm administration, CAMPKIN, N. T. A., *et al.* 581–582
Neuromuscular block, rocuronium, Concentration–effect relationship at the vocal cords and the adductor pollicis following rocuronium administration, PLAUD, B., *et al.*, (*ESA*) A.141
——, Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? LIPPMANN, M., *et al.*, (*C*) 235
——, Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? MIRAKHUR, R. K., *et al.*, (*C*) 235
——, Pharmacokinetics of rocuronium (Org 9426) in patients with and without impaired renal function, COOPER, R., *et al.*, (*ARS*) 482P
——, The pharmacokinetics of rocuronium in pediatric patients: a pooled data analysis, MEISTELMAN, C., *et al.*, (*ESA*) A.138
Neuromuscular block, suxamethonium, Comparison of alfentanil with suxamethonium in facilitating nasotracheal intubation in day-case anaesthesia, ALCOCK, R., *et al.* 34–37
——, Propofol and alfentanil or thiopentone and suxamethonium for tracheal intubation, BECK, G. N., *et al.*, (*ARS*) 483P
Neuromuscular block, tubocurarine, Neostigmine and edrophonium antagonism of moderate neuromuscular

block induced by pancuronium or tubocurarine, SHORTEN, G. D., *et al.* 160–162
——, Prejunctional action of neostigmine on mouse neuromuscular preparations, BRAGA, M. F. M., *et al.* 405–410
Neuromuscular block, vecuronium, Can repetition of high frequencies stimuli alter the value of 50 and 100 Hz tetanic fade during vecuronium induced neuromuscular blockade? BAURAIN, M. J., *et al.*, (*ESA*) A.135
——, Cardiovascular effects of a pancuronium–vecuronium mixture, DOYLE, M., *et al.*, (*ARS*) 486–487P
——, Comparison between double-burst stimulation and 50, 100 Hz tetanic fade during spontaneous recovery of vecuronium induced neuromuscular blockade, BAURAIN, M. J., *et al.*, (*ESA*) A.133
——, Comparison of the onset of depolarizing *vs* non-depolarizing block after early tourniquet release in the isolated forearm, HOOD, J. R., *et al.*, (*ARS*) 480P
——, Lipid solubility of pancuronium and vecuronium determined by n-octanol/water partitioning, WEINDLMAYR-GOETTEL, M., *et al.* 579–580
——, Lung function after vecuronium pretreatment in elderly patients, MAHAJAN, R. P., *et al.*, (*ARS*) 482–483P
——, Neostigmine antagonism of neuromuscular blockade induced by mivacurium, vecuronium and atracurium, DERNOVOI, B. S., *et al.*, (*ESA*) A.137
——, Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? LIPPMANN, M., *et al.*, (*C*) 235
——, Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? MIRAKHUR, R. K., *et al.*, (*C*) 235
——, Onset of action of a small dose of vecuronium, NATHANSON, M. H., *et al.*, (*ARS*) 481–482P
——, Pipecuronium-induced prolongation of vecuronium neuromuscular block, SMITH, I., *et al.* 446–448
——, Prediction of infusion rate of vecuronium to maintain steady state using the bolus test dose technique, MORGAN, R. J., *et al.*, (*ARS*) 481P
——, Recoveries of post-tetanic twitch and train-of-four responses after administration of vecuronium with different inhalation anaesthetics and neuroleptanaesthesia, SAITOH, Y., *et al.* 402–404
——, Recovery of atracurium and vecuronium neuromuscular block in the isolated forearm, LAW MIN, J.-C., *et al.*, (*ARS*) 480–481P
——, Reversal of vecuronium induced neuromuscular blockade: no effects of atropine administration timing, BAURAIN, M. J., *et al.*, (*ESA*) A.134
——, Supra-additivity between atracurium and vecuronium, MERETOJA, O. A., *et al.*, (*ESA*) A.140
——, Tetanic fade during recovery from vecuronium block: comparison of systemic and isolated forearm administration, CAMPKIN, N. T. A., *et al.* 581–582
Neuromuscular transmission, Effect of isometric thumb preload on the evoked compound muscle action potential, KALLI, I. 92–93
——, Prejunctional action of neostigmine on mouse neuromuscular preparations, BRAGA, M. F. M., *et al.* 405–410
——, Tetanic fade during recovery from vecuronium block: comparison of systemic and isolated forearm administration, CAMPKIN, N. T. A., *et al.* 581–582
Non-steroidal anti-inflammatory drugs, Diclofenac and ketoprofen for pain treatment after elective Caesarean section, RORARIUS, M. G. F., *et al.* 293–297
——, Ketorolac postoperative analgesia, AL-HASANI, A., (*C*) 112–113
——, Ketorolac postoperative analgesia, KINSELLA, J., (*C*) 113
——, Preoperative indomethacin for pain relief after thoracotomy: comparison with postoperative indomethacin, MURPHY, D. F., *et al.* 298–300

Oxygen, consumption, Changes in blood lactate, total body oxygen delivery and consumption during liver transplantation, CARRERA, J., *et al.*, (*ESA*) A.77
——, Influence of N-acetylcysteine on O_2 consumption and gastric intramucosal pH in septic patients, SPIES, C., *et al.*, (*ESA*) A.186
——, Oxygen consumption is dependent upon oxygen delivery in cirrhotics undergoing liver transplantation, PICCINNI, P., *et al.*, (*ESA*) A.78
——, The effect of dobutamine and norepinephrine on global and splanchnic O_2 consumption, MEIER-HELLMANN, A., *et al.*, (*ESA*) A.185
Oxygen, delivery systems, Comparison of nasal cannulae with face mask for oxygen administration to postoperative patients, NOLAN, K. M., *et al.* 440–442
——, Extracorporeal membrane oxygenation for postoperative cardiac support in newborn infants: first clinical data, MARCASSA, A., *et al.*, (*ESA*) A.168
——, IVOX, SKOYLES, J., *et al.*, (*E*) 603–604
Oxygen, inspired concentration, Effect of hyperoxia on the breathing of patients anaesthetized with infusions of propofol, DOW, A. C., *et al.* 532–535
——, Effects of active and passive sighs in normoxia and hyperoxia on the breathing of patients anaesthetized with infusions of propofol, GOODMAN, N. W., *et al.* 536–541
Oxygen, measurement, Statistical assessment of two methods of clinical measurement, BERRIDGE, J. C., (*C*) 595
——, Statistical assessment of two methods of clinical measurement, RUNCIE, C. J., (*C*) 595
Oxygen, saturation, Comparison of midazolam with propofol for sedation in outpatient bronchoscopy, CRAWFORD, M., *et al.* 419–422
——, Continuous monitoring of Sp_{O_2} during total intravenous anaesthesia with ketamine and spontaneous ventilation, JOLY, L.-M., *et al.*, (*ESA*) A.58
——, Effects of lorazepam on oxygen saturation before cardiac surgery, POLLOCK, J. S. S., *et al.* 219–220
——, Hypoxic events after general anaesthesia in the recovery room, DEGASPERI, D., *et al.*, (*ESA*) A.59
——, Influence of anaesthesia on post-operative hypoxaemia, GEORGIOU, L., *et al.*, (*ESA*) A.60
——, Jugular bulb metabolic monitoring during hyperventilation in severe head trauma patients, DE DEYNE, C., *et al.*, (*ESA*) A.106
——, Lung function after vecuronium pretreatment in elderly patients, MAHAJAN, R. P., *et al.*, (*ARS*) 482–483P
——, Preoxygenation and Sp_{O_2} after induction of anaesthesia with propofol and fentanyl, RITTOO, D. B., *et al.*, (*ARS*) 486P
——, Routine preoxygenation: how long before mask anaesthesia? HEAD-RAPSON, A. G., *et al.*, (*ARS*) 488P
——, Sedation with propofol during regional anaesthesia, ARNOLD, B. D. C., (*C*) 112
——, Statistical assessment of two methods of clinical measurement, BERRIDGE, J. C., (*C*) 595
——, Statistical assessment of two methods of clinical measurement, RUNCIE, C. J., (*C*) 595
Oxygen, therapy, Comparison of nasal cannulae with face mask for oxygen administration to postoperative patients, NOLAN, K. M., *et al.* 440–442
Oxygen, tissue, Influence of norepinephrine therapy on the oxygen supply and lactate extraction rate of the liver in the septic pig, SCHÄFER, R., *et al.*, (*ESA*) A.184
——, Oxygen consumption is dependent upon oxygen delivery in cirrhotics undergoing liver transplantation, PICCINNI, P., *et al.*, (*ESA*) A.78
——, The effect of dobutamine and norepinephrine on global and splanchnic O_2 consumption, MEIER-HELLMANN, A., *et al.*, (*ESA*) A.185
Oxygen, transport, The effect of dobutamine and norepinephrine on global and splanchnic O_2 consumption, MEIER-HELLMANN, A., *et al.*, (*ESA*) A.185
Oxygen, uptake, Propofol (2,6 diisopropylphenol) as an antioxidant *in-vitro*: a dose response study, BENNETT, S., *et al.*, (*ESA*) A.152
——, Septic shock: effect of a goal-directed therapy on oxygen metabolism and serum cytokine levels, MARTIN, C., *et al.*, (*ESA*) A.189

Pain, Pre-emptive extradural analgesia, HARDY, P. A. J., (*C*) 493
Pain, acute, Intranasal fentanyl for breakthrough cancer pain or incident pain, STRIEBEL, W. H., *et al.*, (*ESA*) A.210
——, Organization of acute pain services—a low-cost model, RAWAL, N., (*ESA*) A.199
——, The value of pre-emptive analgesia in the treatment of postoperative pain, DAHL, J. B., *et al.* 434–439
Pain, chronic, Diaphragmatic function after bupivacaine cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.65
——, High dose oral morphine in cancer pain management, RADBRUCH, L., *et al.*, (*ESA*) A.212
——, Intranasal fentanyl for breakthrough cancer pain or incident pain, STRIEBEL, W. H., *et al.*, (*ESA*) A.210
——, Intrathecal pain relief in terminally ill cancer patients at home, WAGEMANS, M. F. M., *et al.*, (*ESA*) A.213
——, Treatment of cancer pain with morphine (MO)—A double blind study of extradural (ED) *versus* intramuscular (im) routes of administration, NATH, S., *et al.*, (*ESA*) A.211
Pain, injection, Alizapride does reduce pain on injection of propofol: comparison with lidocaine, ZAOUK, G., *et al.*, (*ESA*) A.11

——, Pain on i.v. injection of metoclopramide, WILKINSON, D. J., (*C*) 239
——, Quality of induction: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.154
Pain, mechanism, Differential effects of specific delta and kappa opioid antagonists on the bidirectionnal effect of naloxone in arthritic rats, CATTANEO, I., *et al.*, (*ESA*) A.114
——, Pre-emptive analgesia, DAHL, J. B., *et al.*, (*C*) 379
——, Pre-emptive analgesia, KATZ, J., *et al.*, (*C*) 378
——, The value of pre-emptive analgesia in the treatment of postoperative pain, DAHL, J. B., *et al.* 434–439
Pain, postoperative, A survey of sleep problems in surgical patients, BEYDON, L., *et al.*, (*ESA*) A.4
——, Addition of droperidol to PCA morphine: what is the optimal dose? LAMOND, C. T., *et al.*, (*ESA*) A.204
——, Analgesia by wound infiltration before or after surgery in inguinal hernioraphy, HENNART, D., *et al.*, (*ESA*) A.202
——, Diclofenac and ketoprofen for pain treatment after elective Caesarean section, RORARIUS, M. G. F., *et al.* 293–297
——, Effect of morphine on a nociceptive flexion reflex in patients with postoperative pain, CHAUVIN, M., *et al.*, (*ESA*) A.115
——, Efficacy of continuous intercostal bupivacaine for pain relief after thoracotomy, DRYDEN, C. M., *et al.* 508–510
——, Efficacy of postoperative pain treatment regimens using both buprenorphine and papaveretum sequentially after abdominal hysterectomy, GREEN, D. W., *et al.* 626–630
——, Epidural administration of liposomal bupivacaine for the management of postsurgical pain, BOOGAERTS, J., *et al.*, (*ESA*) A.200
——, Epidural clonidine analgesia after major gynaecological surgery, SMILOV, I., *et al.*, (*ESA*) A.176
——, Evaluation of pain and analgesia in a postanesthesia care unit, AUBRUN, F., *et al.*, (*ESA*) A.198
——, Evaluation of the analgesic effect of metoclopramide after opioid-free analgesia, LISANDER, B. 631–633
——, Extradural 0.07% bupivacaine for postoperative pain, SLADE, J. M., (*ARS*) 478P
——, Intranasal fentanyl for postoperative pain management in an unselected population, STRIEBEL, W. H., *et al.*, (*ESA*) A.209
——, Ketorolac postoperative analgesia, AL-HASANI, A., (*C*) 112–113
——, Ketorolac postoperative analgesia, KINSELLA, J., (*C*) 113
——, Organization of acute pain services—a low-cost model, RAWAL, N., (*ESA*) A.199
——, Pain relief after anterior cruciate ligament repair, CARROLL, P. H., *et al.*, (*C*) 600
——, Pain relief after anterior cruciate ligament repair, JOSHI, G. P., (*C*) 600
——, Pain relief for infants undergoing abdominal surgery: comparison of infusions of i.v. morphine and extradural bupivacaine, WOLF, A. R., *et al.* 10–16
——, Partial reversal of the effects of extradural clonidine by oral yohimbine in postoperative patients, LIU, N., *et al.* 515–518
——, Patient-controlled extradural analgesia to compare bupivacaine, fentanyl and bupivacaine with fentanyl in the treatment of postoperative pain, COOPER, D. W., *et al.* 503–507
——, Postoperative analgesia: a two dosage regimens trial for i.m. morphine after early i.v. titration, BUTSCHER, K., *et al.*, (*ESA*) A.201
——, Postoperative analgesia in children, FELL, D., (*E*) 4–5
——, Postoperative pain thresholds, COOK, T. M., (*C*) 110
——, Pre-emptive analgesia, DAHL, J. B., *et al.*, (*C*) 379
——, Pre-emptive analgesia, KATZ, J., *et al.*, (*C*) 378
——, Preemptive analgesia with epidural morphine, NÈGRE, I., *et al.*, (*ESA*) A.203
——, Preoperative indomethacin for pain relief after thoracotomy: comparison with postoperative indomethacin, MURPHY, D. F., *et al.* 298–300
——, The value of pre-emptive analgesia in the treatment of postoperative pain, DAHL, J. B., *et al.* 434–439
——, Transthoracic endoscopic sympathectomy, GILLIGAN, S., *et al.*, (*C*) 491
——, Transthoracic endoscopic sympathectomy, JEDEIKEN, R., *et al.*, (*C*) 491–492
——, Transthoracic endoscopic sympathectomy, PLASTOW, S. E., *et al.*, (*C*) 492
——, Ventilatory effects of morphine, pethidine and methadone in children, HAMUNEN, K. 414–418
Pain, threshold, Alterations in pain threshold and psychomotor response associated with subanaesthetic concentrations of inhalation anaesthetics in humans, TOMI, K., *et al.* 684–686
——, *In vivo* determination of concentration–effect curves of local anaesthetics in man, WIESEMES, R., *et al.* 552–555
——, Postoperative pain thresholds, COOK, T. M., (*C*) 110
Pain, tourniquet, Comparison of the effect of EMLA cream, subcutaneous ring anaesthesia and a double cuff technique in the prevention of tourniquet pain, TSAI, Y.-C., *et al.* 394–396
Pain, visceral, Direct spinal effect of intrathecal and extradural midazolam on visceral noxious stimulation in rabbits, CRAWFORD, M. E., *et al.* 642–646
Parasympathetic nervous system, Effects of surgical stimulation on autonomic reflex function: assessment by changes in heart rate variability, LATSON, T. W., *et al.* 301–305
Parasympathetic nervous system, atropine, Reversal of vecuronium induced neuromuscular blockade: no effects of atropine administration timing, BAURAIN, M. J., *et al.*, (*ESA*) A.134
Parasympathetic nervous system, glycopyrronium, Glycopyrronium prolongs topical anaesthesia of oral mucosa and enhances absorption of lignocaine, WATANABE, H., *et al.* 94–95
Partial pressure, arterial–end-tidal, Components of the inspiratory–arterial isoflurane partial pressure difference, LANDON, A. J., *et al.* 605–611
——, Relationship between arterial P_{CO_2} (Pa_{CO_2}) and end tidal CO_2 ($ETco_2$) recorded through a laryngeal mask (LMA) in children breathing spontaneously, VAN OBBERGH, L. J., *et al.*, (*ESA*) A.164
Partial pressure, carbon dioxide, Is correlation of arterial and end-tidal carbon dioxide pressure during inhalation anaesthesia better with laryngeal mask as compared to face mask? IVENS, D., *et al.*, (*ESA*) A.17
Partial pressure, inert gases, Asymmetry of uptake and washout of inert gases—lessons learnt in an anaesthetic department, FLOOK, V., (*ARS*) 487–488P
——, Hyperbaric decompression bubble formation—building on the Mapleson model of gas dynamics, FLOOK, V., *et al.*, (*ARS*) 474–475P
Partial pressure, isoflurane, Brain partial pressures of isoflurane and nitrous oxide, PETERSEN-FELIX, S., *et al.*, (*C*) 704–705
——, Brain partial pressures of isoflurane and nitrous oxide, THORNTON, C., *et al.*, (*C*) 705
——, Components of the inspiratory–arterial isoflurane partial pressure difference, LANDON, A. J., *et al.* 605–611
Partial pressure, nitrous oxide, Brain partial pressures of isoflurane and nitrous oxide, PETERSEN-FELIX, S., *et al.*, (*C*) 704–705
——, Brain partial pressures of isoflurane and nitrous oxide, THORNTON, C., *et al.*, (*C*) 705
Partial pressure, oxygen, Early postperfusion assessment of gas exchange and postoperative extubation outcome following coronary artery surgery, KNAPIK, P., *et al.*, (*ESA*) A.61
Phaeochromocytoma, Use of transoesophageal echocardiography to manage beta-adrenoceptor block and assess left ventricular function in a patient with phaeochromocytoma, RYAN, T., *et al.* 101–103
Pharmacodynamics, Comparison of the onset of depolarizing *vs* non-depolarizing block after early tourniquet release in the isolated forearm, HOOD, J. R., *et al.*, (*ARS*) 480P
——, Concentration–effect relationship at the vocal cords and the adductor pollicis following rocuronium administration, PLAUD, B., *et al.*, (*ESA*) A.141
——, Effect of age, gender and anaesthetic technique on the pharmacodynamics of atracurium, PARKER, C. J. R., *et al.* 38–41
——, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: relationships between myocardial pharmacokinetics and pharmacodynamics, HUANG, Y. F., *et al.* 556–561
——, Monitoring the onset of neuromuscular blockade at the orbicularis oculi can predict good intubating conditions when using $2 \times ED_{95}$ of atracurium, DEBAENE, B., *et al.*, (*ESA*) A.142
——, Neuromuscular blockade following mivacurium in children during N_2O–halothane, ORLIAGUET, G., *et al.*, (*ESA*) A.163
——, Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? LIPPMANN, M., *et al.*, (*C*) 235
——, Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? MIRAKHUR, R. K., *et al.*, (*C*) 235
——, Onset of action of a small dose of vecuronium, NATHANSON, M. H., *et al.*, (*ARS*) 481–482P

——, Pharmacokinetic/pharmacodynamic modelling of atracurium, BEEMER, G. H., *et al.*, (*C*) 111
——, Pharmacokinetic/pharmacodynamic modelling of atracurium, FISHER, D. M., (*C*) 110–111
——, Pharmacokinetic/pharmacodynamic modelling of atracurium, PARKER, C. J. R., *et al.*, (*C*) 111–112
——, Pharmacokinetics and pharmacodynamics of ketamine enantiomers in surgical patients using a stereoselective analytical method, GEISSLINGER, G., *et al.* 666–671
——, Propofol and alfentanil mixture, SANDIN, R., (*C*) 382–383
——, Propofol and alfentanil mixture, TAYLOR, I. N., *et al.*, (*C*) 383
——, Relationship between volume of distribution of atracurium and body weight, PARKER, C. J. R., *et al.* 443–445
Pharmacokinetics, alfentanil, Pharmacokinetic behaviour of transdermal fentanyl, VAN BASTELAERE, M., *et al.*, (*ESA*) A.146
——, Pharmacokinetics and effects of i.m. alfentanil as premedication for outpatient cataract surgery, ALI-MELKKILÄ, T., *et al.*, (*ESA*) A.145
Pharmacokinetics, atracurium, Mortality in ITU patients receiving neuromuscular blocking drugs, HUNTER, J. M., *et al.*, (*C*) 238–239
——, Pharmacokinetic/pharmacodynamic modelling of atracurium, BEEMER, G. H., *et al.*, (*C*) 111
——, Pharmacokinetic/pharmacodynamic modelling of atracurium, FISHER, D. M., (*C*) 110–111
——, Pharmacokinetic/pharmacodynamic modelling of atracurium, PARKER, C. J. R., *et al.*, (*C*) 111–112
——, Relationship between volume of distribution of atracurium and body weight, PARKER, C. J. R., *et al.* 443–445
Pharmacokinetics, bupivacaine, Plasma concentrations of bupivacaine and its enantiomers during continuous extrapleural intercostal nerve block, BERRISFORD, R. G., *et al.* 201–204
——, Slow-release effect of pH-adjusted bupivacaine: pharmacokinetic demonstration, BENHAMOU, D., *et al.*, (*ESA*) A.120
Pharmacokinetics, fentanyl, Pharmacokinetics of intranasal fentanyl, STRIEBEL, H. W., *et al.*, (*ESA*) A.208
Pharmacokinetics, flumazenil, Pharmacokinetics of flumazenil and midazolam, JONES, R. D. M., *et al.* 286–292
Pharmacokinetics, glycine, Glycine and its metabolites during and after intrauterine YAG laser surgery, VAN BOVEN, M. J., *et al.*, (*ESA*) A.87
Pharmacokinetics, heart, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: myocardial pharmacokinetics, HUANG, Y. F., *et al.* 326–332
——, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: relationships between myocardial pharmacokinetics and pharmacodynamics, HUANG, Y. F., *et al.* 556–561
Pharmacokinetics, ketamine, Pharmacokinetics and pharmacodynamics of ketamine enantiomers in surgical patients using a stereoselective analytical method, GEISSLINGER, G., *et al.* 666–671
Pharmacokinetics, lignocaine, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: myocardial pharmacokinetics, HUANG, Y. F., *et al.* 326–332
——, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: relationships between myocardial pharmacokinetics and pharmacodynamics, HUANG, Y. F., *et al.* 556–561
Pharmacokinetics, liver, Pharmacokinetics of rocuronium (Org 9426) in patients with and without impaired renal function, COOPER, R., *et al.*, (*ARS*) 482P
Pharmacokinetics, lung, Sufentanil first-pass pulmonary uptake at three different steady state concentrations of the drug, BOER, F., *et al.*, (*ESA*) A.147
Pharmacokinetics, midazolam, Midazolam premedication: a forensic approach to pharmacokinetics and amnesia, MOTSCH, J., *et al.*, (*ESA*) A.155
——, Pharmacokinetics of flumazenil and midazolam, JONES, R. D. M., *et al.* 286–292
——, Prolonged (> 1 week) sedation with midazolam in ICU patients: efficacy, safety and pharmacokinetics, HEYTENS, L., *et al.*, (*ESA*) A.178
Pharmacokinetics, mivacurium, Pharmacokinetics of the isomers of mivacurium chloride in the healthy adult, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 487P
Pharmacokinetics, models, A physiological model for the distribution of injected agents, with special reference to pethidine, DAVIS, N. R., *et al.* 248–258
——, Effect of age, gender and anaesthetic technique on the pharmacodynamics of atracurium, PARKER, C. J. R., *et al.* 38–41
——, Why not model physiologically? SEAR, J. W., (*E*) 243–245
Pharmacokinetics, morphine-6-glucuronide, Morphine-6-glucuronide disposition in renal impairment, HANNA, M. H., *et al.* 511–514
Pharmacokinetics, obesity, Perioperative management of the obese patient, SHENKMAN, Z., *et al.* 349–359
Pharmacokinetics, propofol, Pharmacokinetics of propofol administered by infusion in dogs undergoing surgery, NOLAN, A., *et al.* 546–551
——, Pharmacokinetics of propofol and its conjugates after continuous infusion in normal and renal failure patients, NATHAN, N., *et al.*, (*ESA*) A.151
Pharmacokinetics, rocuronium, Concentration–effect relationship at the vocal cords and the adductor pollicis following rocuronium administration, PLAUD, B., *et al.*, (*ESA*) A.141
——, Pharmacokinetics of rocuronium (Org 9426) in patients with and without impaired renal function, COOPER, R., *et al.*, (*ARS*) 482P
——, The pharmacokinetics of rocuronium in pediatric patients: a pooled data analysis, MEISTELMAN, C., *et al.*, (*ESA*) A.138
Pharmacokinetics, solubility, Lipid solubility of pancuronium and vecuronium determined by n-octanol/water partitioning, WEINDLMAYR-GOETTEL, M., *et al.* 579–580
Pharmacokinetics, stereoisomers, Pharmacokinetics and pharmacodynamics of ketamine enantiomers in surgical patients using a stereoselective analytical method, GEISSLINGER, G., *et al.* 666–671
——, Pharmacokinetics of the isomers of mivacurium chloride in the healthy adult, HEAD-RAPSON, A. G., *et al.*, (*ARS*) 487P
——, Plasma concentrations of bupivacaine and its enantiomers during continuous extrapleural intercostal nerve block, BERRISFORD, R. G., *et al.* 201–204
Pharmacokinetics, uptake, Components of the inspiratory–arterial isoflurane partial pressure difference, LANDON, A. J., *et al.* 605–611
——, Influence of cardiac output, injection time and injection volume on the initial mixing of drugs with venous blood after i.v. bolus administration to sheep, UPTON, R. N., *et al.* 333–338
——, Onset of action of a small dose of vecuronium, NATHANSON, M. H., *et al.*, (*ARS*) 481–482P
——, Plasma concentrations of midazolam after i.v., nasal or rectal administration in children, MALINOVSKY, J.-M., *et al.* 617–620
——, Relationship between volume of distribution of atracurium and body weight, PARKER, C. J. R., *et al.* 443–445
——, Sufentanil first-pass pulmonary uptake at three different steady state concentrations of the drug, BOER, F., *et al.*, (*ESA*) A.147
——, The pharmacokinetics of rocuronium in pediatric patients: a pooled data analysis, MEISTELMAN, C., *et al.*, (*ESA*) A.138
——, Ultrasound measurement of muscle thickness in the estimation of fat free mass, WATT, T., *et al.*, (*ARS*) 477P
Pharmacology, 5-HT antagonists, Comparison of ondansetron, metoclopramide and droperidol for the prophylaxis of emetic symptoms after gynecological laparoscopic procedures, GEIGER, C., *et al.*, (*ESA*) A.14
——, Double-blind comparison of ondansetron, droperidol and saline for prevention of nausea & vomiting after orthopaedic surgery, GAN, T. J., *et al.*, (*ESA*) A.13
——, Ondansetron 4 mg *vs* droperidol 1.25 mg in the prophylaxis of postoperative nausea and vomiting after alfentanil-supplemented inhalation anaesthesia, ALON, E., *et al.*, (*ESA*) A.12
Pharmacology, alizapride, Alizapride does reduce pain on injection of propofol: comparison with lidocaine, ZAOUK, G., *et al.*, (*ESA*) A.11
Pharmacology, blood loss, Perioperative blood loss, APPADU, B., (*C*) 492–493
Pharmacology, bupivacaine, Motor blockade and absence of local nerve toxicity induced by liposomal bupivacaine injected into the axillary brachial plexus of rabbits, LEGROS, F. J., *et al.*, (*ESA*) A.122
Pharmacology, captopril, Does captopril modify the arterial response to vasopressor substances? LE PELLEY, E., *et al.*, (*ESA*) A.48
Pharmacology, clonidine, Clonidine in paediatric caudal anaesthesia, JAMALI, S., *et al.*, (*ESA*) A.160
——, Effects of epidural clonidine on anaesthetic requirements and postoperative analgesia, SAMSÓ, E., *et al.*, (*ESA*) A.205
——, Epidural clonidine and myocardial ischaemia after

abdominal aortic surgery, FULGENCIO, J. P., *et al.*, (*ESA*) A.42
——, Partial reversal of the effects of extradural clonidine by oral yohimbine in postoperative patients, LIU, N., *et al.* 515–518
——, Preoperative clonidine improves postoperative renal function in CABG patients, KULKA, P. J., *et al.*, (*ESA*) A.143
Pharmacology, dexmedetomidine, Dexmedetomidine does not exercise its anesthetic action through GABA, SALONEN, M., *et al.*, (*ESA*) A.113
Pharmacology, dimethylthiourea, Anaesthetic properties of dimethylthiourea, KOBLIN, D. D., *et al.* 456–458
Pharmacology, dobutamine, Metabolic effects of dobutamine, CAMPBELL, I. T., *et al.*, (*C*) 236
——, Metabolic effects of dobutamine, OH, T. E., *et al.*, (*C*) 237–238
——, Metabolic effects of dobutamine, SMITH, D. C., *et al.*, (*C*) 236–237
Pharmacology, dose–response, *In vivo* determination of concentration–effect curves of local anaesthetics in man, WIESEMES, R., *et al.* 552–555
——, Potency estimation of mivacurium: comparison of two different modes of nerve stimulation, MADDINENI, V. R., *et al.* 694–695
——, Propofol (2,6 diisopropylphenol) as an antioxidant *in-vitro*: a dose response study, BENNETT, S., *et al.*, (*ESA*) A.152
Pharmacology, enoximone, Haemodynamic changes produced by inhalation anaesthetics in the presence of phosphodiesterase inhibition, MOLTER, G., *et al.* 428–433
Pharmacology, guanfacine, Effects of oral preoperative guanfacine on anesthetics requirements, ENGELMAN, E., *et al.*, (*ESA*) A.144
Pharmacology, isoboles, Synergy and isoboles, CALVEY, T. N., (*E*) 246–247
Pharmacology, lemakalim, Lemakalim reverses ventricular conduction impairment induced by a large dose of bupivacaine in anesthetized dogs, DE LA COUSSAYE, J. E., *et al.*, (*ESA*) A.121
Pharmacology, metoclopramide, Evaluation of the analgesic effect of metoclopramide after opioid-free analgesia, LISANDER, B. 631–633
——, Pain on i.v. injection of metoclopramide, WILKINSON, D. J., (*C*) 239
Pharmacology, midazolam, Direct spinal effect of intrathecal and extradural midazolam on visceral noxious stimulation in rabbits, CRAWFORD, M. E., *et al.* 642–646
Pharmacology, morphine, Treatment of cancer pain with morphine (MO)—A double blind study of extradural (ED) *versus* intramuscular (im) routes of administration, NATH, S., *et al.*, (*ESA*) A.211
Pharmacology, N-acetylcysteine, Influence of N-acetylcysteine on O_2 consumption and gastric intramucosal pH in septic patients, SPIES, C., *et al.*, (*ESA*) A.186
Pharmacology, phosphodiesterase inhibitors, Haemodynamic changes produced by inhalation anaesthetics in the presence of phosphodiesterase inhibition, MOLTER, G., *et al.* 428–433
Pharmacology, preservatives, Functional recovery after 24 h preservation of rabbit hearts in University Wisconsin solution, FELLAHI, J. L., *et al.*, (*ESA*) A.44
Pharmacology, propofol, Propofol (2,6 diisopropylphenol) as an antioxidant *in-vitro*: a dose response study, BENNETT, S., *et al.*, (*ESA*) A.152
Pharmacology, ryanodine, Comparison of *in vitro* contracture testing with ryanodine, halothane and caffeine in malignant hyperthermia and other neuromuscular disorders, HOPKINS, P. M., *et al.* 397–401
Pharmacology, sodium bicarbonate, Acute haemodynamic effect of sodium bicarbonate in canine respiratory or metabolic acidosis, NISHIKAWA, T. 196–200
Pharmacology, synergism, Dexmedetomidine does not exercise its anesthetic action through GABA, SALONEN, M., *et al.*, (*ESA*) A.113
——, Does exogenous dopamine reverse cardiovascular depression induced by isoflurane during thoracic epidural blockade? RANER, C., *et al.*, (*ESA*) A.49
——, Effect of age, gender and anaesthetic technique on the pharmacodynamics of atracurium, PARKER, C. J. R., *et al.* 38–41
——, Supra-additivity between atracurium and vecuronium, MERETOJA, O. A., *et al.*, (*ESA*) A.140
——, Synergy and isoboles, CALVEY, T. N., (*E*) 246–247
Pharmacology, vecuronium, Tetanic fade during recovery from vecuronium block: comparison of systemic and isolated forearm administration, CAMPKIN, N. T. A., *et al.* 581–582
Pharmacology, yohimbine, Partial reversal of the effects of extradural clonidine by oral yohimbine in postoperative patients, LIU, N., *et al.* 515–518
Physics, baricity, Hypertonic solutions in acute massive haemorrhage, BRIMACOMBE, J., *et al.*, (*C*) 705
——, Hypertonic solutions in acute massive haemorrhage, PARK, G. R., (*C*) 706
Physics, fluid dynamics, Evidence for dynamic phenomena in residual tracheal tube biofilm, INGLIS, T. J. J. 22–24
Pig, Aprotinin does not decrease surgical bleeding and could promote arterial thrombosis in the pig: a prospective randomized, blind, study, SAMAMA, C. M., *et al.*, (*ESA*) A.100
——, Does captopril modify the arterial response to vasopressor substances? LE PELLEY, E., *et al.*, (*ESA*) A.48
——, Influence of cervicothoracic epidural anaesthesia (C-TEA) on left ventricular (LV) contractility—an experimental study in pigs with autonomous blockade, REIZ, S., *et al.*, (*ESA*) A.52
——, Influence of norepinephrine therapy on the oxygen supply and lactate extraction rate of the liver in the septic pig, SCHÄFER, R., *et al.*, (*ESA*) A.184
——, Midazolam prevents ketamine-induced stimulation of cerebral metabolism, ÅKESON, J., *et al.*, (*ESA*) A.111
——, Pre- and intraoperative prevention by β-blockers, propranolol and esmolol, of ischaemia-induced ventricular fibrillation, FREYSZ, M., *et al.*, (*ESA*) A.46
Placenta, drug distribution, Intermittent *vs* continuous extradural infusion of bupivacaine during labour, LAISHLEY, R. S., (*C*) 490
Polypeptides, aprotinin, Aprotinin does not decrease surgical bleeding and could promote arterial thrombosis in the pig: a prospective randomized, blind, study, SAMAMA, C. M., *et al.*, (*ESA*) A.100
——, Blood requirements reduction in orthotopic liver transplantation with aprotinin, MONEDERO, P., *et al.*, (*ESA*) A.98
——, High dose aprotinin *versus* desmo-pressin acetate treatment in cardiac surgery, HIDALGO, F., *et al.*, (*ESA*) A.99
——, Use of aprotinine during cytoreductive surgery of ovarian cancer, LEQUEAU, F., *et al.*, (*ESA*) A.97
Polypeptides, cytokines, Laparoscopic *vs* open cholecystectomy, JAKEWAYS, M. S. R., *et al.*, (*C*) 597
——, Metabolic effects of cholecystectomy, JORIS, J., (*C*) 494
——, Metabolic effects of cholecystectomy, MCMAHON, A. J., *et al.*, (*C*) 493–494
——, Molecular mediators and cardiac surgery, PÉREZ ARANCÓN, J. L., *et al.*, (*ESA*) A.188
——, Molecular mediators and post-bacteraemic phase, MARTÍNEZ URIONABARRENETXEA, K., *et al.*, (*ESA*) A.187
——, Septic shock: effect of a goal-directed therapy on oxygen metabolism and serum cytokine levels, MARTIN, C., *et al.*, (*ESA*) A.189
Polypeptides, endothelin, Is the vasoconstrictive effect of cyclosporine mediated by endothelin in kidney transplantation? MOUQUET, C., *et al.*, (*ESA*) A.84
Porphyria, Xylometazoline and porphyria, PLATT, N. D., (*C*) 491
Position, effects, Influence of pneumoperitoneum and posture on hemodynamic and stress responses during anaesthesia for laparoscopic surgery, ODEBERG, S., *et al.*, (*ESA*) A.34
——, Influence of posture on the respiratory mechanics during anesthesia, ENGELMAN, E., *et al.*, (*ESA*) A.56
Position, head, Influence of posture on the respiratory mechanics during anesthesia, ENGELMAN, E., *et al.*, (*ESA*) A.56
Position, lithotomy, Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously breathing adults, BARRIE, J. R., *et al.* 468–470
Position, prone, Effect of three different surgical prone positions on lung volumes in healthy, awake volunteers, HENNESSY, N., *et al.*, (*ARS*) 475P
——, The respiratory compliance in normal and obese subjects during anaesthesia, MULAZZI, D., *et al.*, (*ESA*) A.54
Position, supine, The respiratory compliance in normal and obese subjects during anaesthesia, MULAZZI, D., *et al.*, (*ESA*) A.54
Potency, anaesthetic, Addition of droperidol to PCA morphine: what is the optimal dose? LAMOND, C. T., *et al.*, (*ESA*) A.204
——, Clonal variation in response to enflurane anaesthesia with *Daphnia magna*, MYLES, A. P., *et al.*, (*ARS*) 476–477P
——, Comparison of infusion rates of three i.v. anaesthetic agents for induction in elderly patients, BERTHOUD, M. C., *et al.* 423–427
——, Pharmacokinetics of propofol administered by infusion in dogs undergoing surgery, NOLAN, A., *et al.* 546–551
——, Propofol (2,6 diisopropylphenol) as an antioxidant *in-*

vitro: a dose response study, BENNETT, S., *et al.*, (*ESA*) A.152
Potency, anaesthetic, age factors, Different rates of injection of propofol, GOODMAN, N. W., (*C*) 383
——, Different rates of injection of propofol, PEACOCK, J. E., *et al.*, (*C*) 383–384
Potency, anaesthetic, ED_{50}, Anaesthetic properties of dimethylthiourea, KOBLIN, D. D., *et al.* 456–458
Potency, anaesthetic, MAC, Isoproterenol reverses the MAC decreasing effect of esmolol in rats, PEREL, A., *et al.*, (*ESA*) A.117
——, Minimum alveolar concentration of sevoflurane in elderly patients, NAKAJIMA, R., *et al.* 273–275
Potency, analgesic, Closed-loop feedback controlled administration of alfentanil during alfentanil–nitrous oxide anaesthesia, SCHWILDEN, H., *et al.* 389–393
——, Extradural 0.07% bupivacaine for postoperative pain, SLADE, J. M., (*ARS*) 478P
——, Relative efficacy and potency of nalmefene, a long-acting opioid antagonist, WATSON, N. A., *et al.*, (*ARS*) 479P
Potency, drug, Anq 9040: effect of twice the ED_{95} dose, MUNDAY, I. T., *et al.*, (*ARS*) 480P
——, Onset of action of a small dose of vecuronium, NATHANSON, M. H., *et al.*, (*ARS*) 481–482P
——, Potency estimation of mivacurium: comparison of two different modes of nerve stimulation, MADDINENI, V. R., *et al.* 694–695
Potency, drug, age factors, Onset of action of a small dose of vecuronium, NATHANSON, M. H., *et al.*, (*ARS*) 481–482P
Potency, drug, tolerance, Prolonged (> 1 week) sedation with midazolam in ICU patients: efficacy, safety and pharmacokinetics, HEYTENS, L., *et al.*, (*ESA*) A.178
Pregnancy, Antepartum assessment for anaesthesia, CODY, M., *et al.*, (*C*) 116
——, Antepartum assessment for anaesthesia, REYNOLDS, F., (*C*) 116
——, Antepartum assessment for anaesthesia, UNCLES, D. R., *et al.*, (*C*) 116
——, Comparison of automatic oscillometric arterial pressure measurement with conventional auscultatory measurement in the labour ward, HASAN, M. A., *et al.* 141–144
——, Neonatal glycemia: does the maternal i.v. fluid regimen during labor make a difference? MENIGAUX, C., *et al.*, (*ESA*) A.175
——, Spread of spinal anaesthesia for Caesarean section in singleton and twin pregnancies, JAWAN, B., *et al.* 639–641
Pregnancy, abortion, Anaesthetic implications of the anti-cardiolipin antibody syndrome, MENON, G., *et al.* 587–590
Premedication, Pharmacokinetics and effects of i.m. alfentanil as premedication for outpatient cataract surgery, ALI-MELKKILÄ, T., *et al.*, (*ESA*) A.145
Premedication, clonidine, Preoperative clonidine improves postoperative renal function in CABG patients, KULKA, P. J., *et al.*, (*ESA*) A.143
Premedication, glycopyrronium, Glycopyrronium prolongs topical anaesthesia of oral mucosa and enhances absorption of lignocaine, WATANABE, H., *et al.* 94–95
Premedication, guanfacine, Effects of oral preoperative guanfacine on anesthetics requirements, ENGELMAN, E., *et al.*, (*ESA*) A.144
Premedication, lorazepam, Effects of lorazepam on oxygen saturation before cardiac surgery, POLLOCK, J. S. S., *et al.* 219–220
Premedication, midazolam, Dose dependent effects of oral medication with midazolam, BIRO, P., *et al.*, (*ESA*) A.156
——, Midazolam premedication: a forensic approach to pharmacokinetics and amnesia, MOTSCH, J., *et al.*, (*ESA*) A.155
——, Plasma concentrations of midazolam after i.v., nasal or rectal administration in children, MALINOVSKY, J.-M., *et al.* 617–620
Premedication, nifedipine, Effect of premedication with nifedipine on intraoperative hypothermia, VASSILIEFF, N., *et al.*, (*ESA*) A.71
Principles and Protocols in Intensive Care, WILLATTS, S. M., *et al.*, (editors), (*R*) 239
Protein, albumin, Hepatic elimination of diazepam: interactions with albumin, desflurane and sevoflurane, DALE, O., *et al.* 454–455
Protein, amino acids, Glycine and its metabolites during and after intrauterine YAG laser surgery, VAN BOVEN, M. J., *et al.*, (*ESA*) A.87
Protein, binding, Hepatic elimination of diazepam: interactions with albumin, desflurane and sevoflurane, DALE, O., *et al.* 454–455
Protein, globulin, Carbohydrate deficient transferrin: a new copredictor of alcoholism related postoperative complications? HEIL, T., *et al.*, (*ESA*) A.88
Protein, metabolism, Effect of recombinant human growth hormone (HGH) on protein metabolism in surgical patients, CARLI, F., *et al.*, (*ESA*) A.86
Protein, plasma, Surfactant and adult respiratory distress syndrome, JACOBSON, W., *et al.* 522–526
Psychological responses, Alterations in pain threshold and psychomotor response associated with subanaesthetic concentrations of inhalation anaesthetics in humans, TOMI, K., *et al.* 684–686
——, Comparison of the sedative and amnesic effects of midazolam and propofol, POLSTER, M. R., *et al.* 612–616
——, Dose dependent effects of oral medication with midazolam, BIRO, P., *et al.*, (*ESA*) A.156
——, Plasma catecholamines and neonatal condition after induction of anaesthesia with propofol or thiopentone at Caesarean section, GIN, T., *et al.* 311–316
——, Validation of coherent frequency of the EEG as a measure of consciousness during anaesthesia, MUNGLANI, R., *et al.*, (*ARS*) 483–484P
Psychological responses, unconscious perception, Comparison of the sedative and amnesic effects of midazolam and propofol, POLSTER, M. R., *et al.* 612–616

Rabbit, Direct spinal effect of intrathecal and extradural midazolam on visceral noxious stimulation in rabbits, CRAWFORD, M. E., *et al.* 642–646
——, Effects of hypertonic saline on coronary blood flow and myocardial performance of a blood-perfused, isolated rabbit heart, DELAYANCE, S., *et al.*, (*ESA*) A.45
——, Functional recovery after 24 h preservation of rabbit hearts in University Wisconsin solution, FELLAHI, J. L., *et al.*, (*ESA*) A.44
——, Motor blockade and absence of local nerve toxicity induced by liposomal bupivacaine injected into the axillary brachial plexus of rabbits, LEGROS, F. J., *et al.*, (*ESA*) A.122
——, Slow-release effect of pH-adjusted bupivacaine: pharmacokinetic demonstration, BENHAMOU, D., *et al.*, (*ESA*) A.120
Rat, Anaesthetic properties of dimethylthiourea, KOBLIN, D. D., *et al.* 456–458
——, Dexmedetomidine does not exercise its anesthetic action through GABA, SALONEN, M., *et al.*, (*ESA*) A.113
——, Differential effects of specific delta and kappa opioid antagonists on the bidirectionnal effect of naloxone in arthritic rats, CATTANEO, I., *et al.*, (*ESA*) A.114
——, Effects of midazolam and flunitrazepam on the release of dopamine from rat striatum measured by *in vivo* microdialysis, TAKADA, K., *et al.* 181–185
——, Effects of midazolam on insulin secretion from isolated rat pancreatic islets of Langerhans, DESBOROUGH, J. P., *et al.* 221–222
——, Involvement of μ, δ, and κ receptors in the inhibition by intrathecal morphine of a C-fibre evoked reflex in the rat, GUIRIMAND, F., *et al.*, (*ESA*) A.116
——, Isoproterenol reverses the MAC decreasing effect of esmolol in rats, PEREL, A., *et al.*, (*ESA*) A.117
——, Nitrous oxide induced neuronal depression: modification through benzodiazepine receptors, DZOLJIC, M., *et al.*, (*ESA*) A.112
Receptors, chemoreceptors, Effect of oral diazepam on the sensitivity of upper airway reflexes, MURPHY, P. J., *et al.* 131–134
Receptors, opioid, Differential effects of specific delta and kappa opioid antagonists on the bidirectionnal effect of naloxone in arthritic rats, CATTANEO, I., *et al.*, (*ESA*) A.114
——, Effects of morphine and its metabolites on opiate receptor binding and cyclic adenosine-3′,5′-monophosphate (cAMP) formation in human neuroblastoma cells, LAMBERT, D. G., *et al.*, (*ARS*) 475–476P
——, Involvement of μ, δ, and κ receptors in the inhibition by intrathecal morphine of a C-fibre evoked reflex in the rat, GUIRIMAND, F., *et al.*, (*ESA*) A.116
Records, A national database for intensive care medicine in Sweden, KARLING, M., (*ESA*) A.8
Records, medical, Death certification, BASKETT, P. J. F., (*C*) 112
——, Death certification, SKINNER, A. C., (*C*) 112
Recovery, Flumazenil facilitates intraoperative arousal in scoliosis surgery, KOSCIELNIAK-NIELSEN, Z. J., *et al.*, (*ESA*) A.157
Recovery, postoperative, Comparison of recovery from anaesthesia induced in children with either propofol or thiopentone, RUNCIE, C. J., *et al.* 192–195
——, Hypoxic events after general anaesthesia in the recovery room, DEGASPERI, D., *et al.*, (*ESA*) A.59
——, I.v. anaesthesia with propofol using a target-controlled

infusion system: comparison with inhalation anaesthesia for general surgical procedures in children, DOYLE, E., *et al.* 542–555
——, Laparoscopic *vs* open cholecystectomy, JAKEWAYS, M. S. R., *et al.*, (*C*) 597
——, Metabolic effects of propofol and flunitrazepam given for sedation after aortic surgery, MORITZ, F., *et al.* 451–453
Recovery, psychomotor, Does propofol supplemented anaesthesia affect neurophysiological outcome following cardiopulmonary bypass? PHILLIPS, A. S., *et al.*, (*ARS*) 484P
——, Evaluation of saccadic eye movements as an objective test during recovery from anesthesia, PAUT, O., *et al.*, (*ESA*) A.10
——, Pharmacokinetics of flumazenil and midazolam, JONES, R. D. M., *et al.* 286–292
——, Spontaneous excitatory movements during recovery from propofol anaesthesia in an infant: EEG evaluation, BORGEAT, A., *et al.* 459–461
Reflexes, baroreceptor, Cardiovascular effects of i.v. induction in children: comparison between propofol and thiopentone, AUN, C. S. T., *et al.* 647–653
——, Effects of surgical stimulation on autonomic reflex function: assessment by changes in heart rate variability, LATSON, T. W., *et al.* 301–305
Reflexes, chemoreceptor, Effect of hyperoxia on the breathing of patients anaesthetized with infusions of propofol, DOW, A. C., *et al.* 532–535
——, Effects of active and passive sighs in normoxia and hyperoxia on the breathing of patients anaesthetized with infusions of propofol, GOODMAN, N. W., *et al.* 536–541
Reflexes, laryngeal, Effect of stopping smoking on upper airway reflexes, ERSKINE, R. J., *et al.*, (*ARS*) 478P
——, Measurement of the sensitivity of upper airway reflexes, LANGTON, J. A., *et al.* 126–130
——, Upper airway reflexes, DRUMMOND, G. B., (*E*) 121–123
Reflexes, spinal, Differential effects of alfentanil, fentanyl, pethidine and lignocaine administered intrathecally on nociceptive responses evoked by low and high frequency stimulation of somatic nerves, WANG, C., *et al.* 63–69
——, Effect of morphine on a nociceptive flexion reflex in patients with postoperative pain, CHAUVIN, M., *et al.*, (*ESA*) A.115
——, Involvement of μ, δ, and κ receptors in the inhibition by intrathecal morphine of a C-fibre evoked reflex in the rat, GUIRIMAND, F., *et al.*, (*ESA*) A.116
Risk, Explaining risk to patients, CHAMBERS, W. A., (*C*) 381–382
——, Explaining risk to patients, POTTER, F. A., (*C*) 381
——, Logistic regression analysis of fixed patient factors for postoperative sickness: a model for risk assessment, PALAZZO, M., *et al.* 135–140

Safety, drug, Diamorphine/bupivacaine mixture *vs* plain bupivacaine: a comparison of epidural infusions in labour, BAILEY, C. R., *et al.*, (*ESA*) A.169
——, Does etomidate cause haemolysis? DOENICKE, A., *et al.*, (*C*) 491
——, Dose dependent effects of oral medication with midazolam, BIRO, P., *et al.*, (*ESA*) A.156
——, High dose oral morphine in cancer pain management, RADBRUCH, L., *et al.*, (*ESA*) A.212
——, Motor blockade and absence of local nerve toxicity induced by liposomal bupivacaine injected into the axillary brachial plexus of rabbits, LEGROS, F. J., *et al.*, (*ESA*) A.122
——, Muscular paralysis and ventilatory failure caused by hyperkalaemia, FREEMAN, S. J., *et al.* 226–227
——, Prolonged (> 1 week) sedation with midazolam in ICU patients: efficacy, safety and pharmacokinetics, HEYTENS, L., *et al.*, (*ESA*) A.178
——, Veterinary use of "Xylocaine" spray, TAYLOR, P. M., (*C*) 113
Safety, equipment, Bacterial retention properties of heat and moisture exchange filters, FOX, D., (*C*) 382
——, Bacterial retention properties of heat and moisture exchange filters, LEE, M. G., (*C*) 382
——, Computer-controlled syringe pump improves safety of pharmacokinetic models, DURANTEAU, R., *et al.*, (*ESA*) A.148
——, "Concorde nose" in Whitacre spinal needles, MCLEOD, G. A., *et al.*, (*C*) 593
——, Frequency of damaged coaxial breathing systems, ROBINSON, D. L., (*C*) 384
——, Metal particle generation caused by the combined spinal–extradural technique, HARGREAVES, J., (*C*) 706
——, Penetration of an aerosol, produced by film atomization, through the carinal bifurcation, INGLIS, T. J. J., *et al.* 527–531
——, Possible venous air embolism with a new water jet dissector, SMITH, J. A. S. 466–467
——, Spinal extradural abscess: pursuit of vigilance, BROMAGE, P. R. 471–473
Safety, techniques, Abdominal wall retraction may decrease anaesthesiological risks of laparoscopic cholecystectomy, VERECZKEY, Z., *et al.*, (*ESA*) A.64
——, Continuous monitoring of Sp_{O_2} during total intravenous anaesthesia with ketamine and spontaneous ventilation, JOLY, L.-M., *et al.*, (*ESA*) A.58
——, Continuous spirometry for detection of double-lumen endobronchial tube displacement, BARDOCZKY, G. I., *et al.* 499–502
——, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, MCHALE, S., *et al.*, (*C*) 701
——, Continuous subarachnoid infusion of 0.125% bupivacaine for analgesia during labour, RUSSELL, R., (*C*) 699–700
——, Diaphragmatic function after bupivacaine cervical extradural analgesia for chronic pain therapy, NYSTRÖM, E., *et al.*, (*ESA*) A.65
——, Double-lumen tubes, VAUGHAN, R. S., (*E*) 497–498
——, EEG-monitoring during defibrillator-implantation: effects of repetitive cerebral ischemia on electric brain activity, SPIES, C., *et al.*, (*ESA*) A.110
——, Effects of postoperative auto-transfusion in spine surgery, RIOU, B., *et al.*, (*ESA*) A.103
——, Endobronchial cuff pressures, COBLEY, M., *et al.* 576–578
——, External ventricular CSF drains infections, MAHÉ, V., *et al.*, (*ESA*) A.109
——, Extradural abscess in the postpartum period, NGAN KEE, W. D., (*C*) 704
——, Extradural abscess in the postpartum period, VASDEV, G. M. S., *et al.*, (*C*) 703–704
——, Face masks and spinal anaesthesia, O'KELLY, S. W., *et al.*, (*C*) 239
——, Face masks and spinal anaesthesia, WILDSMITH, J. A. W., (*C*) 239
——, Fentanyl or buprenorphine side effects in spinal anaesthesia, FOPPOLI, R., *et al.*, (*ESA*) A.132
——, Flumazenil facilitates intraoperative arousal in scoliosis surgery, KOSCIELNIAK-NIELSEN, Z. J., *et al.*, (*ESA*) A.157
——, Intrathecal pain relief in terminally ill cancer patients at home, WAGEMANS, M. F. M., *et al.*, (*ESA*) A.213
——, Jugular bulb metabolic monitoring during hyperventilation in severe head trauma patients, DE DEYNE, C., *et al.*, (*ESA*) A.106
——, Metal particle generation caused by the combined spinal–extradural technique, HARGREAVES, J., (*C*) 706
——, Patient-controlled analgesia by proxy, LAM, F. Y., (*C*) 113
——, Propofol anaesthesia with spontaneous breathing for extracorporeal shock wave lithotripsy, PASCH, T., *et al.*, (*ESA*) A.153
——, Respiratory effects of laparoscopic cholecystectomy (preliminary data), CREA, M. A., *et al.*, (*ESA*) A.63
——, Safety of PCA in elderly, SANTANGELO, E., *et al.*, (*ESA*) A.206
——, Sedation with propofol during regional anaesthesia, ARNOLD, B. D. C., (*C*) 112
——, The laryngeal mask and intraocular surgery, RIPART, J., *et al.*, (*C*) 704
——, Tracheal tube cuff inflation as an aid to blind nasotracheal intubation, VAN ELSTRAETE, A. C., *et al.* 691–693
——, Use of thoracic epidural block for perioperative analgesia in children, ENTRESS, A. H., *et al.*, (*ESA*) A.158
Scoliosis, Flumazenil facilitates intraoperative arousal in scoliosis surgery, KOSCIELNIAK-NIELSEN, Z. J., *et al.*, (*ESA*) A.157
Screening, A new clinical score to predict difficult intubation, ARNÉ, J., *et al.*, (*ESA*) A.1
——, Carbohydrate deficient transferrin: a new copredictor of alcoholism related postoperative complications? HEIL, T., *et al.*, (*ESA*) A.88
——, Combined caffeine–halothane test for malignant hyperthermia, ELLIS, F. R., *et al.*, (*C*) 598
——, Combined caffeine–halothane test for malignant hyperthermia, NELSON, T. E., (*C*) 597–598
——, Dipyridamole-TEE and 24 h Holter-ECG as preoperative screening tests for coronary artery disease in patients with abdominal aortic aneurysm, ÖSTMAN, M., *et al.*, (*ESA*) A.22
——, Does routine preoperative coronary angiography modify outcome after aortic surgery? GOSGNACH, M., *et al.*, (*ESA*) A.6
——, Indications for coronary revascularisation in vascular surgical patients, GOSGNACH, M., *et al.*, (*ESA*) A.5

——, Molecular mediators and cardiac surgery, PÉREZ ARANCÓN, J. L., *et al.*, (*ESA*) A.188
——, Molecular mediators and post-bacteraemic phase, MARTÍNEZ URIONABARRENETXEA, K., *et al.*, (*ESA*) A.187
——, Spin resonance spectroscopy to detect malignant hyperthermia susceptibility, BUCKMASTER, H. A., *et al.*, (*C*) 598–599
——, Spin resonance spectroscopy to detect malignant hyperthermia susceptibility, HALSALL, P. J., *et al.*, (*C*) 599
Sedation, A comparison of midazolam and midazolam plus fentanyl for colonoscopy, DUPONT, H., *et al.*, (*ESA*) A.9
——, Comparison of midazolam with propofol for sedation in outpatient bronchoscopy, CRAWFORD, M., *et al.* 419–422
——, Comparison of the sedative and amnesic effects of midazolam and propofol, POLSTER, M. R., *et al.* 612–616
——, Dose dependent effects of oral medication with midazolam, BIRO, P., *et al.*, (*ESA*) A.156
——, Metabolic effects of propofol and flunitrazepam given for sedation after aortic surgery, MORITZ, F., *et al.* 451–453
——, Sedation with propofol during regional anaesthesia, ARNOLD, B. D. C., (*C*) 112
——, Target-controlled intravenous sedation with propofol, MERGAERT, C., *et al.*, (*ESA*) A.149
Serotonin (5-hydroxytryptamine), Platelet serotonin is a mediator potentially involved in anaphylactic reaction to neuromuscular blocking drugs, BERMEJO, N., *et al.* 322–325
Sheep, Influence of cardiac output, injection time and injection volume on the initial mixing of drugs with venous blood after i.v. bolus administration to sheep, UPTON, R. N., *et al.* 333–338
——, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: myocardial pharmacokinetics, HUANG, Y. F., *et al.* 326–332
——, I.v. bolus administration of subconvulsive doses of lignocaine to conscious sheep: relationships between myocardial pharmacokinetics and pharmacodynamics, HUANG, Y. F., *et al.* 556–561
Skin, blood flow, Effects of intradermal lignocaine and mepivacaine on human cutaneous circulation in areas with histamine-induced neurogenic inflammation, FRUHSTORFER, H., *et al.* 167–172
Sleep, A survey of sleep problems in surgical patients, BEYDON, L., *et al.*, (*ESA*) A.4
Sleep apnoea, Cerebral perfusion during obstructive sleep apnea (OSA), BÅLFORS, E., *et al.*, (*ESA*) A.62
Solubility, lipid, Lipid solubility of pancuronium and vecuronium determined by n-octanol/water partitioning, WEINDLMAYR-GOETTEL, M., *et al.* 579–580
Solubility, partition coefficients, Asymmetry of uptake and washout of inert gases—lessons learnt in an anaesthetic department, FLOOK, V., (*ARS*) 487–488P
——, Lipid solubility of pancuronium and vecuronium determined by n-octanol/water partitioning, WEINDLMAYR-GOETTEL, M., *et al.* 579–580
——, Test-tube equilibration of volatile anaesthetic concentrations, MARTIN, D. C., *et al.* 365–367
Specialty Medical Audit (Medical Audit Series 4), SHAW, C., (*R*) 495
Spinal cord, evoked potentials, Involvement of μ, δ, and κ receptors in the inhibition by intrathecal morphine of a C-fibre evoked reflex in the rat, GUIRIMAND, F., *et al.*, (*ESA*) A.116
Spinal cord, GABA, Dexmedetomidine does not exercise its anesthetic action through GABA, SALONEN, M., *et al.*, (*ESA*) A.113
Spinal cord, motor block, Effects of intrathecal meperidine (MP), fentanyl (FN) and lidocaine (LD) on somatosensory (SSEP) and cortical motor (CMEP) evoked potentials in humans, FERNANDEZ, S., *et al.*, (*ESA*) A.119
Spinal cord, reflexes, Direct spinal effect of intrathecal and extradural midazolam on visceral noxious stimulation in rabbits, CRAWFORD, M. E., *et al.* 642–646
Spinal cord, sensory block, Effects of intrathecal meperidine (MP), fentanyl (FN) and lidocaine (LD) on somatosensory (SSEP) and cortical motor (CMEP) evoked potentials in humans, FERNANDEZ, S., *et al.*, (*ESA*) A.119
Statistics, A national database for intensive care medicine in Sweden, KARLING, M., (*ESA*) A.8
——, Statistical assessment of two methods of clinical measurement, BERRIDGE, J. C., (*C*) 595
——, Statistical assessment of two methods of clinical measurement, RUNCIE, C. J., (*C*) 595
Sterilization, povidone-iodine, Extradural abscess in the postpartum period, NGAN KEE, W. D., (*C*) 704
——, Extradural abscess in the postpartum period, VASDEV, G. M. S., *et al.*, (*C*) 703–704
Stress, Anaesthesia affects plasma concentrations of vasopressin, von Willebrand factor and coagulation factor VIII in cardiac surgical patients, KUITUNEN, A., *et al.* 173–180
——, Effect of extradural analgesia on stress responses to abdominal surgery in infants, WOLF, A. R., *et al.* 654–660
——, Influence of pneumoperitoneum and posture on hemodynamic and stress responses during anaesthesia for laparoscopic surgery, ODEBERG, S., *et al.*, (*ESA*) A.34
Surgery, abdominal, Effect of extradural analgesia on stress responses to abdominal surgery in infants, WOLF, A. R., *et al.* 654–660
——, Effects of surgical stimulation on autonomic reflex function: assessment by changes in heart rate variability, LATSON, T. W., *et al.* 301–305
——, Pain relief for infants undergoing abdominal surgery: comparison of infusions of i.v. morphine and extradural bupivacaine, WOLF, A. R., *et al.* 10–16
——, Postoperative hypoxaemia: comparison of epidural and patient controlled analgesia, SPENCER, A., *et al.*, (*ESA*) A.207
Surgery, aneurysm, Effect of selective cell separation on respiratory function after aortic aneurysm surgery, MCKAVNEY, M., *et al.*, (*ARS*) 475P
——, Effects of oral preoperative guanfacine on anesthetics requirements, ENGELMAN, E., *et al.*, (*ESA*) A.144
——, Extradural 0.07% bupivacaine for postoperative pain, SLADE, J. M., (*ARS*) 478P
——, Influence of positive pressure ventilation on myocardial ischaemia after abdominal aortic aneurysm repair, MCCOY, D., *et al.*, (*ESA*) A.43
Surgery, autonomic responses, Effects of surgical stimulation on autonomic reflex function: assessment by changes in heart rate variability, LATSON, T. W., *et al.* 301–305
Surgery, bronchoscopy, Comparison of midazolam with propofol for sedation in outpatient bronchoscopy, CRAWFORD, M., *et al.* 419–422
Surgery, cardiovascular, Accuracy of processed auditory evoked response in predicting movement during cardiac surgery, KUPPE, H., *et al.*, (*ESA*) A.31
——, Acute preoperative plasmapheresis during cardiac surgery, ARMELLIN, G., *et al.*, (*ESA*) A.104
——, Anaesthesia affects plasma concentrations of vasopressin, von Willebrand factor and coagulation factor VIII in cardiac surgical patients, KUITUNEN, A., *et al.* 173–180
——, Cardiac output determined from pulmonary gas exchange, ÖSTERLUND, B., *et al.*, (*ESA*) A.19
——, Comparison of dobutamine with enoximone following open heart surgery in small children, INNES, P., *et al.*, (*ESA*) A.167
——, Does propofol supplemented anaesthesia affect neurophysiological outcome following cardiopulmonary bypass? PHILLIPS, A. S., *et al.*, (*ARS*) 484P
——, Early postperfusion assessment of gas exchange and postoperative extubation outcome following coronary artery surgery, KNAPIK, P., *et al.*, (*ESA*) A.61
——, Extracorporeal membrane oxygenation for postoperative cardiac support in newborn infants: first clinical data, MARCASSA, A., *et al.*, (*ESA*) A.168
——, Haemodynamic and metabolic consequences of aortic occlusion during abdominal aortic surgery, WHALLEY, D. G., *et al.* 96–98
——, High dose aprotinin *versus* desmo-pressin acetate treatment in cardiac surgery, HIDALGO, F., *et al.*, (*ESA*) A.99
——, Metabolic effects of corrective surgery in infants and children with congenital heart defects, PUHAKKA, K., *et al.* 149–153
——, Metabolic effects of propofol and flunitrazepam given for sedation after aortic surgery, MORITZ, F., *et al.* 451–453
——, Molecular mediators and cardiac surgery, PÉREZ ARANCÓN, J. L., *et al.*, (*ESA*) A.188
——, Pulmonary and systemic vascular effects of isoproterenol, nitroglycerin and prostaglandin E1 early after cardiac operations in patients with pulmonary hypertension, ALVAREZ, J., *et al.*, (*ESA*) A.27
——, The combined prophylactic administration of H1 and H2 receptor blockers in the prevention of protamine related haemodynamic effects and the relation between antihistaminics-leucocytes and pulmonary vascular resistance, DURAK, P., *et al.*, (*ESA*) A.95
——, The relationship between cardiopulmonary bypass related immunologic effects and complement, thromboxane and leucocyte parameters, DURAK, P., *et al.*, (*ESA*) A.96
——, Tolerance of preoperative transesophageal echocardiography in patients scheduled for aortic surgery, GOSGNACH, M., *et al.*, (*ESA*) A.21
——, Use of esmolol in the postbypass management of hypertrophic obstructive cardiomyopathy, OOI, L. G., *et al.* 104–106

——, Volume replacement with hydroxyethyl starch solution in children, BOLDT, J., *et al.* 661–665
Surgery, cataract, Pharmacokinetics and effects of i.m. alfentanil as premedication for outpatient cataract surgery, ALI-MELKKILÄ, T., *et al.*, (*ESA*) A.145
Surgery, cleft palate, Evaluation of a forced-air warmer (Bair-Hugger) in maintaining body temperature in infants during cleft palate surgery, MURAT, I., *et al.*, (*ESA*) A.166
Surgery, day-case, Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? LIPPMANN, M., *et al.*, (*C*) 235
——, Neuromuscular blockers in day-case surgery: is speed of onset more important than duration of action? MIRAKHUR, R. K., *et al.*, (*C*) 235
——, Pharmacokinetics and effects of i.m. alfentanil as premedication for outpatient cataract surgery, ALI-MELKKILÄ, T., *et al.*, (*ESA*) A.145
——, Transthoracic endoscopic sympathectomy, GILLIGAN, S., *et al.*, (*C*) 491
——, Transthoracic endoscopic sympathectomy, JEDEIKEN, R., *et al.*, (*C*) 491–492
——, Transthoracic endoscopic sympathectomy, PLASTOW, S. E., *et al.*, (*C*) 492
Surgery, endoscopy, A comparison of midazolam and midazolam plus fentanyl for colonoscopy, DUPONT, H., *et al.*, (*ESA*) A.9
Surgery, gastrointestinal, Abdominal wall retraction may decrease anaesthesiological risks of laparoscopic cholecystectomy, VERECZKEY, Z., *et al.*, (*ESA*) A.64
——, Haemodynamic changes in patients undergoing laparoscopic cholecystectomy: measurement by transthoracic electrical bioimpedance, CRITCHLEY, L. A. H., *et al.* 681–683
——, Influence of pneumoperitoneum and posture on hemodynamic and stress responses during anaesthesia for laparoscopic surgery, ODEBERG, S., *et al.*, (*ESA*) A.34
——, Laparoscopic *vs* open cholecystectomy, JAKEWAYS, M. S. R., *et al.*, (*C*) 597
——, Metabolic effects of cholecystectomy, JORIS, J., (*C*) 494
——, Metabolic effects of cholecystectomy, MCMAHON, A. J., *et al.*, (*C*) 493–494
——, Neuroendocrine changes during pneumoperitoneum for laparoscopic cholecystectomy, JORIS, J., *et al.*, (*ESA*) A.33
——, Respiratory effects of laparoscopic cholecystectomy (preliminary data), CREA, M. A., *et al.*, (*ESA*) A.63
——, Transoesophageal echocardiographic assessment of haemodynamic function during laparoscopic cholecystectomy, CUNNINGHAM, A. J., *et al.* 621–625
Surgery, gynaecological, An audit of the incidence and costs associated with post operative nausea and vomiting (PONV) following major gynaecological surgery in an inpatient population, MORRIS, R. W., *et al.*, (*ESA*) A.2
——, Cerebral blood flow velocities (CBFV) during anaesthesia for gynaecological laparoscopic surgery, GRANRY, J. C., *et al.*, (*ESA*) A.32
——, Comparison of ondansetron, metoclopramide and droperidol for the prophylaxis of emetic symptoms after gynecological laparoscopic procedures, GEIGER, C., *et al.*, (*ESA*) A.14
——, Efficacy of postoperative pain treatment regimens using both buprenorphine and papaveretum sequentially after abdominal hysterectomy, GREEN, D. W., *et al.* 626–630
——, Epidural clonidine analgesia after major gynaecological surgery, SMILOV, I., *et al.*, (*ESA*) A.176
——, Glycine and its metabolites during and after intrauterine YAG laser surgery, VAN BOVEN, M. J., *et al.*, (*ESA*) A.87
——, Long-term backache after extradural or general anaesthesia for manual removal of placenta: preliminary report, VICKERS, R. J., *et al.* 214–215
——, Midazolam–alfentanil: an anaesthetic? An investigation using the isolated forearm technique, RUSSELL, I. F. 42–46
——, Ondansetron 4 mg *vs* droperidol 1.25 mg in the prophylaxis of postoperative nausea and vomiting after alfentanil-supplemented inhalation anaesthesia, ALON, E., *et al.*, (*ESA*) A.12
——, Postoperative pain thresholds, COOK, T. M., (*C*) 110
——, Sequential spinal peridural anaesthesia for gynaecological surgery under laparoscopy, JOOS, S., *et al.*, (*ESA*) A.130
——, Use of aprotinine during cytoreductive surgery of ovarian cancer, LEQUEAU, F., *et al.*, (*ESA*) A.97
Surgery, haemostatic response, The haemostatic response to surgery and trauma, MURPHY, W. G., *et al.* 205–213
Surgery, hepatic, Possible venous air embolism with a new water jet dissector, SMITH, J. A. S. 466–467
Surgery, hormonal response, Anaesthesia affects plasma concentrations of vasopressin, von Willebrand factor and coagulation factor VIII in cardiac surgical patients, KUITUNEN, A., *et al.* 173–180
——, Effect of extradural analgesia on stress responses to abdominal surgery in infants, WOLF, A. R., *et al.* 654–660
——, Influence of pneumoperitoneum and posture on hemodynamic and stress responses during anaesthesia for laparoscopic surgery, ODEBERG, S., *et al.*, (*ESA*) A.34
——, Neuroendocrine changes during pneumoperitoneum for laparoscopic cholecystectomy, JORIS, J., *et al.*, (*ESA*) A.33
——, Volume loading and hormonal factors in the prevention of acute tubular necrosis in kidney transplantation, MOUQUET, C., *et al.*, (*ESA*) A.83
Surgery, laparoscopy, Abdominal wall retraction may decrease anaesthesiological risks of laparoscopic cholecystectomy, VERECZKEY, Z., *et al.*, (*ESA*) A.64
——, Haemodynamic changes in patients undergoing laparoscopic cholecystectomy: measurement by transthoracic electrical bioimpedance, CRITCHLEY, L. A. H., *et al.* 681–683
——, Influence of pneumoperitoneum and posture on hemodynamic and stress responses during anaesthesia for laparoscopic surgery, ODEBERG, S., *et al.*, (*ESA*) A.34
——, Laparoscopic *vs* open cholecystectomy, JAKEWAYS, M. S. R., *et al.*, (*C*) 597
——, Metabolic effects of cholecystectomy, JORIS, J., (*C*) 494
——, Metabolic effects of cholecystectomy, MCMAHON, A. J., *et al.*, (*C*) 493–494
——, Neuroendocrine changes during pneumoperitoneum for laparoscopic cholecystectomy, JORIS, J., *et al.*, (*ESA*) A.33
——, Preoperative skin-surface warming reduces intraoperative hypothermia, CAMUS, Y., *et al.*, (*ESA*) A.72
——, Respiratory effects of laparoscopic cholecystectomy (preliminary data), CREA, M. A., *et al.*, (*ESA*) A.63
——, Sequential spinal peridural anaesthesia for gynaecological surgery under laparoscopy, JOOS, S., *et al.*, (*ESA*) A.130
——, Transoesophageal echocardiographic assessment of haemodynamic function during laparoscopic cholecystectomy, CUNNINGHAM, A. J., *et al.* 621–625
Surgery, laparotomy, Metabolic effects of cholecystectomy, JORIS, J., (*C*) 494
——, Metabolic effects of cholecystectomy, MCMAHON, A. J., *et al.*, (*C*) 493–494
Surgery, laser, Glycine and its metabolites during and after intrauterine YAG laser surgery, VAN BOVEN, M. J., *et al.*, (*ESA*) A.87
Surgery, metabolic response, Effect of extradural analgesia on stress responses to abdominal surgery in infants, WOLF, A. R., *et al.* 654–660
——, Effect of recombinant human growth hormone (HGH) on protein metabolism in surgical patients, CARLI, F., *et al.*, (*ESA*) A.86
——, Metabolic effects of cholecystectomy, JORIS, J., (*C*) 494
——, Metabolic effects of cholecystectomy, MCMAHON, A. J., *et al.*, (*C*) 493–494
——, Metabolic effects of corrective surgery in infants and children with congenital heart defects, PUHAKKA, K., *et al.* 149–153
Surgery, miscellaneous, A bifurcated endobronchial tube in the management of laryngotracheo-oesophageal cleft repair, AHMAD, R., *et al.* 696–698
——, A survey of sleep problems in surgical patients, BEYDON, L., *et al.*, (*ESA*) A.4
——, Analgesia by wound infiltration before or after surgery in inguinal hernioraphy, HENNART, D., *et al.*, (*ESA*) A.202
——, Improvement in i.v. regional anaesthesia by re-exsanguination before surgery, RAWAL, N., *et al.* 280–285
——, Pharmacokinetics of propofol administered by infusion in dogs undergoing surgery, NOLAN, A., *et al.* 546–551
Surgery, neurological, Adrenaline-induced hypotension in neurosurgery, PHILLIPS, S., *et al.* 687–688
——, Effect of esmolol *versus* lidocaine on intracranial pressure and haemodynamic responses to laryngoscopy and intubation, SAMAHA, T., *et al.*, (*ESA*) A.118
——, Jugular bulb metabolic monitoring during hyperventilation in severe head trauma patients, DE DEYNE, C., *et al.*, (*ESA*) A.106
——, Sufentanil increases intracranial pressure in patients with head trauma, ALBANESE, J., *et al.*, (*ESA*) A.107
——, Transcranial Doppler sonography: effect of propofol and thiopental in patients with brain tumors and brain injuries, SCHREGEL, W., *et al.*, (*ESA*) A.105
——, Transthoracic endoscopic sympathectomy, GILLIGAN, S., *et al.*, (*C*) 491
——, Transthoracic endoscopic sympathectomy, JEDEIKEN, R., *et al.*, (*C*) 491–492
——, Transthoracic endoscopic sympathectomy, PLASTOW, S. E., *et al.*, (*C*) 492
Surgery, ophthalmological, Priming of atracurium with magnesium, LAMPL, E., *et al.*, (*ESA*) A.139
——, The laryngeal mask and intraocular surgery, RIPART, J., *et al.*, (*C*) 704

Surgery, orthopaedic, An investigation into the effect of passive and active cutaneous warming devices on intraoperative body temperature in elderly patients, BENNET, J., *et al.*, (*ESA*) A.73
——, Anesthesia for patients ⩾ 90 years of age in emergency hip surgery, ELEFTHERIADIS, S., *et al.*, (*ESA*) A.3
——, Blood loss during total hip replacement, JONES, N. O., *et al.*, (*C*) 235–236
——, Blood loss during total hip replacement, MCSWINEY, M., (*C*) 236
——, Clinical evaluation of the oesophageal heat exchanger in the prevention of perioperative hypothermia, KULKARNI, P., *et al.* 216–218
——, Double-blind comparison of ondansetron, droperidol and saline for prevention of nausea & vomiting after orthopaedic surgery, GAN, T. J., *et al.*, (*ESA*) A.13
——, Effectiveness of core warming on net transfer of body heat across the skin, KULKARNI, P., *et al.*, (*ESA*) A.70
——, Effects of recombinant-human erythropoietin on postoperative transfusion requirements in subjects undergoing major orthopaedic surgery, FARIS, P. P., *et al.*, (*ESA*) A.101
——, Evaluation of the analgesic effect of metoclopramide after opioid-free analgesia, LISANDER, B. 631–633
——, Fentanyl or buprenorphine side effects in spinal anaesthesia, FOPPOLI, R., *et al.*, (*ESA*) A.132
——, Inhibition of increase of blood thromboxane concentration by acetylsalicylic acid after release of tourniquet in lower extremity operations, OJANEN, R., *et al.*, (*ESA*) A.94
——, Intra-articular morphine for pain relief after anterior cruciate ligament repair, JOSHI, G. P., *et al.* 87–88
——, Ketorolac postoperative analgesia, AL-HASANI, A., (*C*) 112–113
——, Ketorolac postoperative analgesia, KINSELLA, J., (*C*) 113
——, Pain relief after anterior cruciate ligament repair, CARROLL, P. H., *et al.*, (*C*) 600
——, Pain relief after anterior cruciate ligament repair, JOSHI, G. P., (*C*) 600
——, Patient-controlled extradural analgesia to compare bupivacaine, fentanyl and bupivacaine with fentanyl in the treatment of postoperative pain, COOPER, D. W., *et al.* 503–507
Surgery, otolaryngological, Xylometazoline and porphyria, PLATT, N. D., (*C*) 491
Surgery, paediatric, Metabolic effects of corrective surgery in infants and children with congenital heart defects, PUHAKKA, K., *et al.* 149–153
Surgery, phaeochromocytoma, Use of transoesophageal echocardiography to manage beta-adrenoceptor block and assess left ventricular function in a patient with phaeochromocytoma, RYAN, T., *et al.* 101–103
Surgery, spinal, Effects of postoperative auto-transfusion in spine surgery, RIOU, B., *et al.*, (*ESA*) A.103
——, Evaluation of the efficacy of forced-air warmer (Bair Hugger) during spinal surgery in children, MURAT, I., *et al.*, (*ESA*) A.165
——, Flumazenil facilitates intraoperative arousal in scoliosis surgery, KOSCIELNIAK-NIELSEN, Z. J., *et al.*, (*ESA*) A.157
——, Preoperative autotransfusion in emergency surgery for spine trauma, RIOU, B., *et al.*, (*ESA*) A.102
Surgery, thoracic, Double-lumen tubes, VAUGHAN, R. S., (*E*) 497–498
——, Efficacy of continuous intercostal bupivacaine for pain relief after thoracotomy, DRYDEN, C. M., *et al.* 508–510
——, Endobronchial cuff pressures, COBLEY, M., *et al.* 576–578
——, Preoperative indomethacin for pain relief after thoracotomy: comparison with postoperative indomethacin, MURPHY, D. F., *et al.* 298–300
——, Transthoracic endoscopic sympathectomy, GILLIGAN, S., *et al.*, (*C*) 491
——, Transthoracic endoscopic sympathectomy, JEDEIKEN, R., *et al.*, (*C*) 491–492
——, Transthoracic endoscopic sympathectomy, PLASTOW, S. E., *et al.*, (*C*) 492
Surgery, thyroidectomy, Day 0 or day 3 laryngoscopy after thyroidectomy? LACOSTE, L., *et al.*, (*ESA*) A.67
——, Direct, indirect or flexible laryngoscopy after thyroidectomy? LACOSTE, L., *et al.*, (*ESA*) A.66
Surgery, transplantation, Changes in blood lactate, total body oxygen delivery and consumption during liver transplantation, CARRERA, J., *et al.*, (*ESA*) A.77
——, Measurement of sigmoid intramural pH during orthotopic liver transplantation, AUROY, Y., *et al.*, (*ESA*) A.76
——, Modification of the renin–aldosterone axis during orthotopic liver transplantation, DE LOS RÍOS, J., *et al.*, (*ESA*) A.75
——, Oxygen consumption is dependent upon oxygen delivery in cirrhotics undergoing liver transplantation, PICCINNI, P., *et al.*, (*ESA*) A.78
——, Shunt flow and caval pressure gradient during veno–venous bypass in human orthotopic liver transplantation, SCHERER, R. U., *et al.* 689–690
Surgery, urological, Propofol anaesthesia with spontaneous breathing for extracorporeal shock wave lithotripsy, PASCH, T., *et al.*, (*ESA*) A.153
Surgery, vascular, Cardiovascular effects of a pancuronium–vecuronium mixture, DOYLE, M., *et al.*, (*ARS*) 486–487P
——, Determinants of systolic pressure variation in patients ventilated after vascular surgery, BEAUSSIER, M., *et al.*, (*ESA*) A.37
——, Does routine preoperative coronary angiography modify outcome after aortic surgery? GOSGNACH, M., *et al.*, (*ESA*) A.6
——, Effects of nitrous oxide (N_2O) on systemic haemodynamics, regional left ventricular (LV) function and incidence of myocardial ischaemia (MI) in vascular surgical patients with coronary artery disease (CAD), HOHNER, P., *et al.*, (*ESA*) A.41
——, Effects of oral preoperative guanfacine on anesthetics requirements, ENGELMAN, E., *et al.*, (*ESA*) A.144
——, Epidural clonidine and myocardial ischaemia after abdominal aortic surgery, FULGENCIO, J. P., *et al.*, (*ESA*) A.42
——, Indications for coronary revascularisation in vascular surgical patients, GOSGNACH, M., *et al.*, (*ESA*) A.5
——, The systolic pressure variation predicts response to volume loading in patients ventilated after aortic surgery, CORIAT, P., *et al.*, (*ESA*) A.38
Sympathetic nervous system, Effects of surgical stimulation on autonomic reflex function: assessment by changes in heart rate variability, LATSON, T. W., *et al.* 301–305
——, Prevention and treatment of hypotension during central neural block, MCCRAE, A. F., *et al.* 672–680
Sympathetic nervous system, adrenaline, Adrenaline-induced hypotension in neurosurgery, PHILLIPS, S., *et al.* 687–688
——, *In vitro* effect of ephedrine, adrenaline, noradrenaline and isoprenaline on halothane-induced contractures in skeletal muscle from patients potentially susceptible to malignant hyperthermia, URWYLER, A., *et al.* 76–79
Sympathetic nervous system, adrenergic block, Adrenaline-induced hypotension in neurosurgery, PHILLIPS, S., *et al.* 687–688
——, Use of esmolol in the postbypass management of hypertrophic obstructive cardiomyopathy, OOI, L. G., *et al.* 104–106
——, Use of transoesophageal echocardiography to manage beta-adrenoceptor block and assess left ventricular function in a patient with phaeochromocytoma, RYAN, T., *et al.* 101–103
Sympathetic nervous system, clonidine, Effects of epidural clonidine on anaesthetic requirements and postoperative analgesia, SAMSÓ, E., *et al.*, (*ESA*) A.205
——, Epidural clonidine analgesia after major gynaecological surgery, SMILOV, I., *et al.*, (*ESA*) A.176
——, Epidural clonidine and myocardial ischaemia after abdominal aortic surgery, FULGENCIO, J. P., *et al.*, (*ESA*) A.42
——, Partial reversal of the effects of extradural clonidine by oral yohimbine in postoperative patients, LIU, N., *et al.* 515–518
Sympathetic nervous system, dexmedetomidine, Dexmedetomidine does not exercise its anesthetic action through GABA, SALONEN, M., *et al.*, (*ESA*) A.113
Sympathetic nervous system, dobutamine, Metabolic effects of dobutamine, CAMPBELL, I. T., *et al.*, (*C*) 236
——, Metabolic effects of dobutamine, OH, T. E., *et al.*, (*C*) 237–238
——, Metabolic effects of dobutamine, SMITH, D. C., *et al.*, (*C*) 236–237
——, The effect of dobutamine and norepinephrine on global and splanchnic O_2 consumption, MEIER-HELLMANN, A., *et al.*, (*ESA*) A.185
Sympathetic nervous system, dopamine, Does exogenous dopamine reverse cardiovascular depression induced by isoflurane during thoracic epidural blockade? RANER, C., *et al.*, (*ESA*) A.49
Sympathetic nervous system, ephedrine, *In vitro* effect of ephedrine, adrenaline, noradrenaline and isoprenaline on halothane-induced contractures in skeletal muscle from patients potentially susceptible to malignant hyperthermia, URWYLER, A., *et al.* 76–79
——, Spinal anesthesia for C section: addition of phenylephrine to ephedrine for prevention of maternal hypotension, THIRION, A.-V., *et al.*, (*ESA*) A.172

Sympathetic nervous system, esmolol, Effect of esmolol *versus* lidocaine on intracranial pressure and haemodynamic responses to laryngoscopy and intubation, SAMAHA, T., *et al.*, (*ESA*) A.118
——, Isoproterenol reverses the MAC decreasing effect of esmolol in rats, PEREL, A., *et al.*, (*ESA*) A.117
——, Use of esmolol in the postbypass management of hypertrophic obstructive cardiomyopathy, OOI, L. G., *et al.* 104–106
——, Use of transoesophageal echocardiography to manage beta-adrenoceptor block and assess left ventricular function in a patient with phaeochromocytoma, RYAN, T., *et al.* 101–103
Sympathetic nervous system, isoprenaline, *In vitro* effect of ephedrine, adrenaline, noradrenaline and isoprenaline on halothane-induced contractures in skeletal muscle from patients potentially susceptible to malignant hyperthermia, URWYLER, A., *et al.* 76–79
——, Isoproterenol reverses the MAC decreasing effect of esmolol in rats, PEREL, A., *et al.*, (*ESA*) A.117
Sympathetic nervous system, noradrenaline, Effect of fentanyl on [^{3}H]noradrenaline uptake in isolated neuronal cell preparations, ATCHESON, R., *et al.*, (*ARS*) 485P
——, *In vitro* effect of ephedrine, adrenaline, noradrenaline and isoprenaline on halothane-induced contractures in skeletal muscle from patients potentially susceptible to malignant hyperthermia, URWYLER, A., *et al.* 76–79
——, Influence of norepinephrine therapy on the oxygen supply and lactate extraction rate of the liver in the septic pig, SCHÄFER, R., *et al.*, (*ESA*) A.184
——, The effect of dobutamine and norepinephrine on global and splanchnic O_2 consumption, MEIER-HELLMANN, A., *et al.*, (*ESA*) A.185
Sympathetic nervous system, pharmacology, Does captopril modify the arterial response to vasopressor substances? LE PELLEY, E., *et al.*, (*ESA*) A.48
Sympathetic nervous system, phenylephrine, Spinal anesthesia for C section: addition of phenylephrine to ephedrine for prevention of maternal hypotension, THIRION, A.-V., *et al.*, (*ESA*) A.172
Sympathetic nervous system, sympathoadrenal responses, Haemodynamic and catecholamine responses to induction of anaesthesia and tracheal intubation: comparison between propofol and thiopentone, LINDGREN, L., *et al.* 306–310
——, Plasma catecholamines and neonatal condition after induction of anaesthesia with propofol or thiopentone at Caesarean section, GIN, T., *et al.* 311–316
Sympathetic nervous system, xylometazoline, Xylometazoline and porphyria, PLATT, N. D., (*C*) 491
Sympathetic nervous system, yohimbine, Partial reversal of the effects of extradural clonidine by oral yohimbine in postoperative patients, LIU, N., *et al.* 515–518
Systemic lupus erythematosus, Anaesthetic implications of the anti-cardiolipin antibody syndrome, MENON, G., *et al.* 587–590

Techniques in Extracorporeal Circulation, 3rd Edn, KAY, P. H., (editor), (*R*) 239–240
Temperature, body, An investigation into the effect of passive and active cutaneous warming devices on intraoperative body temperature in elderly patients, BENNET, J., *et al.*, (*ESA*) A.73
——, Core–peripheral temperature difference in early *vs* later extubation after coronary artery surgery, KNAPIK, P., *et al.*, (*ESA*) A.69
——, Effect of premedication with nifedipine on intraoperative hypothermia, VASSILIEFF, N., *et al.*, (*ESA*) A.71
——, Effect of radiant heat on the metabolic cost of postoperative shivering, SHARKEY, A., *et al.* 449–450
——, Effectiveness of core warming on net transfer of body heat across the skin, KULKARNI, P., *et al.*, (*ESA*) A.70
——, Evaluation of a forced-air warmer (Bair-Hugger) in maintaining body temperature in infants during cleft palate surgery, MURAT, I., *et al.*, (*ESA*) A.166
——, Evaluation of the efficacy of forced-air warmer (Bair Hugger) during spinal surgery in children, MURAT, I., *et al.*, (*ESA*) A.165
——, Preoperative skin-surface warming reduces intraoperative hypothermia, CAMUS, Y., *et al.*, (*ESA*) A.72
Temperature, metabolism, Effect of radiant heat on the metabolic cost of postoperative shivering, SHARKEY, A., *et al.* 449–450
Temperature, regulation, Clinical evaluation of the oesophageal heat exchanger in the prevention of perioperative hypothermia, KULKARNI, P., *et al.* 216–218
——, Fentanyl, as pethidine, inhibits post anaesthesia shivering, ALFONSI, P., *et al.*, (*ESA*) A.74
Temperature, skin, An investigation into the effect of passive and active cutaneous warming devices on intraoperative body temperature in elderly patients, BENNET, J., *et al.*, (*ESA*) A.73
——, Preoperative skin-surface warming reduces intraoperative hypothermia, CAMUS, Y., *et al.*, (*ESA*) A.72
The Complete Recovery Room Book, HATFIELD, A., *et al.*, (*R*) 709
The Oxford Textbook of Clinical Pharmacology and Drug Therapy, 2nd Edn, GRAHAM-SMITH, D. G., *et al.*, (*R*) 601
Theories of anaesthetic action, cellular mechanisms, Halothane enhances forskolin stimulated cyclic adenosine-3′,5′-monophosphate formation in human neuroblastoma cells, HIRST, R. A., *et al.*, (*ARS*) 486P
——, Membrane action of volatile anaesthetics: effect of halothane on microviscosity, APPADU, B., *et al.*, (*ARS*) 477P
——, Nitrous oxide induced neuronal depression: modification through benzodiazepine receptors, DZOLJIC, M., *et al.*, (*ESA*) A.112
Theories of anaesthetic action, molecular, Effects of midazolam and flunitrazepam on the release of dopamine from rat striatum measured by *in vivo* microdialysis, TAKADA, K., *et al.* 181–185
Theories of analgesic action, Differential effects of alfentanil, fentanyl, pethidine and lignocaine administered intrathecally on nociceptive responses evoked by low and high frequency stimulation of somatic nerves, WANG, C., *et al.* 63–69
——, Effect of fentanyl on [^{3}H]noradrenaline uptake in isolated neuronal cell preparations, ATCHESON, R., *et al.*, (*ARS*) 485P
——, Effects of morphine and its metabolites on opiate receptor binding and cyclic adenosine-3′,5′-monophosphate (cAMP) formation in human neuroblastoma cells, LAMBERT, D. G., *et al.*, (*ARS*) 475–476P
Thromboxane, Inhibition of increase of blood thromboxane concentration by acetylsalicylic acid after release of tourniquet in lower extremity operations, OJANEN, R., *et al.*, (*ESA*) A.94
——, The relationship between cardiopulmonary bypass related immunologic effects and complement, thromboxane and leucocyte parameters, DURAK, P., *et al.*, (*ESA*) A.96
Toxicity, The management of acute poisoning, COLLEE, G. G., *et al.* 562–573
Toxicity, hepatic, Halothane, metabolite-induced antibodies and hepatotoxicity, KENNA, J. G., *et al.*, (*ARS*) 484–485P
——, Hepatotoxicity of volatile anaesthetics, ELLIOTT, R. H., *et al.* 339–348
Toxicity, local anaesthetics, Motor blockade and absence of local nerve toxicity induced by liposomal bupivacaine injected into the axillary brachial plexus of rabbits, LEGROS, F. J., *et al.*, (*ESA*) A.122
——, Plasma concentrations of bupivacaine and its enantiomers during continuous extrapleural intercostal nerve block, BERRISFORD, R. G., *et al.* 201–204
Toxicity, metabolites, Halothane, metabolite-induced antibodies and hepatotoxicity, KENNA, J. G., *et al.*, (*ARS*) 484–485P
Transesophageal Echocardiography, CLEMENTS, F. M., *et al.*, (editors), (*R*) 708
Transfusion, Blood loss during total hip replacement, JONES, N. O., *et al.*, (*C*) 235–236
——, Blood loss during total hip replacement, MCSWINEY, M., (*C*) 236
——, Effects of recombinant-human erythropoietin on postoperative transfusion requirements in subjects undergoing major orthopaedic surgery, FARIS, P. P., *et al.*, (*ESA*) A.101
——, Hypertonic solutions in acute massive haemorrhage, BRIMACOMBE, J., *et al.*, (*C*) 705
——, Hypertonic solutions in acute massive haemorrhage, PARK, G. R., (*C*) 706
——, The role of recombinant growth factors in transfusion medicine, GOODNOUGH, L. T. 80–86
Transfusion, autotransfusion, Acute preoperative plasmapheresis during cardiac surgery, ARMELLIN, G., *et al.*, (*ESA*) A.104
——, Effects of postoperative auto-transfusion in spine surgery, RIOU, B., *et al.*, (*ESA*) A.103
——, Preoperative autotransfusion in emergency surgery for spine trauma, RIOU, B., *et al.*, (*ESA*) A.102

Uterus, oxytocin, Intermittent *vs* continuous extradural infusion of bupivacaine during labour, EDDLESTON, J. M., (*C*) 490
——, Intermittent *vs* continuous extradural infusion of bupivacaine during labour, LAISHLEY, R. S., (*C*) 490

——, Mechanisms of ECG changes during Caesarean section (CS)—a hypothesis, SVANSTRÖM, M., *et al.*, (*ESA*) A.177

Veins, cannulation, The pressor response to venous cannulation: attenuation by prior infiltration with local anaesthetic, LANGHAM, B. T., *et al.* 519–521
Veins, complications, Possible venous air embolism with a new water jet dissector, SMITH, J. A. S. 466–467
——, Quality of induction: a clinical comparison of Etomidat-Lipuro® and Hypnomidate®, WIEBALCK, A., *et al.*, (*ESA*) A.154
Veins, jugular, cannulation, Use of ultrasound to evaluate internal jugular vein anatomy and to facilitate central venous cannulation in paediatric patients, ALDERSON, P. J., *et al.* 145–148
Veins, veno–venous bypass, Shunt flow and caval pressure gradient during veno–venous bypass in human orthotopic liver transplantation, SCHERER, R. U., *et al.* 689–690
Ventilation, airway pressure, Extra inspiratory work of breathing imposed by cricothyrotomy devices, OOI, R., *et al.* 17–21
Ventilation, analgesics, effects of, Ventilatory effects of morphine, pethidine and methadone in children, HAMUNEN, K. 414–418
Ventilation, apnoea, An alternative method of increasing P_{CO_2} using apnoea and continuous positive airway pressure, KARLSTEN, R., *et al.* 411–413
Ventilation, carbon dioxide response, An alternative method of increasing P_{CO_2} using apnoea and continuous positive airway pressure, KARLSTEN, R., *et al.* 411–413
Ventilation, continuous positive pressure, An alternative method of increasing P_{CO_2} using apnoea and continuous positive airway pressure, KARLSTEN, R., *et al.* 411–413
Ventilation, failure, Muscular paralysis and ventilatory failure caused by hyperkalaemia, FREEMAN, S. J., *et al.* 226–227
Ventilation, fresh gas flow, Fresh gas requirements of an enclosed afferent reservoir breathing system in anaesthetized, spontaneously breathing adults, BARRIE, J. R., *et al.* 468–470
Ventilation, hyperventilation, Jugular bulb metabolic monitoring during hyperventilation in severe head trauma patients, DE DEYNE, C., *et al.*, (*ESA*) A.106
Ventilation, mechanical, An alternative method of increasing P_{CO_2} using apnoea and continuous positive airway pressure, KARLSTEN, R., *et al.* 411–413
——, Comparison of pressure support ventilation provided by two ICU ventilators, KALFON, P., *et al.*, (*ESA*) A.182
——, Comparison of spontaneous sighs and manual inflations in anaesthetized patients breathing air and oxygen, DOW, A. C., *et al.*, (*ARS*) 474P
——, Continuous monitoring of the ventilatory mechanics during anaesthesia & intensive care, PY, C., *et al.*, (*ESA*) A.57
——, Determinants of systolic pressure variation in patients ventilated after vascular surgery, BEAUSSIER, M., *et al.*, (*ESA*) A.37
——, Histology aspects of pulmonary barotrauma in critically ill patients with acute respiratory failure, ROUBY, J. J., *et al.*, (*ESA*) A.181
——, Penetration of an aerosol, produced by film atomization, through the carinal bifurcation, INGLIS, T. J. J., *et al.* 527–531
——, Propofol and alfentanil mixture, SANDIN, R., (*C*) 382–383
——, Propofol and alfentanil mixture, TAYLOR, I. N., *et al.*, (*C*) 383
——, Recruitment of atelectasis during general anaesthesia: a CT-study, ROTHEN, H. U., *et al.*, (*ESA*) A.53
——, The systolic pressure variation predicts response to volume loading in patients ventilated after aortic surgery, CORIAT, P., *et al.*, (*ESA*) A.38
——, Use of the laryngeal mask and face mask by inexperienced personnel, TIGHE, S. Q. M., (*C*) 114–115
——, Use of the laryngeal mask and face mask by inexperienced personnel, TOLLEY, P., *et al.*, (*C*) 115
——, Use of the laryngeal mask and face mask by inexperienced personnel, WALKER, M. B., *et al.*, (*C*) 114
Ventilation, mechanics, Continuous monitoring of the ventilatory mechanics during anaesthesia & intensive care, PY, C., *et al.*, (*ESA*) A.57
——, Continuous spirometry: an aid in the intraoperative respiratory monitoring—case reports, BARDOCZKY, G., *et al.*, (*ESA*) A.55
——, Influence of posture on the respiratory mechanics during anesthesia, ENGELMAN, E., *et al.*, (*ESA*) A.56
——, The respiratory compliance in normal and obese subjects during anaesthesia, MULAZZI, D., *et al.*, (*ESA*) A.54
Ventilation, one-lung, Continuous spirometry for detection of double-lumen endobronchial tube displacement, BARDOCZKY, G. I., *et al.* 499–502
Ventilation, pattern, Effect of hyperoxia on the breathing of patients anaesthetized with infusions of propofol, DOW, A. C., *et al.* 532–535
——, Effects of active and passive sighs in normoxia and hyperoxia on the breathing of patients anaesthetized with infusions of propofol, GOODMAN, N. W., *et al.* 536–541
Ventilation, positive end-expiratory pressure, Effects of PEEP on dynamic hyperinflation in patients with airflow limitation, TAN, I. K. S., *et al.* 267–272
——, Influence of positive pressure ventilation on myocardial ischaemia after abdominal aortic aneurysm repair, MCCOY, D., *et al.*, (*ESA*) A.43
Ventilation, postoperative, Early postperfusion assessment of gas exchange and postoperative extubation outcome following coronary artery surgery, KNAPIK, P., *et al.*, (*ESA*) A.61
Ventilation, pressure support, Comparison of pressure support ventilation provided by two ICU ventilators, KALFON, P., *et al.*, (*ESA*) A.182
Ventilation, restricted, Effect of three different surgical prone positions on lung volumes in healthy, awake volunteers, HENNESSY, N., *et al.*, (*ARS*) 475P
——, Effect on lung volumes of oxygen concentration when breathing is restricted, BAKER, A. B., *et al.* 259–266
Ventilation, sighing, Comparison of spontaneous sighs and manual inflations in anaesthetized patients breathing air and oxygen, DOW, A. C., *et al.*, (*ARS*) 474P
——, Effects of active and passive sighs in normoxia and hyperoxia on the breathing of patients anaesthetized with infusions of propofol, GOODMAN, N. W., *et al.* 536–541
Ventilation, spontaneous, Effect of hyperoxia on the breathing of patients anaesthetized with infusions of propofol, DOW, A. C., *et al.* 532–535
——, Extra inspiratory work of breathing imposed by cricothyrotomy devices, OOI, R., *et al.* 17–21
Ventilation, transtracheal, Extra inspiratory work of breathing imposed by cricothyrotomy devices, OOI, R., *et al.* 17–21
Vomiting, antiemetics, Addition of droperidol to PCA morphine: what is the optimal dose? LAMOND, C. T., *et al.*, (*ESA*) A.204
——, Alizapride does reduce pain on injection of propofol: comparison with lidocaine, ZAOUK, G., *et al.*, (*ESA*) A.11
——, An audit of the incidence and costs associated with post operative nausea and vomiting (PONV) following major gynaecological surgery in an inpatient population, MORRIS, R. W., *et al.*, (*ESA*) A.2
——, Comparison of ondansetron, metoclopramide and droperidol for the prophylaxis of emetic symptoms after gynecological laparoscopic procedures, GEIGER, C., *et al.*, (*ESA*) A.14
——, Double-blind comparison of ondansetron, droperidol and saline for prevention of nausea & vomiting after orthopaedic surgery, GAN, T. J., *et al.*, (*ESA*) A.13
——, Ondansetron 4 mg *vs* droperidol 1.25 mg in the prophylaxis of postoperative nausea and vomiting after alfentanil-supplemented inhalation anaesthesia, ALON, E., *et al.*, (*ESA*) A.12
Vomiting, nausea, Addition of droperidol to patient-controlled analgesia: effect on nausea and vomiting, WILLIAMS, O. A., *et al.*, (*ARS*) 479P
——, Addition of droperidol to PCA morphine: what is the optimal dose? LAMOND, C. T., *et al.*, (*ESA*) A.204
——, An audit of the incidence and costs associated with post operative nausea and vomiting (PONV) following major gynaecological surgery in an inpatient population, MORRIS, R. W., *et al.*, (*ESA*) A.2
——, Comparison of ondansetron, metoclopramide and droperidol for the prophylaxis of emetic symptoms after gynecological laparoscopic procedures, GEIGER, C., *et al.*, (*ESA*) A.14
——, Double-blind comparison of ondansetron, droperidol and saline for prevention of nausea & vomiting after orthopaedic surgery, GAN, T. J., *et al.*, (*ESA*) A.13
——, Ondansetron 4 mg *vs* droperidol 1.25 mg in the prophylaxis of postoperative nausea and vomiting after alfentanil-supplemented inhalation anaesthesia, ALON, E., *et al.*, (*ESA*) A.12
Vomiting, nausea, patient factors, Logistic regression analysis of fixed patient factors for postoperative sickness: a model for risk assessment, PALAZZO, M., *et al.* 135–140

Ward's Anaesthetic Equipment, 3rd Edn, DAVEY, A., *et al.*, (*R*) 240
Water flea, Clonal variation in response to enflurane anaesthesia with *Daphnia magna*, MYLES, A. P., *et al.*, (*ARS*) 476–477P